



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

-

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Electro-photographic Printer				
Commercial name *	DCP-L3515CDW				
Model number *	DCP-L3515CDW				
Issue date *	22/September/2023				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	DCP-L3515CDW	Logo	
Issue date *	22/September/2023		

Product	environmental attributes - Legal requirements	Require	met	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
1 1.0	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above $0.5 \mu g/cm^2/week$ (see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.brother.eu/en/reach	\boxtimes		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal		П	
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	Ш	Ш	
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\boxtimes
P3	Conformity verification & Eco design (ErP)			_
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).			
	The Declaration of Conformity can be requested at (add link or e-mail address):		ш	
	https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=dcpl3515cdw_eu			
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products,			
	(see legal reference).			
	Required information is; given in item P15 or added to this document, available at (add URL):	Ш	Ш	Ш
	available at (add UKL):			
<u> </u>	https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=dcpl3515cdw_eu			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).		Ш	
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	\boxtimes		
	are Community workplace exposure limits, the product/packaging is adequately labeled according to			
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
			_	
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.		<u> </u>	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\square		
	Protocol (see legal reference).		_	_
-	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	DCP-L3515CDW	Logo	
Issue date *	22/September/2023		

	t environmental attributes - Market requirements (See General Note GN below)			
	Environmental conscious design		irement ı	
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No n.a.	
P7	Design			
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		\boxtimes	
P7.8*	Upgrading can be done using commonly available tools		X	
P7.9	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: ABS Material type: PS-HI Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low		\boxtimes	
D7.40	halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		Ш	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:			
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	J. Chemical name. , CAS #.	\boxtimes		
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)			
	FR(17)			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
	The source(s) for these diasonications is/are round at (add Ortels)).			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	DCP-L3515CDW	Logo	
Issue date *	22/September/2023		

Product	environmental attı	ributes - Market re	quirements (contin	ued)	Req	uiren	nent	met
Item					,	Yes	No	n.a.
	Material and substa	ance requirements (d	continued)					
P7.20*	Postconsumer recyc	cled plastic material co	ontent is used in the pro	oduct (See NOTE B6):				
			below shall be answer					
			he postconsumer recyclis 1.2%.	cled plastic material co	ntent (calculated as a			
percentage of total plastic by weight) is 1.2 %. or								
		ecycled material is 1						
P7.21*	Biobased plastic ma	iterial content is used i	in the product (See NO	OTE B7):		Ш	\boxtimes	Ш
	If YES; at least one	of the two alternatives	below shall be answer	red;				
			the biobased plastic m	aterial content (calcula	ated as a percentage of			
	total plastic by or	weight) is %.						
		he biobased plastic m						
P7.22*		ee from mercury, i.e. le pecify: Number of lam		m mercury content pe	r lamp: mg	\boxtimes	Ш	
P8	Batteries	pecity. Number of fami	ps. and maxima	in mercury content per	namp. mg			
P8.1*	Battery chemical cor	mposition:						
P9	Energy consumption	on (See NOTE B8)						
P9.1	For the product the t	following power levels	or energy consumption	ns are reported:				
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for modes and test method *	- en	ergy	
	le for ENERGY	W	W	W				
STAR® Op (OM) produ	perational Mode							
Standby/of	ff mode for	W	W	W				
	STAR Operational							
Mode (OM TFC value	for ENERGY STAR	kWh/week	kWh/week	0.29 kWh/week				
TEC produ	ıcts (TEC= Typical	,	, son					
	nsumption)							
Printing		W	W	460 W				
Copying		W	W	460 W				
	ode/Copying	W	W	310 W				
Quiet Mo	ode/Printing	W	W	310 W				
Ready		W	W	70 W				
Sleep		W	W	10 W				
Deep Sle	=	W	W	0.7 W				
Power O	ff	W	W	0.04 W				
Network	ed Standby	W	W	5.8 W				
External P	ower Supply Efficienc	y Level (International	Efficiency Marking Prof	tocol) * :				\boxtimes
Print/Scan	Speed * :	18 images per r	ninute					
Default tim	e to enter energy sav	e mode: minute	es					
P9.2*	Information about th	e energy save function	n is provided with the p	roduct.	•	\boxtimes		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	DCP-L3515CDW	Logo	
Issue date *	22/September/2023		

Product	t environmental	attributes - M	arket requir	ements (co	ntinued)				ı	Require	ment	met
Item										Yes	No	n.a.
P10	Emissions											
		n – Declared acc		9296 (See NO								
P10.1	Mode	Mode descript	ion		Statistical up	pper limit A-v	weighted	sound p	oower le	vel,		
	Idle	*			*							
	Operation	* Printing(m	ono)		* 6.21							
	Other mode	Printing(Co	olor)		6.1							
	Measured acco	rding to: ISO		//A-74 Other <i>DE-</i> U	JZ219 (only i	if not covere	ed by ECI	MA-74)				
		sions from prin										
P10.2*		according to EC				sion Rates fr	rom Elec	tronic		\boxtimes		
	Equipment (ISC)/IEC 28360)	, other specify:	DE-UZ219								
P10.3	Typical emissio	n rate (operation	phase) is (mg	/h):								
	Electrophotogra Ink devices:	aphic devices: Oz			Styrene Styrene	Benzene Benzene		TVOC TVOC				
	NOTE: complia	nce with maximu	m emission ra	tes in eco lab	els to be decla	ared in P14.						
P11		naterials for prir										
P11.1*	A Safety Data S	Sheet (SDS) is av	ailable for the	ink/toner prep	paration, even	if not legall	y require	d (see F	P4.3).	\boxtimes		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.						of					
P11.3*	2-sided (duplex) printing/copying is an integrated product function.							\boxtimes				
P11.4*	The product is o	delivered to end-	user with defau	ult auto-duple	x enabled.					\boxtimes		
P13	Packaging and	I documentation	1									
P13.1*	Product packag	ing material type ing material type ing material type	e(s): PS-E	weight (k	weight (kg): (g): 0.26 (g): 0.22	2.57						
P13.2*		primary packagir		PVC.						\boxtimes		
P13.3*	consumer recov	nary corrugated tered fiber conte	nt: 50 9	%	•	ed percentaç	ge of min	nimum p	ost-			
P13.4*	Specify media f	or user and prod Paper <mark>X</mark> , Other	uct documenta	ation (tick box):							
P13.5	(Please only co	mplete this item ct documentation	if paper docum									
	Totally chlorine											
	Elemental chlor									Ц		
	Processed chlo											
P14	Voluntary prog				()							
P14.1	The product me	ets the requirem	ents of the foll	owing volunta	ary program(s)):						
	ENERGY STAF Eco-label: <i>Blu</i>		riteria version: riteria version:	DE-UZ219	Date: Date: 11/Apr/202	Pro	oduct cate oduct cate inting Fu	egory:	Office E	Equipme	nt witi	h
	Eco-label: No.	rdic Swan Cı	riteria version:	6.7	Date:	Pro	oduct cat		lmaging	g equipm	nent	

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	DCP-L3515CDW	Logo	
Issue date *	22/September/2023		

Product	Requirement met	
P15	Additional information (See NOTE B11)	

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	