



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	EUBIEEnvironmentalGroup@brother.co.uk	
e-mail address		
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Electro-photographic Printer					
Commercial name *	DCP-L3520CDWE					
Model number *	DCP-L3520CDWE					
Issue date *	7/November/2023					
Intended market *	☐ Global ☑ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	DCP-L3520CDWE	Logo	
Issue date *	7/November/2023		

Product	environmental attributes - Legal requirements	Require		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
1 1.0	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		ш	
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated	\boxtimes		
	terphenyl (PCT) in preparations (see legal reference).		ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	\boxtimes		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		ш	
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week			\boxtimes
	(see legal reference).	_		
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	https://www.brother.eu/en/reach	_		_
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal		П	\boxtimes
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal			\boxtimes
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\boxtimes
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes	П	
	The Declaration of Conformity can be requested at (add link or e-mail address):			ш
	https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=dcpl3520cdw_eu_as			
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products,	\boxtimes		
	(see legal reference).			
	Required information is; given in item P15 or added to this document,			
	available at (add URL):	_		_
	https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=dcpl3520cdw_eu_as			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater			
1 7.1	than 0,01% (see legal reference and NOTE B1).		ш	Ш
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see	X		
	legal reference)		ш	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	\square		
	are Community workplace exposure limits, the product/packaging is adequately labeled according to			ш
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	X		
	hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)	\boxtimes		
	used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	X		
	Protocol (see legal reference).	<u>~_</u>		
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	DCP-L3520CDWE	Logo	
Issue date *	7/November/2023		

	t environmental attributes - Market requirements (See General Note GN below)	_	•	
	Environmental conscious design		irement	
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No n.a	
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.		-	H
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			H
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			\overline{H}
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			H
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		\boxtimes	
P7.8*	Upgrading can be done using commonly available tools			
P7.9	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: ABS Material type: PS-HI Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.	市	\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			Ш
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: " Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40) FR(17)			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	DCP-L3520CDWE	Logo	
Issue date *	7/November/2023		

Product environmental attributes - Market requirements (continued)						equire	ment	met
Item						Yes	No	n.a.
DT 00*		ance requirements (d						
P7.20*	Postconsumer recyc	cled plastic material co	ontent is used in the pro	oduct (See NOTE B6)	:	\boxtimes		Ш
	If YES: at least one	of the two alternatives	below shall be answe	red:				
	a) Of total plastic	parts' weight > 25 g, t	he postconsumer recyc		ontent (calculated as a			
		otal plastic by weight)	is 1.2 %.					
	or b) The weight of r							
P7.21*			35.78 g. in the product (See NC	TE B7):				
	If YES: at least one	of the two alternatives	below shall be answe	red:				
	a) Of total plastic	parts' weight > 25 g,			ated as a percentage of			
	total plastic by or	weight) is %.						
		he biobased plastic m	aterial is g.					
P7.22*	Light sources are fre	ee from mercury, i.e. le	ess than 0,1 mg/lamp.			\boxtimes		
		pecify: Number of lam	ps: and maximu	m mercury content pe	r lamp: mg			
P8.1*	Batteries Battery chemical cor	mnosition:						
P9	Energy consumption	<u>'</u>						
P9.1			or energy consumption	ns are reported:				
Energy mo		Power level at	Power level at	Power level at	Reference/Standard	for er	nergy	
Lifelgy inc	ode	100 V AC	115 V AC	230 V AC	modes and test method		icigy	
	de for ENERGY	W	W	W				
STAR® O	perational Mode							
	ff mode for	W	W	W				П
ENERGY	STAR Operational							
	1) products e for ENERGY STAR	kWh/week	kWh/week	0.29 kWh/week				
	ucts (TEC= Typical	KVVII/WEEK	KVVII/WEEK	0.29 KVVII/WEEK				Ш
	onsumption)							
Printing		W	W	460 W				
Copying	1	W	W	460 W				
Quiet Mo	ode/Copying	W	W	310 W				
Quiet Mo	ode/Printing	W	W	310 W				
Ready		W	W	70 W				
Sleep		W	W	10 W				
Deep Ste	eep	W	W	0.7 W				
Power C)ff	W	W	0.04 W				
Networked Standby W W 5.8 W								
		y Level (International	Efficiency Marking Pro	tocol) * :				\boxtimes
Print/Scan	•	18 images per r	ninute					
	ne to enter energy sav							
P9.2*	P9.2* Information about the energy save function is provided with the product.							

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	DCP-L3520CDWE	Logo	
Issue date *	7/November/2023		

Product	roduct environmental attributes - Market requirements (continued)						Re	Requirement met			
Item			-						Yes	No	n.a.
P10	Emissions										
	Noise emission		according to ISO	9296 (See NO							
P10.1	Mode	Mode desc	cription		Statistical up L _{WA,c} (B)	pper limit A-w	eighted sound	d power leve	el,		
	Idle	*			*						
	Operation	* Printing	g(mono)		* 6.21						П
	Other mode	Printing	g(Color)		6.1						
	Measured accord					f not covered	d by ECMA-74	1)			
			orinting products								
P10.2*		_	ECMA-328 Deter		nemical Emiss	sion Rates fro	om Electronic			Ш	Ш
P10.3			tion phase) is (mg								
	Electrophotograp	ohic devices			Styrene Styrene	Benzene Benzene					
	NOTE: complian	ce with max	imum emission ra	ites in eco lab	els to be decla	ared in P14.					
P11			printing product								
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3)						e P4.3).	\boxtimes			
P11.2*	Paper containing EN 12281.	g post-consu	mer recycled fibe	rs can be use	d, provided tha	at it meets th	e requiremen	ts of			
P11.3*	2-sided (duplex)	printing/cop	ying is an integrat	ted product fur	nction.				X		
P11.4*	The product is de	elivered to e	nd-user with defa	ult auto-duple:	x enabled.				\boxtimes		
P13	Packaging and	documenta	tion								
P13.1*	Product packagii Product packagii Product packagii	ng material t		<i>FBRBRD</i> weight (k weight (k		2.43					
P13.2*	Product plastic p	rimary pack	aging is free from		37				X	\Box	\Box
P13.3*	For product prim		ed fiberboard pac ntent: 50	kaging, specit	y the containe	ed percentag	e of minimum	post-			
P13.4*	Specify media for Electronic , F	or user and poper and pope	roduct documenta	ation (tick box)							
P13.5	(Please only con User and produc If Yes, please sp	t documenta	em if paper docun ation on paper me	nentation used dia is chlorine	i) -free:						
	Totally chlorine-f	ree									
	Elemental chlorii										
	Processed chlori	ine-free									
P14	Voluntary progr										
P14.1	The product mee	ets the requir	rements of the foll	lowing volunta	ry program(s)):					
	ENERGY STARGECO-label: Blue		Criteria version: Criteria version:		Date: Date: 11/Apr/202	Pro	duct category: duct category: nting Functio	Office Eq	uipme	nt witl	ל
	Eco-label: Nord	dic Swan	Criteria version:	6.7	Date: 4/Sen/202	Pro	duct category:		equipm	ient	

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	DCP-L3520CDWE	Logo	
Issue date *	7/November/2023		

Product environmental attributes - Market requirements (concluded)	Requirement met
P15 Additional information (See NOTE B11)	

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	