

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *		
	EUBIEEnvironmentalGroup@brother.co.uk	
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	I In One Electro-photographic Printer					
Commercial name *	FC-9342CDW					
Model number *	NFC-9342CDW					
Issue date *	04/September/2014					
Intended market *	🔄 Global 🔀 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Requireme	nt met	
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	bl 🔀	

Model number *	MFC-9342CDW		
Issue date *	04/September/2014	Logo	

Product	Require	ment	met	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\square$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).			$\boxtimes$
	Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			$\boxtimes$
	pentachlorophenol and derivatives (see legal reference).			
P1.9*	Comment: Legal reference has no maximum concentration values. Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5			
1 1.5	microgram/cm <sup>2</sup> /week (see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\boxtimes$		
	www.brother.eu/reach			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains			$\bowtie$
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or			$\boxtimes$
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the			$\boxtimes$
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)	31		
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal		H	
P3.3*	reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies			
	with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	$\square$		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\bowtie$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre. Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		
		-		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu		MFC-9342CDW 04/September/2014 Logo						
Issue dat								
Product	environ	mental attributes - Market requirements - Environmental conscious design	Require	mont	mot			
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P6		nt information	100	110	ind.			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).							
P7	Design							
	•	mbly, recycling						
P7.1*	Parts that	at have to be treated separately are easily separable	$\square$					
P7.2*	Plastic materials in covers/housing have no surface coating.							
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.							
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.		Ē	Ē			
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	Ħ			
P7.6*	-	re easily separable. (This requirement does not apply to safety/regulatory labels).		H	H			
	Product							
P7.7*		ng can be done e.g. with processor, memory, cards or drives						
P7.8*		g can be done using commonly available tools		H	H			
P7.9.		arts are available after end of production for: 7 years			┢			
P7.10					╞			
17.10		s available after end of production for: 7 years						
P7.11*		and substance requirements cover/housing material type:						
F7.11		type: HI-PS Material type: ABS Material type: PC/ABS						
P7.12	Electrica	I cable insulation materials of power cables are PVC free.		$\square$				
P7.13		I cable insulation materials of signal cables are PVC free			H			
P7.14		/housing plastic parts >25g are free from chlorine and bromine.			╞			
P7.15		ed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (Se			╞			
17.10	Note B2							
P7.16		tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	$\boxtimes$					
P7.17	Alt. 1 Chemica TBBPA	additive) $\boxed{\square}$ , TBBPA (reactive) $\boxed{\square}$ , Other; chemical name: , CAS #:						
	ISO 104	Il specifications of flame retardants in printed circuit boards (without components) >25g according 3-4:						
P7.18	concentr Comm	etarded plastic parts >25g contain the following flame retardant substances/preparations ations above 0.1%: ent: No legal limits exist, this is a market requirement. ical name: , CAS #:	in 🗌					
	2. Chem 3. Chem Alt. 2 Chemica <i>FR(17)</i>	ical name: , CAS #: ical name: , CAS #: Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:						
P7.19	R40, R4	arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)						
P7.20		plastic parts' weight >25g, recycled material content is 0.4%.						
P7.21		plastic parts' weight >25g, biobased material content is 0%.	<b>k</b> 1					
P7.22	If mercu	urces are free from mercury ry is used specify: Number of lamps: and max. mercury content per lamp: mg						
P8	Batterie							
P8.1*	-	chemical composition:						
P8.2	Batteries	meet the requirements of the following voluntary program/s:			$\square$			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Issue da	* 04/September/2014 Logo									
Product	t environmental a	ttributes - Market re	quirements (con	tinued)		R	equiremen	nt met		
Item		tinbutes market re	quirements (con			•	Yes No			
P9	Energy consump									
9.1	For the product the following power levels or energy consumptions are reported:									
		Power level at 115 V AC	Power level 230 V AC	at	Reference / Standard modes and test method *	for energy	у 🗌			
Printing		W	W	375 W						
Copying	1	W	W	380 W						
Ready		W	W	<b>70</b> W						
Sleep		W	W	7.5 W						
Deep Sle	ep	W	W	1.8 W						
Off		W	W	0.05 W						
EPS No-I	oad	W	W	W						
charger p	power supply / plugged in the wall disconnected from uct.)									
PTEC * Typical E	nergy Consumption	W	W	W						
TEC * Typical Energy Consumption		kWh/week	kWh/week	1.4 kWh/week						
ETEC * Annual E	nergy Consumption	kWh/year	kWh/year	kWh/year						
Display re	esolution* : M	legapixels								
Print Spe	ed * : 22 Imag	es per minute								
	me to enter energy sa		25							
P9.2*		the energy save function		ne product.						
P9.3*		s the energy requirement			n/s:					
	ENERGY STAR® Others specify:		Product category:			NT				
P10	Emissions									
P10.1		<ul> <li>Declared according to Mode description</li> </ul>	ISO 9296	Declared		Declared A-weighte	d			
P10.1 Mode M				A-weighted sound power		sound pressure level $L_{pA}$	Am (dB)			
				level $L_{WAd}$ (B)		Desktop (only if	nder positions product is no ator attended	] t		
	Idle	* Ready	1	* 4.44				ЧП		
	Operation	* Printing(mono)		* 6.42						
	Other mode	Printing(color)		6.39						
	Measured accordi		ECMA-74							
		Other <b>RAL-U</b>	Z171 (only if not cov	vered by ECMA-	74 wi	th L <sub>pAm</sub> measurement distar		)		
P10.2	The product meets the acoustic noise requirements of the following voluntary program/s: RAL-UZ171									

Model number \* MFC-9342CDW

Model nur	nber *	MFC-93420	CDW								
Issue date * 04/Septem		ber/2014					Logo				
Product e	environn	nental attri	butes - Mark	et requirem	nents (cor	ntinued)		F	Require	ment	met
Item									Yes	No	n.a.
	Chemica	al emissions	s from printing	products							
P10.3*	Test per	formed acco	rding to ECMA-	328 (ISO/IEC	C 28360) sta	andard 📃, o	ther specify: RAL	- <b>UZ</b> 171	$\boxtimes$		
P10.4	Typical e	emission rate	e (print phase) is	s (mg/h):							
		Dust	Ozone	Styrene	Benz		TVOC				
P10.5			equirements of				are met for :		$\boxtimes$		
		Dust 🔀	Ozone 🔀	Styren	ie 🔀	Benzer	ne 🔀	TVOC 🔀			
<b>D</b> 40.0		magnetic em									
P10.6	program		ets the require	nent for low f	requency e	lectromagne	tic fields of the fo	llowing voluntary			$\bowtie$
P11			als for printing	products							
P11.1*	A Safety	/ Data Sheet	(SDS) is availa	ole for the ink	k/toner prep	aration, ever	n if not legally req	uired (see P4.3).	$\boxtimes$		
P11.2*	Paper co EN1228		st-consumer re	cycled fibers	can be us	sed, provide	d that it meets t	he requirements of			
P11.3*			ing/copying is a	in integrated	product fun	ction.			$\square$		
P12	Ergonor	mics for con	nputing produ	cts							
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.							$\boxtimes$			
P12.2*	The phys	sical input de	evice meets the	requirements	s of ISO 999	95 and ISO 9	9241-410.				$\boxtimes$
P13		ing and doc									
P13.1*			aterial type(s):		weight (kg	g): <b>3.4</b>					
			aterial type(s): aterial type(s):	PS weight (k	(g): 0.5 weight (kg	x)-					
P13.2*			aging is free from	n PVC.		<b>j</b> /-			$\square$		
P13.3*			er and product of		n (tick box)	:					H
		ic 🔀, Paper									
P13.4*	For pape fiber: 1		roduct docume	ntation, pleas	se specify co	ontained per	centage of post-c	onsumer recycled			
Rev. P13.5	User and	d product doo	cumentation do	not contain c	hlorine blea	ached paper			$\square$		
P14	Addition	nal informati	ion (See Note	34)							

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19