

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	EUBIEEnvironmentalGroup@brother.co.uk	
e-mail address		
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Electro-photographic Printer			
Commercial name *	MFC-L3740CDWE			
Model number *	MFC-L3740CDWE			
Issue date *	7/November/2023			
Intended market *	🔄 Global 🔀 Europe 🔄 Asia, Pacific & Japan 🗌 Americas 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1 Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Annex B1 of ECMA-370 6th edition, corrigendum December 2019 Page 1 (8)

5			
Model number *	MFC-L3740CDWE	Logo	
Issue date *	7/November/2023		

Produc	t environmental attributes - Legal requirements F	Require	emen	t met
tem		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
1.5	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	\boxtimes		
- 1.5	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above $0.5 \mu g/cm^2/week$			\boxtimes
	(see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	https://www.brother.eu/en/reach		<u> </u>	
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			\square
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal			\boxtimes
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\boxtimes
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\square		
	The Declaration of Conformity can be requested at (add link or e-mail address):			
	https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=mfcl3740cdw_eu			
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).	\boxtimes		
	Required information is; given in item P15 or added to this document,			
	available at (add URL):			
	https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=mfcl3740cdw_eu			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).	\boxtimes		
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see	\boxtimes		
	legal reference)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	\bowtie		
	are Community workplace exposure limits, the product/packaging is adequately labeled according to			
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
DE	(see legal reference).			
25	Product packaging	NZ		
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\boxtimes		
	Protocol (see legal reference).	<u> </u>		<u> </u>
	Comment: Legal reference has no maximum concentration values.			
2 6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	MFC-L3740CDWE	Logo	
Issue date *	7/November/2023		

	Environmental conscious design			ent me	et
tem	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
7 7	Design				
)7 4*	Disassembly, recycling			1 6	_
P7.1*	Parts that have to be treated separately are easily separable				
P7.2*	Plastic materials in covers/housing have no surface coating.	\square			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\square			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes] [
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\times			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X			┓
	Product lifetime			<u> </u>	
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives] [٦
P7.8*	Upgrading can be done using commonly available tools	Ē		1	Ē
P7.9	Spare parts are available after end of production for: 7 years				╡
P7.10	Service is available after end of production for: 7 years				۲
-	Material and substance requirements			L	-
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):				_
	Material type: ABS Material type: PS-HI Material type:				
P7.12	Insulation materials of external electrical cables are PVC free.		\mathbf{X}] [
P7.13	Insulation materials of internal electrical cables are PVC free.] [┓
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.] [
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		\mathbf{X}] [
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: $FR(40)$	\square] [
97.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):				
	TBBPA (additive) 🔲, TBBPA (reactive) 🔀 (See NOTE B3), Other; chemical name: , CAS #:	\bowtie		JL	
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:] [
7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)] [
	 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: " Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)] [
7.19	FR(17) In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:] [

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model nu	mber *	MFC-L3	740CDWE				Logo			
Issue dat	:e *	7/Noven	nber/2023							
Product	environm	ental attr	ibutes - Market re	quirements (contir	nued)			Requ	iremen	t met
Item				•				Ý		
D7 00*			ance requirements (c							
P7.20*	Postcons	umer recyc	led plastic material co	ntent is used in the pr	oduct (Se	ee NOTE B6):		\triangleright		
				below shall be answe						
			parts' weight > 25 g, tl otal plastic by weight)	ne postconsumer recy is 1.12 %.	cled plas	tic material con	tent (calculate	ed as a		
	or	entage of t	otal plastic by weight)	15 1.12 /0.						
			ecycled material is 1							
P7.21*	2.21* Biobased plastic material content is used in the product (See NOTE B7): Image: Content is used in the product (See NOTE B7):									
	If YES; at	least one o	of the two alternatives	below shall be answe	ered;					
		otal plastic plastic by י		he biobased plastic n	naterial co	ontent (calculat	ed as a perce	entage of		
	or	plastic by	weight/13 /0.							
P7.22*			ne biobased plastic ma e from mercury, i.e. le							
F1.22			ecify: Number of lam		um mercu	iry content per	lamp:	ng		
P8	Batteries							-		
P8.1*	,	nemical cor								\boxtimes
P9			on (See NOTE B8)							
P9.1	-	roduct the f		or energy consumption		-				
Energy m	ode *		Power level at 100 V AC	Power level at 115 V AC		ver level at 30 V AC	Reference/Si modes and te		energy	
	de for ENE		W	W		W				
(OM) proc	perational I ducts	viode								
Standby/c	off mode for		W	W		W				
	STAR Ope (I) products	rational								
TEC value	e for ENER	-	kWh/week	kWh/week	0.27	kWh/week				
	ucts (TEC= onsumption									
Printing	-)	W	W	460	W				
Copying			W	W	460	W				⊢⊢
	, ode/Copyiı	na	W	W	310	W				\dashv
	ode/Printin	•	W	W	310	W				⊢⊢
Ready		9	W	W	70	W				\dashv
Sleep			W	W	10	W				-
Deep Sl	eep		W	W	0.5	W				⊢⊢
Power C			W	W	0.04	W				\dashv
Networked Standby W W				5.8	W				⊢⊢	
Print/Scar			18 images per n							
			0 1							<u> </u>
	ne to enter									<u> </u>
P9.2*	Informatio	on about the	e energy save function	n is provided with the	product.			\geq		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	MFC-L3740CDWE	Logo	
Issue date *	7/November/2023		

Product	t environme	ntal attributes	s - Market requi	rements (co	ntinued)			Requir	ement	met
Item								Yes	No	n.a.
P10	Emissions									
	Noise emission – Declared according to ISO 9296 (See NOTE B9)									
P10.1	Mode	Mode des	scription		Statistical u <i>L_{WA,c}</i> (B)	pper limit A-w	eighted sound	power level,		
	Idle	*			*					
	Operation	* Printin	g(mono)		* 6.21					
	Other mode		g(Color)		6.1					
	Measured a	according to:		MA-74 Othe r <u>DE-U</u>	JZ219 (only	if not covered	by ECMA-74)		
			printing product					, 		
P10.2*	•	-	ECMA-328 Dete		nemical Emis	sion Rates fro	om Electronic	\boxtimes		
B 40.0) , other specify							
P10.3	Typical emi	ssion rate (opera	ation phase) is (m	g/h):						
	Electrophot Ink devices	ographic devices			Styrene Styrene	Benzene Benzene				
	NOTE com	pliance with ma	ximum emission ra	ates in eco lab	els to be decl	ared in P14				
P11			printing product							
P11.1*		A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).								
P11.2*		Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of								
P11.3*		2-sided (duplex) printing/copying is an integrated product function.								
P11.4*	The produc	t is delivered to	end-user with defa	ult auto-duple:	x enabled.					一一
P13	Packaging	and document	ation	-						
P13.1*	Product packaging material type(s): CRGTD-FBRBRD weight (kg): 2.42 Product packaging material type(s): PS-E weight (kg): 0.3 Product packaging material type(s): HDPE weight (kg): 0.22									
P13.2*			kaging is free from		0/			\boxtimes		
P13.3*		primary corruga ecovered fiber c	ated fiberboard pac ontent: 50	ckaging, specil %	fy the contain	ed percentag	e of minimum	post-		
P13.4*	Specify me	dia for user and X, Paper X, C	product document	ation (tick box):					
P13.5		roduct document	tem if paper docur tation on paper me							
	Totally chlo									
		hlorine-free chlorine-free								
P14	Voluntary	programs:								
P14.1	The produc	t meets the requ	irements of the fo	lowing volunta	ry program(s):				
	ENERGY S	TAR®	Criteria version:	:	Date:	Proc	duct category:			
		Blue Angel Nordic Swan	Criteria version		Date: 11/Apr/202 Date:	Proc 23 Prin	duct category: ting Function	Office Equipmon I Imaging equip		h
	Eco-label:	Noruic Swah	Criteria version	0.7	Date: 4/Sep/202		uct category:	maging equip	ment	

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	MFC-L3740CDWE	Logo	
Issue date * 7	7/November/2023		

Product environmental attributes - Market requirements (concluded) Require			
P15	Additional information (See NOTE B11)		

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	