

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	EUBIEEnvironmentalGroup@brother.co.uk	
e-mail address		
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.

Type of product *	ALL IN ONE Inkjet Printer
Commercial name *	DCP-T820DW
Model number *	DCP-T820DW
Issue date *	21/October/2020
Intended market *	🗌 Global 📃 Europe 🔲 Asia, Pacific & Japan 🗌 Americas 🔀 Other <i>Russia</i>
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

5				
Model number *	DCP-T820DW	Log	lo	
Issue date *	21/October/2020			

Product	Require	ement	met	
Item		Yes		n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\square$		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🖂		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm <sup>2</sup> /wee (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.	<		$\boxtimes$
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): www.brother.eu/reach	$\square$		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega reference)	I 🗌		$\boxtimes$
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			$\boxtimes$
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)		Ē	$\overline{\boxtimes}$
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference)			
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):			$\boxtimes$
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products, (see legal reference).			$\boxtimes$
	Required information is; given in item P15 or added to this document, available at (add URL):			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)	$\boxtimes$		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	$\boxtimes$		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material ( used (see legal reference).	s) 🔀		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	$\boxtimes$		
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			
L				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	DCP-T820DW Logo			
Issue da	ite *	21/October/2020			
	Environr	mental attributes - Market requirements (See General Note GN below) nental conscious design		uiremer	
Item		tory to fill in. Additional information regarding each item may be found under P14.	Yes	No n	.a.
P7	Design	addu accualing			
P7.1*		mbly, recycling t have to be treated separately are easily separable			
P7.2*		aterials in covers/housing have no surface coating.			
P7.3*					<u> </u>
-		arts > 100 g consist of one material or of easily separable materials.			<u> </u>
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tool			
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
D7 7	Product				
P7.7*		g can be done e.g. with processor, memory, cards or drives			<u> </u>
P7.8*		g can be done using commonly available tools			
P7.9.	Spare pa	rts are available after end of production for: <b>7</b> years			
P7.10	Service i	s available after end of production for: 7 years			
		and substance requirements			
P7.11*	Material	cover/housing material type (e.g. plastics, metal, aluminum): type: PS-HI Material type: ABS Material type:			
P7.12		n materials of external electrical cables are PVC free.			
P7.13	Insulation	n materials of internal electrical cables are PVC free.			
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in p g more than 25% post-consumer recycled content.	and		
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are as defined in IEC 61249-2-21. (See NOTE B2)	low		
P7.16	Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			$\square$
P7.17		additive) X, TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:	$\boxtimes$		
		nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4:			
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparation ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	s in		
					$\boxtimes$
P7.19	In plastic assigned	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been the following Risk phrases; and Hazard statements:			
	The sour	ce(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	DCP-T820	<b>DW</b>			Logo			
Issue date *	21/Octo	ber/2020						
	mental attr	ibutes - Market ree	quirements (conti	nued)		Require		met
Item						Yes	No	n.a.
		ince requirements (c						
Postcor	isumer recyc	led plastic material co	ntent is used in the p	roduct (See NOTE B6):				
a) Of	total plastic p	of the two alternatives parts' weight > 25 g, th ptal plastic by weight)	ne postconsumer recy	ered; ycled plastic material co	ntent (calculated as a	l		
		ecycled material is	g.					
P7.21* Biobase	ed plastic mat	terial content is used i	n the product (See N	OTE B7):			$\boxtimes$	
a) Of tot or b) Th	total plastic   al plastic by v e weight of th	weight) is %.	he biobased plastic r aterial is g.	material content (calcula	ted as a percentage	of		
		e from mercury, i.e. le				$\boxtimes$		
		ecify: Number of lamp		um mercury content per	1 9			
P7.23* If produ	ct includes ai	n integral display, the	total mercury content	t in the integrated display	y: <b>0</b> mg	$\bowtie$		
P8 Batterie								
· · · · · · · · · · · · · · · · · · ·	chemical con	-						$\square$
		on (See NOTE B8)		and and the state of the state				
	product the fo	ollowing power levels		-				
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test met		nergy	
Sleep mode for ENI STAR® Operationa (OM) products		W	W	0.9 W				
Standby/off mode fo ENERGY STAR Op Mode (OM) product	erational	W	W	0.2 W				
TEC value for ENEI TEC products (TEC Energy Consumptic	= Typical	kWh/week	kWh/week	kWh/week				
Copying		W	W	17 W				
Ready		W	W	3 W				
Sleep		W	W	0.9 W				
Networked Standb	y I	W	W	1.8 W				一
Power off		W	W	0.2 W				ī
		W	W	W				$\overline{\neg}$
External Power Sur	ply Efficiency	Level (International I		otocol) * :				$\exists$
Print/Scan Speed *		17(Black) Images p						$\exists$
•		e mode: 5 minutes		- /				$\dashv$
		e energy save function	a ic provided with the	product				╞
		e energy save function		product.		$\square$		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	DCP-T820DW	Logo
Issue date *	21/October/2020	

Produc	t environmental	attributes - Market re	equirement	s (continued)			Require	ement	met
Item							Yes	No	n.a.
P10	Emissions								
5101		<ul> <li>Declared according to</li> </ul>	o ISO 9296 (S						
P10.1	Mode	Mode description		Statistical u L <sub>WA,c</sub> (B)	pper limit A-weig	hted sound powe	r level,		
	Idle	*		*					
	Operation	*		*					┢
	Other mode								
	Measured accor	Measured according to: ISO 7779 ECMA-74							
			Other		overed by ECMA-	74)			
<b>D</b> ( 0, 0)	Chemical emiss	sions from printing pro	ducts (See N	IOTE B10)					
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic								
D40.0	Equipment (ISO/IEC 28360), other specify: Typical emission rate (operation phase) is (mg/h):								
P10.3	i ypical emissior	rate (operation phase)	is (mg/n):						
	Electrophotogra	ohic devices: Ozone	Dust	Styrene	Benzene	TVOC			
	Ink devices:		Dust	Styrene	Benzene	TVOC			H
				- ,					
		ce with maximum emiss		co labels to be dec	lared in P14.				
P11		aterials for printing pro							
P11.1*		heet (SDS) is available f				,			
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.						$\square$		
P11.3*	2-sided (duplex)	printing/copying is an in	tegrated prod	uct function.			$\boxtimes$		
P11.4*	The product is d	elivered to end-user with	default auto-	duplex enabled.					$\square$
P13		documentation							
P13.1*	Product packagi Product packagi	ng material type(s): CRC ng material type(s): PS- ng material type(s): LDP	E PE	weight (kg): weight (kg): weight (kg):	0.30				
P13.2*		primary packaging is free					$\square$		
P13.3*	consumer recov	ered fiber content: 5	0 %		ned percentage o	f minimum post-			
P13.4*		or user and product docu Paper 🔀, Other 🗌	mentation (tic	k box):					
P13.5		nplete this item if paper of t documentation on pap becify:							
	Totally chlorine-	free							
	Elemental chlori						H		
	Processed chlor						H		
P14	Voluntary prog								
P14 P14.1		ets the requirements of t	he following v	oluntary program(s	3):				
	ENERGY STAR	® Criteria ve	rsion:	Date:	Produc	t category:			
	Eco-label:	Criteria ve		Date:		t category:			
	Eco-label:	Criteria ve	rsion:	Date:		t category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$ 

Model number *	DCP-T820DW	Logo	
Issue date *	21/October/2020		

Produc	Product environmental attributes - Market requirements (concluded) Requirement m					
P15	Additional information (See NOTE B11)					
	Recyclable rate 84 %					

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Legal references Europe Annex Br	
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1, P3.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	