

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	EUBIEEnvironmentalGroup@brother.co.uk	
e-mail address		
Internet site *	www.brother.com	
Additional information		

 The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.

 Type of product *
 ALL IN ONE Inkjet Printer

 Commercial name *
 DCP-T720DW, MFC-T920DW

 Model number *
 DCP-T720DW, MFC-T920DW

 Issue date *
 21/October/2020

 Intended market *
 Global Sector Asia, Pacific & Japan Americas Other

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Additional information

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

5				
Model number *	DCP-T720DW, MFC-T920DW	Logo		
Issue date *	21/October/2020			

Product	environmental attributes - Legal requirements	Require	ement	met
Item		Yes		n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-	\square		
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	• ⊠		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): www.brother.eu/reach	\boxtimes		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			\boxtimes
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)			\boxtimes
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\boxtimes
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)		Ē	$\overline{\boxtimes}$
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference)			
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://support.brother.com/g/b/index.aspx?noautojudge=true			
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products, (see legal reference).			
	Required information is; given in item P15 or added to this document,			
	available at (add URL): http://support.brother.com/g/b/index.aspx?noautojudge=true			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).			\square
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to	\square		
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	\boxtimes		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s used (see legal reference).)		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	DCP-T720DW, MFC-T920DW	Logo	
Issue date *	21/October/2020		

-	Environmental conscious design	Requ			
ltem	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design				
	Disassembly, recycling			_	_
P7.1*	Parts that have to be treated separately are easily separable	\square			
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\square			
	Product lifetime			_	
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			3	
P7.8*	Upgrading can be done using commonly available tools		D	1	\Box
P7.9.	Spare parts are available after end of production for: 7 years				一
P7.10	Service is available after end of production for: 7 years				Π
	Material and substance requirements				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PS-HI Material type: ABS Material type:				
P7.12	Insulation materials of external electrical cables are PVC free.		\triangleright	3	
P7.13	Insulation materials of internal electrical cables are PVC free.			3	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.				
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)				
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:				\boxtimes
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:	\boxtimes			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:		Ľ		
97.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "				
	3. Chemical name: , CAS #: "		Г	7	\square
D7 40	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:				
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:		L		

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

			DW, MFC-T920DW			Logo			
Issue dat	te *	21/Octob	per/2020						
Product	environr	nental attri	butes - Market re	<mark>quirements (conti</mark>	nued)	•	Require Yes	<mark>ment</mark> No	n.a
	Material	and substa	nce requirements (o	continued)					
P7.20*					roduct (See NOTE B6)	:		\square	
	a) Of t per or	otal plastic p centage of to			ered; ycled plastic material cc	ontent (calculated as a	a		
P7.21*				in the product (See N	OTE B7):			\boxtimes	
	a) Of tota or b) The	otal plastic p l plastic by v weight of th	parts' weight > 25 g, t veight) is %. e biobased plastic m	aterial is g.	material content (calcula	ated as a percentage	of		
P7.22*			e from mercury, i.e. le ecify: Number of lam	ess than 0,1 mg/lamp ps: and maxim	ium mercury content pe	r lamp: mg	\boxtimes		
P7.23*	If produc	t includes ar	n integral display, the	total mercury content	t in the integrated displa	iy: 0 mg	\boxtimes		
P8	Batterie	6							
P8.1*	Battery of	hemical com	position:						\square
P9	Energy	consumptio	n (See NOTE B8)						
P9.1	For the p	product the fo	ollowing power levels	or energy consumpti	ons are reported:				
Energy m	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standar modes and test me		nergy	
	de for ENE Operational ducts		W	W	1.2 W				
ENERĠY	off mode fo STAR Ope M) products	erational	W	W	0.2 W				
TEC valu TEC prod	e for ENER lucts (TEC= onsumption	GY STAR Typical	kWh/week	kWh/week	kWh/week				
Copying			W	W	17 W				
Ready			W	W	4 W				
Sleep			W	W	1.2 W				
Network	ed Standb	/	W	W	2.2 W				
Power of	f		W	W	0.2 W				
			W	W	W				
External I	Power Supp	bly Efficiency	Level (International	Efficiency Marking Pr	otocol) * :				
Print/Sca	n Speed *	:	17(Black) Images p	er minute (based on	ISO/IEC 24734)				
	ma ta antar	oporav opva	e mode: 5 minutes						
Default tir	ne to enter	energy save	moue. 🗸 minutes						

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	DCP-T720DW, MFC-T920DW	Logo	
Issue date *	21/October/2020		

Produc	t environmental	attributes - Market re	equirement	s (continued)			Require	ement	met
Item			-				Yes	No	n.a.
P10	Emissions								
	Noise emission	- Declared according to) ISO 9296 (S						
P10.1	Mode	Mode description		Statistical u L _{WA,c} (B)	pper limit A-weig	hted sound powe	r level,		
	Idle	*		*					
	Operation	*		*					
	Other mode								
	Measured accore	ding to: 🗌 ISO 7779	ECMA-74	(only if not co	vered by ECMA-	74)			
	Chemical emiss	sions from printing pro				74)			
P10.2*	Test performed a	according to ECMA-328	Determination	n of Chemical Emis	sion Rates from	Electronic			
	Equipment (ISO/IEC 28360) , other specify:								
P10.3		rate (operation phase) i							
	Electrophotograp	bhic devices: Ozone	Dust Dust	Styrene Styrene	Benzene Benzene	TVOC TVOC			
	NOTE: complian	ce with maximum emiss	ion rates in e	co labels to be decl	ared in P14.				
P11	Consumable ma	aterials for printing pro	ducts						
P11.1*	A Safety Data Sl	neet (SDS) is available f	or the ink/tone	er preparation, ever	n if not legally red	quired (see P4.3).			
P11.2*	Paper containing EN 12281.	post-consumer recycle	d fibers can b	e used, provided th	hat it meets the re	equirements of	\boxtimes		
P11.3*	2-sided (duplex)	printing/copying is an in	tegrated prod	uct function.			\square		
P11.4*	The product is de	elivered to end-user with	default auto-	duplex enabled.					\square
P13	Packaging and								
P13.1*	Product packagi Product packagi	ng material type(s): CRC ng material type(s): PS-I ng material type(s): LDP	E VE	 weight (kg): weight (kg): weight (kg): 	0.30				
P13.2*		rimary packaging is free					\square		
P13.3*	consumer recove		0 %		ed percentage of	f minimum post-			
P13.4*		r user and product docu Paper 🔀, Other 🗌	mentation (tic	k box):					
P13.5		nplete this item if paper of t documentation on paper ecify:						\boxtimes	
	Totally chlorine-f	ree							
	Elemental chlori						H		
	Processed chlori						H		
P14	Voluntary prog								
P14.1		ets the requirements of the	ne following v	oluntary program(s):				
	ENERGY STAR	B Criteria ver	rsion:	Date:	Produc	t category:			
	Eco-label:	Criteria ve		Date:		t category:			
	Eco-label:	Criteria ve	rsion:	Date:	Produc	t category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

Model number *	DCP-T720DW, MFC-T920DW	Logo	
Issue date *	21/October/2020		

Product environmental attributes - Market requirements (concluded) Requirement m					
P15	Additional information (See NOTE B11)				
	Recyclable rate 84 % for DCP-T720DW, 86 % for MFC-T920DW				
	P9.1- Energy consumption listed for model "MFC-T920DW"				

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Legal references Europe Annex Br	
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1, P3.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
	-

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	