

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

| Brand * | Brother | Logo |
|------------------------|---------------------------------------|------|
| Company name * | Brother International Europe | |
| Contact information * | | |
| | EUBIEEnvironmentalGroup@brother.co.uk | |
| Internet site * | www.brother.com | |
| Additional information | | |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. | | | | |
|--|--|--|--|--|
| Type of product * | mobile printer | | | |
| Commercial name * | | | | |
| Model number * | RJ-3150 | | | |
| Issue date * | 2014/09/01 | | | |
| Intended market * | 🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other | | | |
| Additional information | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

| Quality Control | | | nt met |
|-----------------|--|-------------|--------|
| Item | | Yes | No |
| QC1 * | The company enforces an internal quality control scheme to ensure the correctness of this eco declaration | \boxtimes | |
| QC2 * | The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org). | | |

| Model number * | RJ-3150 | | |
|----------------|------------|------|--|
| Issue date * | 2014/09/01 | Logo | |

| Product | environmental attributes - Legal requirements | Require | ement | met |
|---------|---|-------------|-------|-------------|
| Item | | Yes | No | n.a. |
| P1 | Hazardous substances and preparations | | | |
| P1.1* | Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1) | | | |
| P1.2* | Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. | \boxtimes | | |
| P1.3* | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum | | | |
| P1.4* | concentration values. Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated | | | |
| P1.5* | terphenyl (PCT) in preparations (see legal reference). Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in | | | |
| | the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). | | | |
| P1.6* | Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values. | | | |
| P1.7* | Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1) | | | \boxtimes |
| P1.8* | Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). | | | |
| P1.9* | Comment: Legal reference has no maximum concentration values. Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. | | | |
| P1.10* | REACH Article 33 information about substances in articles is available at (add URL or mail contact): | | | \square |
| P2 | Batteries | | | |
| P2.1* | If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) | | | |
| P2.2* | Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) | \square | | |
| P2.3* | Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medic or data integrity reasons do not have to be "easily removable". (See legal reference) | | | |
| P3 | Safety, EMC connection to the telephone network and labeling | | | |
| P3.1* | The product complies with legally required safety standards as specified (see legal reference). | \square | | |
| P3.2* | The product complies with legally required standards for electromagnetic compatibility (see legal reference). | | | |
| P3.3* | If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). | S 🔀 | | |
| P3.4* | The product is labeled to show conformance with applicable legal requirements (see legal reference). | \square | | |
| P4 | Consumable materials | | | |
| P4.1* | If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). | | | \boxtimes |
| P4.2* | If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). | | | \boxtimes |
| P4.3* | If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). | | | |
| P5 | Product packaging | | | |
| P5.1* | Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium ar hexavalent chromium by weight of these together. | d 🔀 | | |
| P5.2* | Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). | \boxtimes | | |
| P5.3* | The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. | al 🔀 | | |

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

| Model nu | Model number * RJ-3150 | | | | | | |
|-----------|--|---|---------------|-------------|----|-----------|--|
| Issue dat | sue date * 2014/09/01 Logo | | | | | | |
| | | | | | | | |
| Product | Product environmental attributes - Market requirements - Environmental conscious design Requirement met | | | | | | |
| Item | *=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a. | | | | | | |
| P6 | Treatment information | | | | | | |
| P6.1* | Informati | on for recyclers/treatment facilities is available (see legal reference). | | \boxtimes | | | |
| P7 | Design Disassembly, recycling | | | | | | |
| P7.1* | | thave to be treated separately are easily separable | | | | | |
| P7.2* | | naterials in covers/housing have no surface coating. | | | | ╞ | |
| P7.3* | | | | | | | |
| P7.4* | | | | | | | |
| | • | | | | | <u> </u> | |
| P7.5 | | arts are free from metal inlays or have inlays that can be removed with commonly | available too | | | <u> </u> | |
| P7.6* | | re easily separable. (This requirement does not apply to safety/regulatory labels). | | | | | |
| D7 7* | Product | | | | | | |
| P7.7* | | ig can be done e.g. with processor, memory, cards or drives | | | _ᆜ | _님_ | |
| P7.8* | | g can be done using commonly available tools | | | | <u> </u> | |
| P7.9. | Spare pa | arts are available after end of production for: 7 years | | | | | |
| P7.10 | | s available after end of production for: 7 years | | | | | |
| | | and substance requirements | | | | | |
| P7.11* | | cover/housing material type: https://www.appendix.com/housing/material/type://www.appe | 1 1 10 00 | | | | |
| P7.12 | | type: PC Material type: TPE Materia I cable insulation materials of power cables are PVC free. | a type. | <u> </u> | | | |
| P7.12 | | I cable insulation materials of signal cables are PVC free | | <u> </u> | | ╞ | |
| | | • | | | | <u> </u> | |
| P7.14 | | /housing plastic parts >25g are free from chlorine and bromine. | | | Ц_ | <u> </u> | |
| P7.15 | Note B2) | | 51249-2-21. | (See | | | |
| P7.16 | Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: | | | | | | |
| P7.17 | | | | | | | |
| | Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according | | | | | | |
| P7.18 | | etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%: | s/preparation | s in 🗌 | | | |
| | Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: | | | | | | |
| P7.19 | R40, R46 | arts >25g are free from flame retardant substances/ preparations above 0.1% clas 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) | sified as R45 | j, 🗌 | | | |
| P7.20 | | plastic parts' weight >25g, recycled material content is %. | | | | | |
| P7.21 | | plastic parts' weight >25g, biobased material content is %. | | | | | |
| P7.22 | 2 Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg | | | | | | |
| P8 | Batterie | | | | | | |
| P8.1* | Battery c | themical composition: Li -ion $LiCoO2 \rightarrow \leftarrow Li1-xCoO2+xLi+xe$ - | | | | | |
| | | $Cy+xLi+xe- \rightarrow \leftarrow CyLix$ | | | | | |
| D0 0 | Dotto -i | $LiCoO2+Cy \rightarrow \leftarrow Li1-xCoO2+CyLix$ | | | | | |
| P8.2 | Datteries | meet the requirements of the following voluntary program/s: | | | | \bowtie | |

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

| Model number * | RJ-3150 | |
|----------------|------------|------|
| Issue date * | 2014/09/01 | Logo |

| Product en | Product environmental attributes - Market requirements (continued) Requirement m | | | | | met | | | |
|-------------------------|---|--|--|---------------------------|----------|--|-------------------|-----------|------|
| Item | | | | | | | Ye | s No | n.a. |
| | P9 Energy consumption | | | | | | | | |
| | 9.1 For the product the following power levels or energy consumptions are reported: | | | | | | | | |
| Energy mode |) * | Power level at 100 V AC | Power level at 115 V AC | Power level 230 V AC | | ference / Standar des and test method | | energy | |
| OFF | | 0.28 W | 0.28 W | 0.32 W | Po | wer swich off | | | |
| Stand by | | 1.27 W | 1.29 W | 1.46 W | Po | wer swich on | | | |
| Charge | | 9.39 W | 9.38 W | 9.51 W | | | | | |
| | | W | W | W | | | | | |
| | | W | W | W | | | | | |
| | | W | W | W | | | | | |
| | | 0.20 W | 0.21 W | 0.26 W | | | | | |
| PTEC * Typical Energ | gy Consumption | W | W | W | | | | | |
| TEC * Typical Energ | gy Consumption | kWh/week | kWh/week | kWh/we | ek | | | | |
| ETEC * Annual Energ | gy Consumption | kWh/year | kWh/year | kWh/yea | ar | | | | |
| Display resol | ution* : 0.04 Meg | gapixels | | | | | | | |
| Print Speed * | : 9 Images | s per minute | | | | | | | |
| Default time | to enter energy sa | ave mode: 60 minutes | | | | | | | |
| | | the energy save functio | on is provided with th | ne product. | | | | | |
| E | The product meets ENERGY STAR® Dthers specify: | s the energy requiremen version: Tier: | nts of the following v Product catego | | n/s: | | | | |
| | missions | | | | | | | | |
| | | Declared according to Mode description | ISO 9296 | Declared | | Declared A-weigh | atod | | T T |
| 1 10.1 | | | | A-weighted sound power | SOL | and pressure level L | _{pAm} (d | | |
| | | | | level L_{WAd} (B) | Operator | position Bys | tander p | ositions | |
| | | | | | | Desktop 🔀 (only | | ct is not | |
| lo | dle | • | | * | | <u> </u> | | llenueu) | |
| C | Operation ' | • | | * | | 55.1 | | | |
| C | Other mode | | | | | | | |] |
| N | leasured according | - <u>-</u> | ECMA-74 | | | | | | |
| P10.2 T | bo product most | | | | | asurement distance | r | n) | |
| 1 IV.Z I | P10.2 The product meets the acoustic noise requirements of the following voluntary program/s: | | | | | | | | |

| Model nur | nber * | RJ-3150 | | | | |
|-------------------------|---|---|-------------------|-------------|-------------|-------------|
| Issue date * 2014/09/01 | | 2014/09/01 | Logo | | | |
| | | | | | | |
| Product e | environr | nental attributes - Market requirements (continued) | R | equire | ment | met |
| Item | | | | Yes | No | n.a. |
| | Chemic | al emissions from printing products | | | | |
| P10.3* | Test per | formed according to ECMA-328 (ISO/IEC 28360) standard 🗌, other specify: | | | | \boxtimes |
| P10.4 | Typical emission rate (print phase) is (mg/h): | | | | | |
| | | Dust Ozone Styrene Benzene TVOC | | | | |
| P10.5 | | al emission requirements of the following voluntary program/s are met for : | _ | | | \boxtimes |
| | | | | | | |
| D (0.0 | | nagnetic emissions | | | | |
| P10.6 | program | er display meets the requirement for low frequency electromagnetic fields of the foll | owing voluntary | | | \bowtie |
| P11 | | nable materials for printing products | | | | |
| P11.1* | | Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ | uired (see P4.3). | | | |
| P11.2* | | ontaining post-consumer recycled fibers can be used, provided that it meets th | | - 🕂 - | H | |
| | EN1228 | 1. | e requiremente el | | | |
| P11.3* | 2-sided | (duplex) printing/copying is an integrated product function. | | | \square | |
| P12 | Ergono | nics for computing products | | | | |
| P12.1* | The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. | | | | \times | |
| P12.2* | The physical input device meets the requirements of ISO 9995 and ISO 9241-410. | | | | \boxtimes | |
| P13 | | ng and documentation | | | | |
| P13.1* | | packaging material type(s): CRGTD-FBRBRD weight (kg): 0.292 | | | | |
| | | packaging material type(s): LDPE weight (kg): 0.019 | | | | |
| P13.2* | Product | packaging material type(s): weight (kg): plastic packaging is free from PVC. | | | | |
| P13.3* | | | | \boxtimes | | <u> </u> |
| P13.3 | | nedia for user and product documentation (tick box): ic , Paper X, Other | | | | |
| P13.4* | | er user and product documentation, please specify contained percentage of post-co | nsumer recycled | | | |
| 1 10.4 | fiber: 0 | | | | | |
| Rev. | | product documentation do not contain chlorine bleached paper | | | | |
| P13.5 | | | | | | |
| P14 | Addition | nal information (See Note B4) | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

| Reference | Declaration item |
|--|------------------------------|
| 2002/95/EC (ROHS Directive) | P1.1, P4.1 |
| REACH, Annex XVII | P1.6, P1.8, P4.2 |
| REACH, Annex XVII | P1.4 |
| REACH, Annex XVII | P1.2 |
| REACH, Annex XVII | P1.7 |
| REACH, Annex XVII | P1.9 |
| Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000 | P1.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| 2006/66/EC (Battery and accumulators Directive) | P2.1, P2.2, P2,3, P3.4, P8.1 |
| 2006/95/EC (Low Voltage Directive) | P3.1, 3.4 |
| 2004/108/EEC (New EMC Directive) | P3.2, 3.4 |
| 1999/5/EC (R&TTE Directive) | P3.3, 3.4 |
| "REACH" Regulation (1907/2006), annex VII | P1.10 |
| (EC) No.1272/2008 regulation on classification, labeling and packaging (CLP) | P4.3 |
| REACH article 31, annex II | P4.3 |
| 2004/12/EC (Directive on packaging and packaging waste) | P5.1 |
| (97/129/EC) (Commission Decision on Identification System for Packaging Materials | P5.2 |
| 2037/2000/EC Regulation on Substances that Deplete the Ozone Layer | P5.3 |
| 2002/96/EC (WEEE directive) | P3.4, P6.1 |
| (EC) No.1272/2008 regulation on classification, labeling and packaging (CLP) | P7.19 |