

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo				
Company name *	Brother International Europe					
Contact information *						
e-mail address	EUBIEEnvironmentalGroup@brother.co.uk					
Internet site *	www.brother.com					
Additional information						

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statement	conforms to the statements given in this declaration.					
Type of product *	All-In-One Electro-photographic Printer					
Commercial name *	DCP-L2510D					
Model number *	DCP-L2510D					
Issue date *	20/February/2018					
Intended market *	Global 🛛 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *		DCP-L2510D	Logo			
Issue date *		20/February/2018				
Product	duct environmental attributes - Legal requirements R					met
Item		Yes	No	n.a.		
P1	Hazardo	ous substances and preparations				
P1.1*	Products	\boxtimes				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.					
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\boxtimes		
	hydrobro trichloro	pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ration values.				
P1.4*	Products	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	nlorinated	\square		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car intaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	e 🔀		
P1.6*	Parts wi (see leg	th direct and prolonged skin contact do not release nickel in concentrations above (al reference).	0,5 μg/cm²/weel	k 🗌		\square
P1.7*		nt: Max limit in legal reference when tested according to EN1811:2011-5. Article 33 information about substances in articles is available at (add URL or mail	contact):	\square		
		other.eu/reach	contact).			
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal			\square
P2.2*	Batteries referenc	II 🗌		\square		
P2.3*		s and accumulators are readily removable. (See legal reference)				\mathbf{X}
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The proo The Dec http://se	duct is CE-marked to show conformance with applicable legal requirements (see le claration of Conformity can be requested at (add link or e-mail address): upport.brother.com/g/b/manuallist.aspx?c=gb⟨=en∏=dcpl2510d_euc =371&type2=101	- /	⊠ 1		
P3.2*	The prod (see leg	duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Require	d information is; given in item P15 or added to this document, available at (add URL):				
		upport.brother.com/g/b/manuallist.aspx?c=gb⟨=en∏=dcpl2510d_eu =10066&type2=101	&flang=English	ו		
P4		nable materials				
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium m erence and NOTE B1).	ax 0,01% (see	\boxtimes		
P4.2*	<u> </u>	er is used in the product, it does not contain cadmium max 0,1% by weight (see le	gal reference).	\square		
P4.3*	are Corr applicab	/toner formulation/preparation is classified as hazardous or contains a substance formunity workplace exposure limits, the product/packaging is adequately labeled accelle regulations and a Safety Data Sheet (SDS) in accordance with these requiremental reference).	cording to			
P5		a reference).				
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.	y, cadmium ar	nd 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature be legal reference).	of the material(s) 🔀		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).					
De		nt: Legal reference has no maximum concentration values.				
P6.1*		ion for recyclers/treatment facilities is available (see legal reference).				
	monnau					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	DCP-L2510D	Logo					
Issue da	te *	20/February/2018						
	Environn	mental attributes - Market requirements (See General NOTE GN below) nental conscious design		Require	ement	met		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.		
P7	Design							
P7.1*		nbly, recycling t have to be treated separately are easily separable						
P7.2*	Parts that have to be treated separately are easily separable Image: Comparison of the separately are easily separable Plastic materials in covers/housing have no surface coating. Image: Comparison of the separately are easily separable							
P7.3*		arts > 100 g consist of one material or of easily separable materials.			+			
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			╞			
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly av	ailable tools		+			
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).			<u> </u>			
F7.0	Product							
P7.7*		g can be done e.g. with processor, memory, cards or drives						
P7.8*		g can be done using commonly available tools				-		
P7.9.		rts are available after end of production for: 7 years						
P7.10		s available after end of production for: Tyears						
17.10		and substance requirements						
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):						
	Material	ype: PS-HI Material type: PC/ABS Material	type: ABS					
P7.12	Insulation materials of external electrical cables are PVC free.							
P7.13	Insulation materials of internal electrical cables are PVC free.							
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts							
P7.15	containing more than 25% post-consumer recycled content. Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low balance of defined in IEC 61240.2.21. (See NOTE P2)							
P7.16	halogen as defined in IEC 61249-2-21. (See NOTE B2) Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)							
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without con	nponents):	_		[
	TBBPA (additive) 🔀, TBBPA (reactive) 🔀 (See NOTE B3), Other; chemical name:	, CAS #:	\bowtie				
	according	emical specifications of flame retardants in printed circuit boards (without componen g ISO 1043-4:						
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/ ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	preparations	in				
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-	-4:	\boxtimes				
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which h the following Risk phrases; and Hazard statements: ce(s) for these classifications is/are found at (add URL(s)): , (See N	nave been OTE B5)					
P7.20*		umer recycled plastic material content is used in the product (See NOTE B6):		\square				
-	lf YES; a a) Of te	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (centage of total plastic by weight) is 0.1 %.	calculated a	_				
		weight of recycled material is g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model numbe	er * D	CP-L251	0D			Logo			
Issue date *	20)/Februa	ry/2018						
Product env	vironmer	ntal attr	ibutes - Market red	quirements (conti	nued)		Requ	irement	t met
Item							Ye	es No	n.a.
	Material and substance requirements (continued)								
	P7.21* Biobased plastic material content is used in the product (See NOTE B7):						L		
a)	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. 								
or b)	or b) The weight of the biobased plastic material is g.								
, P7.22* Lig	ght source	es are fre	e from mercury, i.e. le	ess than 0,1 mg/lamp					
		s used sp	ecify: Number of lamp	os: and maxim	um mercury content pe	r lamp: r	ng		
	atteries								
	attery cher		nposition: on (See NOTE B8)						
		-	ollowing power levels	or energy consumpti	ons are reported.				
Energy mode			Power level at	Power level at	Power level at	Reference/St	andard for	energy	
Lifergy mode			100 V AC	115 V AC	230 V AC	modes and te		energy	
Sleep mode fo STAR® Opera			W	W	W				\boxtimes
(OM) products		ue							
Standby/off m			W	W	W				\boxtimes
ENERGY STA Mode (OM) pr		ional							
TEC value for	ENERGY	′ STAR	kWh/week	kWh/week	1.232				
TEC products					kWh/week				
(TEC= Typical	l Energy								
Printing			W	W	Approx. 440 W				
Copying			W	W	Approx. 455 W				
Quiet Mode/	/Copying		W	W	Approx. 260 W				
Quiet Mode/	/Printing		W	W	Approx. 260 W				
Ready			W	W	Approx. 42 W				
Sleep			W	W	Approx. 6.2 W				
Deep Sleep			W	W	Approx. 0.6 W				
Power Off			W	W	Approx. 0.03 W				
Networked S	Standby		W	W	Approx. 0.6 W				
External Powe	er Supply I	Efficiency	y Level (International I	Efficiency Marking Pr	otocol) * :				\boxtimes
Print/Scan Spo	eed *	:	30 images per seco	nd					
Default time to	o enter en	erov save	e mode: 1 minu	ies					
Default time to enter energy save mode: 1 minutes P9.2* Information about the energy save function is provided with the product. X							⊢		
	missions		- 3, - 3, - 1, - 1, - 1, - 1, - 1, - 1,	1	· · · · · · · · · · · · · · · · · · ·				
No		sion – D	eclared according to l						
P10.1 M	ode	Mo	ode description		atistical upper limit A-w _{WA,c} (B)	eighted sound p	oower level,		
Id	le	*		*					
	peration		Printing(mono)	*	6.48				
	ther mode								
M	easured a	iccording		ECMA-74					
			Other RAL-	UZ205 (only if not co	overed by ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	ımber *	DCP-L2510D					Logo			
Issue dat	te *	20/February/2018								
Product	onviron	mental attributes	- Market requi	romonte (co	ntinued)			Poqu	iremen	t mot
Item	environ		- Market requi	rements (co	ininideaj			Ye		n.a.
	Chemic	al emissions from	printing product	s (See NOTE	B10)					
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic									
	Equipment (ISO/IEC 28360) , other specify: RAL-UZ205									
P10.3	Typical emission rate (operation phase) is (mg/h):									
	Electrop	hotographic devices	: Ozone I	Dust	Styrene	Benzene	TVOC			
	Ink devi	ces:	I	Dust	Styrene	Benzene	TVOC			П
	Note: co	ompliance with maxin	mum emission rat	es in eco labels	s to be declared	in P14				
P11		nable materials for								
P11.1*		y Data Sheet (SDS)			paration, even if	not legally re	equired (see	P4.3).		
P11.2*	Paper o EN 122	containing post-cons 81.	sumer recycled fil	pers can be u	ised, provided t	hat it meets	the require	ments of		
P11.3*	2-sided	(duplex) printing/cop	oying is an integra	ted product fur	nction.				1 🗆	
P11.4*	The pro	duct is delivered to e	end-user with defa	ult auto-duple>	k enabled.					
P13		ing and documenta								
P13.1*										
P13.2*	Product plastic primary packaging is free from PVC.									
P13.3*										
P13.4*		media for user and hic 🔀, Paper 🔀, C		ation (tick box)	:					
P13.5										
	Totally chlorine-free									
P14		ary programs:								
P14.1	•	duct meets the requ		0	ry program(s):					
	-	Y STAR® el: Blue Angel	Criteria version: Criteria version:		Date: 7/July/2 Date:27/June		duct categor	: Imaging Ec y: Office Equi	pment	it
	Eco-label: Nordic Swan Criteria version: 6 Date: Product category: Imaging Equipment 18/August/2017								nt	
P15	Additio	nal information (Se	e NOTE B11)							

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1