

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother Logo				
Company name *	Brother International Europe				
Contact information *					
e-mail address	EUBIEEnvironmentalGroup@brother.co.uk				
Internet site *	www.brother.com				
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statement	nts given in this declaration.				
Type of product *	II-In-One Electro-photographic Printer				
Commercial name *	DCP-L2550DN				
Model number *	DCP-L2550DN				
Issue date *	22/February/2018				
Intended market *	🗌 Global 🔀 Europe 🗌 Asia, Pacific & Japan 📃 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model nu	umber *	DCP-L2550DN	Logo				
Issue date *		22/February/2018					
Product environmental attributes - Legal requirements Re							
Item					Yes	No	n.a.
P1		ous substances and preparations					
P1.1*		s do comply with the current European RoHS Directive. (See legal reference and N	IOTE B1)		\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.			\boxtimes		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetracl ethane, methyl bromide (see legal reference). Comment: Legal reference has no r ration values.		,1-			
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).			\square		
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the	\square		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	0,5 μg/cm²	/week			\square
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail other.eu/reach	contact):				
P2	Batterie						
P2.1*	symbol.	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal						
P2.3*	Batteries and accumulators are readily removable. (See legal reference)						
P3	Batteries and accumulators are readily removable. (See legal reference)						
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).						
P3.2*		The product complies with the Eco design requirements for energy-related products, (see legal reference).					
	Required information is; given in item P15 or added to this document, Image: Second structure Image: Second structure Image: Second structure Image: Second						
P4		hable materials					
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).						
P4.2*	0	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).					
P4.3*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).						
P5		packaging					
P5.1*	Packagii hexavale	ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.	y, cadmiu	m and	\square		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature re legal reference).	of the mat	erial(s)	\square		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal X						
P6		nt information					
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).			\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		DCP-L2550DN	Logo				
Issue da	te *	22/February/2018					
	Environn	mental attributes - Market requirements (See General NOTE GN below) mental conscious design		Require	ement	met	
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P7	Design						
P7.1*		nbly, recycling t have to be treated separately are easily separable					
P7.2*		aterials in covers/housing have no surface coating.			╞	-#-	
P7.3*		arts > 100 g consist of one material or of easily separable materials.			┢		
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			╞	<u> </u>	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available in the second seco	ailable toole		<u> </u>	<u> </u>	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			<u> </u>	_ <u>H</u> _	
F7.0	Product						
P7.7*		g can be done e.g. with processor, memory, cards or drives					
P7.8*		g can be done using commonly available tools				- #-	
P7.9.		rts are available after end of production for: 7 years				- 14-	
P7.10		s available after end of production for: Tyears				<u> </u>	
F7.10							
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):					
	Material	ype: PS-HI Material type: PC/ABS Material	type: ABS				
P7.12	Insulation	materials of external electrical cables are PVC free.			\boxtimes		
P7.13	Insulation materials of internal electrical cables are PVC free.						
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts						
P7.15	containing more than 25% post-consumer recycled content. Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low balance of defined in UFC 01010 0.01.						
P7.16	halogen as defined in IEC 61249-2-21. (See NOTE B2) Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)						
P7.17	<u>Alt. 1: </u> Ch	emical specifications of flame retardants in printed circuit boards > 25 g (without con	nponents):				
	TBBPA (additive) 🔀, TBBPA (reactive) 🔀 (See NOTE B3), Other; chemical name: ,	CAS #:	\boxtimes			
		emical specifications of flame retardants in printed circuit boards (without componen g ISO 1043-4:	ts) > 25 g				
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: "						
	<u>Alt. 2: </u> Cł	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-	4:	\boxtimes			
P7.19	FR(17), FR(40) In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:						
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)						
P7.20*	Postcons	umer recycled plastic material content is used in the product (See NOTE B6):		\square			
	a) Of t	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (centage of total plastic by weight) is 0.1 %.	calculated as	a			
		weight of recycled material is g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	nber *	DCP-L255	ODN			Logo			
Issue date * 22/Februa			nry/2018						
Product	anvironn	nontal atti	ibutes - Market red	nuirements (conti	nued)		Rea	uiremen	t mot
Item			ibutes - Market rec	fuirements (conti	nueuj			es No	
	Material	and substa	ance requirements (c	ontinued)					
P7.21*	Biobase	d plastic ma	terial content is used i	n the product (See N	OTE B7):		[
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %.								
	or b) The	e weight of t	he biobased plastic ma	aterial is g.					
P7.22*	Light sou	urces are fre	e from mercury, i.e. le becify: Number of lamp	ess than 0,1 mg/lamp	Jum mercury content pe	r lamo:	mg		
P8	Batterie					riamp.	ing		
P8.1*		chemical cor	mposition:						
P9	Energy	consumpti	on (See NOTE B8)						
P9.1	For the p	product the	ollowing power levels	or energy consumpti	ons are reported:				
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Si modes and te		energy	у 🗌
Sleep mod STAR® Op	perational		W	W	W				\square
(OM) produ Standby/off ENERGY S Mode (OM)	f mode for STAR Ope	erational	W	W	W				
TEC value TEC produ	for ENER		kWh/week	kWh/week	1.352 kWh/week				
(TEC= Typ	ical Energ	ду							
Printing			W	W	Approx. 475 W				
Copying			W	W	Approx. 485 W				
Quiet Mo	de/Copyi	ing	W	W	Approx. 260 W				
Quiet Mo	de/Printi	ng	W	W	Approx. 260 W				
Ready			W	W	Approx. 42 W				
Sleep			W	W	Approx. 6.2 W				
Deep Sle	ер		W	W	Approx. 0.9W				
Power Of	ff		W	W	Approx. 0.03 W				
Networke	ed Standl	by	W	W	Approx. 1.00 W				
External Po	ower Supp	oly Efficienc	y Level (International I	Efficiency Marking Pr	otocol) * :				
Print/Scan	Speed *	:	34 images per seco	nd					
Default tim	e to enter	energy sav	e mode: 1 minu	tes				-	
P9.2*	Informati	ion about th	e energy save functior	n is provided with the	product.				
P10	Emissio								
P10.1	Noise er Mode		Declared according to I ode description		EB9) tatistical upper limit A-w	eighted sound	nower level		
1 10.1	Mode				_{wa,c} (B)	eighted sound	power level,		
	Idle	*		*					
	Operatio		Printing(mono)	*	6.59				
	Other mo								
	Measure	ed according		ECMA-74 UZ205 (only if not co	overed by ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

wouernu	mber *	DCP-L2550DN			Logo			
Issue date *		22/February/2018						
Product	environ	mental attributes	- Market requirements	(continued)		Require	ment	me
ltem						Yes	No	n.a
			printing products (See NC					
P10.2*	•	0	DECMA-328 Determination () , other specify: RAL-U		ates from Electronic	\square		
P10.3	Typical	emission rate (opera	ation phase) is (mg/h):					
	Electron	hotographic device	s: Ozone Dust	Styrene Be	enzene TVOC			Г
	Ink devi		Dust	,	enzene TVOC			Ē
			mum emission rates in eco l	abels to be declared in	P14.			
P11			printing products			N		
P11.1*	-	()	is available for the ink/toner		o , 1 (,			
P11.2*	EN 122	31.	-	•	it meets the requirements	of 🔀		
P11.3*	2-sided	(duplex) printing/co	pying is an integrated produc	ct function.		\boxtimes		
P11.4*	The pro	duct is delivered to	end-user with default auto-de	uplex enabled.			\boxtimes	
P13	Packag	Packaging and documentation						
P13.1*	Product packaging material type(s): CRGTD-FBRBRD weight (kg): 2.13 Product packaging material type(s): PS-E weight (kg): 0.44 Product packaging material type(s): HDPE weight (kg): 0.08							
P13.2*		ict plastic primary packaging is free from PVC.						
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 50 %							
P13.4*	Specify media for user and product documentation (tick box):							
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:							
	Totally chlorine-free							
P14	Volunta	ry programs:						
P14.1			irements of the following vol	untary program(s):				
	-	Y STAR® el: Blue Angel	Criteria version: 2.0 Criteria version: RAL-UZZ	Date: 7/July/201 205 Date:27/June/20	17 Product category: Official	ce Equipm	ent	t
	Eco-lab	el: Nordic Swan	Criteria version: 6	Date: 18/August/2017	with Prin Product category: Ima	ting Funct ging Equip		t
P15	Additio	nal information (Se	ee NOTE B11)					

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1