

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *		
e-mail address	EUBIEEnvironmentalGroup@brother.co.uk	
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statement	nts given in this declaration.					
Type of product *	All-In-One Electro-photographic Printer					
Commercial name *	DCP-L2552DN					
Model number *	DCP-L2552DN					
Issue date *	22/February/2018					
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model nu	umber *	DCP-L2552DN	Logo						
Issue da	ate * 22/February/2018								
Product	t environ	mental attributes - Legal requirements		Requ	ire	ment	met		
Item				Ye	es	No	n.a.		
P1		bus substances and preparations			7				
P1.1*		s do comply with the current European RoHS Directive. (See legal reference and N	IOTE B1)	\geq	4				
P1.2*	Products Commer								
P1.3*	hydrobro trichloroe	e do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetract ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ration values.		,1-	3				
P1.4*		e do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych I (PCT) in preparations (see legal reference).	nlorinated	\triangleright	3				
P1.5*		e do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the	3				
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above (al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	0,5 μg/cm²/	week]				
P1.7*	REACH www.br	Article 33 information about substances in articles is available at (add URL or mail other.eu/reach	contact):	\triangleright	3				
P2	Batterie								
P2.1*		If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)							
P2.2*		Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal							
P2.3*	Batteries	tteries and accumulators are readily removable. (See legal reference)							
P3	Conformity verification & Eco design (ErP)								
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).								
P3.2*		The product complies with the Eco design requirements for energy-related products, (see legal reference).							
	Required information is; given in item P15 or added to this document, given in item P15 or added to this docume								
P4		able materials							
P4.1*	If a phot	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium m erence and NOTE B1).	ax 0,01% (see >					
P4.2*		er is used in the product, it does not contain cadmium max 0,1% by weight (see le	gal referen	ce). >	1				
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).								
P5		packaging			_				
P5.1*	hexavale	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and X hexavalent chromium by weight of these together.							
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature re legal reference).		· · · <u>-</u>					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal I Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.								
P6		nt information			-				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\geq	\langle				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	DCP-L2552DN	Logo						
Issue da	date * 22/February/2018								
		mental attributes - Market requirements (See General NOTE GN below) nental conscious design		Require	ement	met			
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.			
P7	Design								
P7.1*		mbly, recycling t have to be treated separately are easily separable							
P7.2*	Parts that have to be treated separately are easily separable Image: Control of the separately are easily separable Plastic materials in covers/housing have no surface coating. Image: Control of the separately are easily separable								
P7.3*					<u> </u>				
		arts > 100 g consist of one material or of easily separable materials.			<u> </u>	<u> </u>			
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	<u> </u>			
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available and the second	ailable tools.						
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		\square					
D7 71	Product								
P7.7*		g can be done e.g. with processor, memory, cards or drives		<u> </u>		<u> </u>			
P7.8*		g can be done using commonly available tools			\boxtimes				
P7.9.		rts are available after end of production for: 7 years							
P7.10	Service i	s available after end of production for: 7years							
		and substance requirements							
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):	4.00						
P7.12		type: PS-HI Material type: PC/ABS Material	type: ABS						
P7.12	Insulation materials of external electrical cables are PVC free.								
	Insulation materials of internal electrical cables are PVC free.								
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.								
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all PCBs > 25 as defined in IEC 61249-2-21. (See NOTE B2)	g 🗌 are lo	w 🗌	\square				
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Image: FR(40)								
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without con	nponents):						
	TBBPA (additive) \boxtimes , TBBPA (reactive) \boxtimes (See NOTE B3), Other; chemical name: ,	CAS #:	\boxtimes					
		emical specifications of flame retardants in printed circuit boards (without componen g ISO 1043-4:	ts) > 25 g						
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: "								
	3. Chemi	cal name: , CAS #: " nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-	4:						
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which h the following Risk phrases; and Hazard statements:							
P7.20*		ce(s) for these classifications is/are found at (add URL(s)): , (See N sumer recycled plastic material content is used in the product (See NOTE B6):	OTE B5)						
1 1.20	lf YES; a a) Of t	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (centage of total plastic by weight) is 0.1 %.	calculated as	a					
		weight of recycled material is g.							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	nber *	DCP-L255	S2DN			Logo			
Issue date	*	22/Februa	ary/2018						
Product	anvironn	nontal atti	ributes - Market red	nuirements (conti	nued)		Pog	uiremen	t mot
Item			ibutes - Market red	fuirements (conti	nueuj			es No	
	Material	and substa	ance requirements (c	ontinued)					
P7.21*	Biobase	d plastic ma	terial content is used i	n the product (See N	OTE B7):		[\square	
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. 								
	or b) The	e weiaht of t	he biobased plastic ma	aterial is g.					
P7.22*									
P8	Batteries								
P8.1*		hemical cor	•						\square
P9			on (See NOTE B8)		and and an entrol				
P9.1		broduct the i	following power levels			1			
Energy mo			Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Si modes and to		energy	
Sleep mod STAR® Op (OM) produ	perational		W	W	W				
Standby/of ENERGY S Mode (OM)	f mode for STAR Ope	erational	W	W	W				
TEC value TEC produ	for ENER		kWh/week	kWh/week	1.352 kWh/week				
(ТЕС= Тур	ical Energ	gy							
Printing			W	W	Approx. 475 W				
Copying			W	W	Approx. 485 W				
Quiet Mo	de/Copyi	ing	W	W	Approx. 260 W				
Quiet Mo	de/Printi	ng	W	W	Approx. 260 W				
Ready			W	W	Approx. 42 W				
Sleep			W	W	Approx. 6.2 W				
Deep Sle	ер		W	W	Approx. 0.9 W				
Power Of	ff		W	W	Approx. 0.03 W				
Networke	ed Standl	by	W	W	Approx. 1.00 W				
External Po	ower Supp	oly Efficienc	y Level (International I	Efficiency Marking Pr	otocol) * :				
Print/Scan	Speed *	:	34 images per seco	nd					
Default tim	e to enter	energy sav	e mode: 1 minu	tes					
P9.2*	P9.2* Information about the energy save function is provided with the product.								
P10	Emissio								
P10.1	Noise er Mode		Declared according to I ode description		EB9) tatistical upper limit A-w	eighted sound	nower level		
1 10.1	Mode		de description		_{wa,c} (B)	eighted sound	power level,		
	Idle	*		*					
	Operatio		Printing(mono)	*	6.59				
	Other mo								
	Measure	ed according		ECMA-74 UZ205 (only if not co	overed by ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	odel number * DCP-L2552DN					Logo						
Issue dat	:e *	22/February/2018										
Product	environ	mental attributes	- Market requirem	nents (cor	ntinued)				Re	quire	ment	met
Item			•	•						Yes	No	n.a.
			printing products (S									
P10.2*	•	-	ECMA-328 Determin			sion Rates	from E	lectronic		\boxtimes		
P10.3), other specify:		5							
P10.3	Typical emission rate (operation phase) is (mg/h):											
	Electrophotographic devices: Ozone Dust Styrene Benzene 7											
	Ink devi	ces:	Dus	t S	Styrene	Benze	ne	TVOC				
	Note: co	ompliance with maxi	mum emission rates ir	n eco labels	s to be declar	red in P14.						
P11		mable materials for										
P11.1*	A Safet	y Data Sheet (SDS)	is available for the ink	<pre>k/toner prep</pre>	aration, ever	n if not lega	ally requ	uired (see	P4.3).	\boxtimes		
P11.2*	Paper o EN 122	01	sumer recycled fibers	s can be u	sed, provide	d that it n	neets th	ne require	ments of	\square		
P11.3*												
P11.4*	The product is delivered to end-user with default auto-duplex enabled.											
P13		ing and document										
P13.1*	Product packaging material type(s): CRGTD-FBRBRD weight (kg): 2.59 Product packaging material type(s): PS-E weight (kg): 0.44 Product packaging material type(s): HDPE weight (kg): 0.08											
P13.2*	Product plastic primary packaging is free from PVC.											
P13.3*												
P13.4*		media for user and nic 🔀, Paper 🔀, C	product documentatio	n (tick box)	:							
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:											
	Totally chlorine-free											
P14		ary programs:										
P14.1	The product meets the requirements of the following voluntary program(s):											
	ENERGY STAR® Criteria version: 2.0 Date: 7/July/2017 Product category: Imaging Equipment Eco-label: Blue Angel Criteria version: RAL-UZ205 Date: 27/July/2017 Product category: Imaging Equipment Optimized Criteria version: RAL-UZ205 Date: 27/June/2017 Product category: Office Equipment											
	Eco-label:Criteria version:Date:With Printing FunctionEco-label:Criteria version:Date:Product category:											
P15	Additio	nal information (Se	e NOTE B11)									

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1