



## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

-

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Electro-photographic Printer					
Commercial name *	DCP-L2620DW					
Model number *	DCP-L2620DW					
Issue date *	3/October/2023					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	DCP-L2620DW	Logo	
Issue date *	3/October/2023		

Product	environmental attributes - Legal requirements	I requirements Requirement met		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$		
1 1.0	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		ш	
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
D4 4*			_	
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$	Ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the		$\overline{}$	
F1.5	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		Ш	
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week			$\square$
	(see legal reference).		ш	
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
D1 7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):		$\overline{}$	
P1.7*		$\boxtimes$	Ш	Ш
	https://www.brother.eu/en/reach			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			$\boxtimes$
	symbol. Information on proper disposal is provided in user manual. (See legal reference)		_	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal			X
	reference)		ш	
P2.3*	Batteries and accumulators are readily removable. (See legal reference)		П	$\boxtimes$
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).		$\overline{}$	
1 0.1	The Declaration of Conformity can be requested at (add link or e-mail address):		ш	
	https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=dcpl2620dw_eu			
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products,			
F J.Z	(see legal reference).		Ш	
	` _			
	Required information is; given in item P15 or added to this document,			
	🔀 available at (add URL):			
	https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=dcpl2620dw_eu			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater	$\square$		
	than 0,01% (see legal reference and NOTE B1).		ш	ш
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see	$\boxtimes$		
	legal reference)		ш	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	$\boxtimes$		
	are Community workplace exposure limits, the product/packaging is adequately labeled according to			
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and		$\overline{}$	
1 0.1	hexavalent chromium by weight of these together.		ш	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)		$\overline{}$	
1 J.Z	used (see legal reference).	$\boxtimes$	Ш	
DE 2*			_	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	$\bowtie$	Ш	
	Protocol (see legal reference).			
D0	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	DCP-L2620DW	Logo	
Issue date *	3/October/2023		

	t environmental attributes - Market requirements (See General Note GN below)	_	•	
	Environmental conscious design		irement	
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No n.a	
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.			$\vdash$
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			H
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			$\overline{H}$
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		$\boxtimes$	
P7.8*	Upgrading can be done using commonly available tools			
P7.9	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):  Material type: ABS Material type: PS-HI Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$	
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:  Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "  Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)  FR(17)			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:  The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$ 

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	DCP-L2620DW	Logo	
Issue date *	3/October/2023		

Product environmental attributes - Market requirements (continued)						equire	ment	met
Item						Yes	No	n.a.
DT 00*		ance requirements (d		<del></del>				
P7.20*	Postconsumer recyc	cled plastic material co	ontent is used in the pro	oduct (See NOTE B6)	:			Ш
	If YES: at least one	of the two alternatives	below shall be answer	red:				
	a) Of total plastic	parts' weight > 25 g, t	he postconsumer recyc		ontent (calculated as a			
		otal plastic by weight)	is <b>8.37</b> %.					
	or b) The weight of r	ecycled material is 4	<b>73.1</b> g.					
P7.21*			in the product (See NC	TE B7):				
	If YES; at least one	of the two alternatives	below shall be answer	red;				
			the biobased plastic m	aterial content (calcul	ated as a percentage of			
	total plastic by or	weight) is %.						
	b) The weight of t	he biobased plastic m						
P7.22*	Light sources are fre	ee from mercury, i.e. le	ess than 0,1 mg/lamp.		-1	$\boxtimes$		
Do		pecify: Number of lam	ps: and maximu	m mercury content pe	er lamp: mg			
P8.1*	Batteries Battery chemical cor	mposition.						
P9	Energy consumption	<u>'</u>						
P9.1			or energy consumption	ns are reported:				
Energy mo		Power level at	Power level at	Power level at	Reference/Standard	for er	nergy	
Lifergy	343	100 V AC	115 V AC	230 V AC	modes and test method		ilo.gy	
	de for ENERGY	W	W	W				
	perational Mode							_
(OM) prod Standby/o	ff mode for	W	W	W				
ENERGY	STAR Operational							
	1) products e for ENERGY STAR	kWh/week	kWh/week	0.39 kWh/week				
	ucts (TEC= Typical	KVVII/WEEK	KVVII/WEEK	0.39 KVVII/WEEK				Ш
	onsumption)							
Printing		W	W	<b>470</b> W				
Copying	1	W	W	<b>480</b> W				
Quiet Mo	ode/Copying	W	W	<b>280</b> W				
Quiet Mo	ode/Printing	W	W	<b>270</b> W				
Ready		W	W	<b>43</b> W				
Sleep		W	W	<b>4.1</b> W				
Deep Ste	-	W	W	<b>0.6</b> W				
Power C		W	W	<b>0.08</b> W				
	ed Standby	W	W	<b>0.6</b> W				
		·	Efficiency Marking Pro	tocol) * :				$\boxtimes$
Print/Scan	•	32 images per r						
	ne to enter energy sav							
P9.2*	Information about th	e energy save functio	n is provided with the p	product.		$\boxtimes$		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>.

Model number *	DCP-L2620DW	Logo	
Issue date *	3/October/2023		

Product	environmental	attributes	- Market requ	irements (co	ntinued)				Require	ment	met
Item									Yes	No	n.a.
P10	Emissions										
	Noise emission	- Declared	according to IS	O 9296 (See N	OTE <b>B9</b> )						
P10.1	Mode	Mode desc	ription		Statistical up	per limit A-w	veighted sour	nd power I	evel,		
					L <sub>WA,c</sub> (B)						
	Idle	*			*						
	Operation	* Printing	7		* 6.63						
	Other mode										
	Measured accor	dina to:	ISO 7779 E	CMA-74	-						
		5		Other DE-	UZ219 (only i	f not covere	d by ECMA-7	74)			
	Chemical emiss	sions from r									
P10.2*	Test performed	according to	ECMA-328 Det	ermination of C	hemical Emiss	sion Rates fr	om Electroni	С		$\Box$	$\Box$
	Equipment (ISO										
P10.3	Typical emission										
	. , , ,	(-									ш
	Electrophotograp	phic devices	: Ozone	Dust	Styrene	Benzene	TVC	C			
	Ink devices:	p	. 0200	Dust	Styrene	Benzene					H
					•						
	NOTE: complian				els to be decla	ared in P14.					
P11	Consumable m										
P11.1*	A Safety Data S	. ,			•						
P11.2*	Paper containing EN 12281.	g post-consu	mer recycled fib	ers can be use	d, provided that	at it meets th	ne requireme	nts of			
P11.3*	2-sided (duplex)	printing/cop	ying is an integr	ated product fu	nction.				$\boxtimes$		
P11.4*	The product is d	elivered to e	nd-user with de	fault auto-duple	x enabled.						
P13	Packaging and	documenta	tion								
P13.1*	Product packagi			D-FBRBRD	weight (kg):	2.31					
	Product packagi				(g): <b>0.45</b>						
D 10 01	Product packagi				(g): <b>0.05</b>						
P13.2*	Product plastic p								$\boxtimes$		
P13.3*	For product prim				fy the containe	ed percentag	ge of minimur	m post-			
D40.4*	consumer recov			%							
P13.4*	Specify media fo			ntation (tick box	():						
D40.5	Electronic X, F				D						
P13.5	(Please only cor User and produc										
	If Yes, please sp		ation on paper in	iedia is cilionine	5-11 <b>66</b> .					$\boxtimes$	
		-									
	Totally chlorine-	free									
	Elemental chlori	ne-free									
	Processed chlor	ine-free									
P14	Voluntary prog	rams:									
P14.1	The product mee	ets the requir	rements of the fo	ollowing volunta	ary program(s)	):					
	ENERGY STAR	R	Criteria versio	n·	Date:	Pro	duct categor	v·			
	Eco-label: Blue			n: <b>DE-UZ219</b>	Date:		duct categor		Equipme	nt with	h
					11/Apr/202		nting Functi		4		
	Eco-label: Nor	dic Swan	Criteria version	n: <b>Ver.6.7</b>	Date:	Pro	duct categor	y: <b>Imagir</b>	ng equipn	nent	
					4/Septemb	er/20					

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$ 

NOTE B10 A Guidance document on Chemical Emissions is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>.

Model number *	DCP-L2620DW	Logo	
Issue date *	3/October/2023		

Produc	ct environmental attributes - Market requirements (concluded)	Requirement met
P15	Additional information (See NOTE B11)	

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	