

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	EUBIEEnvironmentalGroup@brother.co.uk	
e-mail address		
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product * Electro-photographic Printer					
Commercial name *	HL-B2180DW				
Model number *	HL-B2180DW				
Issue date *	1/November/2023				
Intended market *	🔄 Global 🔀 Europe 🔄 Asia, Pacific & Japan 🗌 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1 Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

5			
Model number *	HL-B2180DW	Logo	
Issue date *	1/November/2023		

Product environmental attributes - Legal requirements						
Item		Require Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\square				
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes				
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.brother.eu/en/reach	\square				
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			\square		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)			\square		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\boxtimes		
P3	Conformity verification & Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=hlb2180dw_eu_as					
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).	\square				
	Required information is; given in item P15 or added to this document, available at (add URL):					
	https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=hlb2180dw_eu_as					
P4	Consumable materials			_		
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).					
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)					
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).					
P5	Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	\boxtimes				
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).	\boxtimes				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.					
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\square				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * Issue date *		HL-B2180DW	Logo			
		1/November/2023				
	Environn	nental attributes - Market requirements (See General Note GN below) nental conscious design		Requ	irement	t met
ltem	*=manda	tory to fill in. Additional information regarding each item may be found under P14.		Yes	No n.	a.
P7	Design					
D7.4*		nbly, recycling				
P7.1*		have to be treated separately are easily separable			<u> </u>	<u> </u>
P7.2*		aterials in covers/housing have no surface coating.				
P7.3*	•	rts > 100 g consist of one material or of easily separable materials.				
P7.4*	Plastic pa	rts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\square		
P7.5	Plastic pa	rts are free from metal inlays or have inlays that can be removed with commonly ava	ailable tool	s. 🔀		
P7.6*	Labels ar	e easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes		
	Product					
P7.7*	Upgradin	g can be done e.g. with processor, memory, cards or drives			\boxtimes	
P7.8*	Upgradin	g can be done using commonly available tools			\boxtimes	
P7.9	Spare pa	rts are available after end of production for: 7 years				
P7.10	Service is	available after end of production for: 7 years				
	Material	and substance requirements				
P7.11*	Product of	over/housing material type (e.g. plastics, metal, aluminum):	ype: PC/A	ABS		
P7.12		materials of external electrical cables are PVC free.	21		\boxtimes	
P7.13	Insulatior	materials of internal electrical cables are PVC free.				
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bron 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame re chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chl g more than 25% post-consumer recycled content.	etardants,	and		
P7.15	halogen a	ircuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25 as defined in IEC 61249-2-21. (See NOTE B2)	g 🗌 are	low	\square	
P7.16	Marking:			\square		
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without com	• •			_
	TBBPA (a	additive) \Box , TBBPA (reactive) $ig X$ (See NOTE B3), Other; chemical name: ,	CAS #:	\bowtie		
		emical specifications of flame retardants in printed circuit boards (without component I ISO 1043-4:	ts) > 25 g			
P7.18	Alt. 1: Fla concentra 1. Chemi	ime retarded plastic parts > 25 g contain the following flame retardant substances/p ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: "	preparation	s in		
		cal name: , CAS #: " emical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4	4: FR(40)			
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which h the following Risk phrases; and Hazard statements: ce(s) for these classifications is/are found at (add URL(s)): , (See NO	ave been OTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model nu	mber *	HL-B21	80DW				Logo			
Issue dat	e *	1/Nover	nber/2023							
	environn	nental atti	ributes - Market re	<mark>quirements (conti</mark>	nued)			Requir Yes		
Item	Motorial	and autom	anaa kasuikamanta (a antinuad)				res	No	n.a.
P7.20*			ance requirements (o	ontent is used in the p	roduct (S		•			
11.20	Posicon	sumer recyc	aed plastic material co	ontent is used in the pi	ioduci (Si	ee NOTE DO)				
	If YES; a	t least one	of the two alternatives	below shall be answe	ered;					
				he postconsumer recy	cled plas	tic material co	ntent (calculate	d as a		
	per or	centage of t	otal plastic by weight)	is 4.64 %.						
		weight of r	ecycled material is 1	77 g.						
P7.21*				in the product (See No	OTE B7):				\square	
	If YES: a	t least one	of the two alternatives	below shall be answe	ered:					
				the biobased plastic n		ontent (calcula	ated as a perce	ntage of		
		l plastic by	weight) is %.							
	or b) The	weight of t	he biobased plastic m	aterial is a						
P7.22*				ess than 0,1 mg/lamp.				\square		
			pecify: Number of lam			ury content pe	r lamp: m	ng		
P8	Batteries									
P8.1*		hemical cor	•							\square
P9			on (See NOTE B8)							
P9.1	For the p	product the f	ollowing power levels	or energy consumption	ons are re	eported:				
Energy m	ode *		Power level at 100 V AC	Power level at 115 V AC		ver level at 30 V AC	Reference/Sta modes and te		energy	
	de for ENE		W	W		W				
STAR® C (OM) proc	perational	Mode								
	off mode for	-	W	W		W				
ENERGY	STAR Ope	erational								
	I) products				0.07					
	e for ENER ucts (TEC=	-	kWh/week	kWh/week	0.37	kWh/week				
	onsumptior									
Printing			W	W	470	W				
Quiet M	ode/Printii	ng	W	W	270	W				
Ready			W	W	43	W				
Sleep			W	W	3.8	W				
Deep SI	еер		W	W	0.5	W				
Power Off			W	W	0.08	W				
	ed Standt	-	W	W	2.4	W				
		oly Efficienc	y Level (International	Efficiency Marking Pro	otocol) * :					\boxtimes
Print/Scar			34 images per r							
Default tir		energy sav								
P9.2*	Informati	on about th	e energy save functio	n is provided with the	product.			\boxtimes		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	HL-B2180DW	Logo	
Issue date *	1/November/2023		

Produc	t environmental at	tributes - Market req	uirements (co	ntinued)			Requirement me		
Item							Yes	No	n.a.
P10	Emissions								
	Noise emission -	Declared according to I	SO 9296 (See NO	DTE B9)					
P10.1	Mode 1	Mode description		Statistical u L _{WA,c} (B)	pper limit A-weig	hted sound powe	r level,		
	Idle *	ŧ		*					
	Operation *	* Printing		* 6.65					
	Other mode	Other mode							
	Measured according to: ISO 7779 ECMA-74 Other DE-UZ219 (only if not covered by ECMA-74)								
	Chemical emission	ons from printing produ	icts (See NOTE	B10)					
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic								
		EC 28360) 📃, other spe							
P10.3	Typical emission ra	ate (operation phase) is	(mg/h):						
	Electrophotograph Ink devices:	ic devices: Ozone		Styrene Styrene	Benzene Benzene	TVOC TVOC			
		e with maximum emission		els to be decl	ared in P14.				
P11		erials for printing prod							
P11.1*	A Safety Data She	et (SDS) is available for	the ink/toner pre	paration, ever	n if not legally re	quired (see P4.3)			
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of 🛛 🗌 🔲 EN 12281.								
P11.3*	2-sided (duplex) pi	rinting/copying is an integ	grated product fu	nction.			\square		
P11.4*	The product is deli	vered to end-user with d	efault auto-duple	x enabled.			\boxtimes		
P13	Packaging and do								
P13.1*	Product packaging Product packaging	material type(s): CRG material type(s): PS-E material type(s): HDP	weight (k weight (k	weight (kg): (g): 0.15 (g): 0.03	1.4				
P13.2*	Product plastic prir	mary packaging is free fr	om PVC.				\boxtimes		
P13.3*	consumer recovered	ry corrugated fiberboard ed fiber content: 50	%	•	ed percentage o	f minimum post-			
P13.4*	Specify media for u Electronic 🔀, Pa	user and product docum per 🔀, Other 🗌	entation (tick box):					
P13.5		lete this item if paper do documentation on paper cify:							
	Totally chlorine-free								
	Elemental chlorine-free						H		
	Processed chlorine-free								
P14	Voluntary progra								
P14.1		s the requirements of the	following volunta	ary program(s):				
	ENERGY STAR® Eco-label: Blue A	Criteria versi Angel Criteria versi	on: on: DE-UZ219	Date: Date: 8/May/202	Produc	t category: t category: Offic g Function	ce Equipme	nt witl	h
	Eco-label:	Criteria versi	on:	Date:		t category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	HL-B2180DW	Logo	
Issue date *	1/November/2023		

Product environmental attributes - Market requirements (concluded) Requirement r					
P15	Additional information (See NOTE B11)				

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	