



## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

-

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Electro-photographic Printer				
Commercial name *	HL-L2402D				
Model number *	HL-L2402D				
Issue date *	1/November/2023				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	HL-L2402D	Logo	
Issue date *	1/November/2023		

Product	environmental attributes - Legal requirements	Require	met	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$		
1 1.0	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		ш	
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
D4 4*			_	
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$	Ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the		_	
P1.5	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		Ш	
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week	$\overline{}$	$\overline{}$	
F 1.0			Ш	
	(see legal reference).			
5.1 5.1	Comment: Max limit in legal reference when tested according to EN1811:2011-5.		_	_
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\boxtimes$		
	https://www.brother.eu/en/reach			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			$\boxtimes$
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal			X
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			$\boxtimes$
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).			
	The Declaration of Conformity can be requested at (add link or e-mail address):		ш	
	https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=hll2402d_eu			
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products,	$\overline{\square}$		
1 0.2	(see legal reference).		ш	
	Required information is; given in item P15 or added to this document,			
	· · · · · · · · · · · · · · · · · · ·	ш	ш	
	available at (add URL):			
	https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=hll2402d_eu			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater	$\square$		
	than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see	$\square$		
	legal reference)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	$\boxtimes$		
	are Community workplace exposure limits, the product/packaging is adequately labeled according to	_		
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	$\boxtimes$		
	hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)	$\boxtimes$		
	used (see legal reference).		ш	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	$\overline{\square}$		
	Protocol (see legal reference).		ш	
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			
1 0.1	information for recycles/freatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	HL-L2402D	Logo	
Issue date *	1/November/2023		

	environmental attributes - Market requirements (See General Note GN below)	_		
	Environmental conscious design		irement r	net
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No n.a.	
P7	Design			
D7 1*	Disassembly, recycling  Parts that have to be treated apparetally are apply			
P7.1*	Parts that have to be treated separately are easily separable			<u> </u>
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		$\boxtimes$	
P7.8*	Upgrading can be done using commonly available tools		$\boxtimes$	
P7.9	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PS-HI Material type: ABS Material type: PC/ABS			
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$	
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:  Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	<u>Alt. 1:</u> Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:			
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	$\boxtimes$		Ш
	FR(17)			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
	The source(s) for these classifications is/are found at (add URL(s)). (See NOTE D3)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see <a href="http://www.ecma-internationl.org/publications/standards/Ecma-370.htm">http://www.ecma-internationl.org/publications/standards/Ecma-370.htm</a>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	HL-L2402D	Logo	
Issue date *	1/November/2023		

Product environmental attributes - Market requirements (continued)						uiremen	t met		
Item					Y	es No	n.a.		
		ance requirements (d							
P7.20*			ontent is used in the probe below shall be answer	•			Ш		
	a) Of total plastic	parts' weight > 25 g, tl	he postconsumer recyc		ntent (calculated as a				
	percentage of total plastic by weight) is 4.65 %. or								
	b) The weight of r								
P7.21*	Biobased plastic ma	L							
			below shall be answer		ated as a percentage of				
	total plastic by		2.024004 p.4040	a.oa. ooo (oa.oa	area as a personnage of				
	or b) The weight of t	he biobased plastic m	aterial is g.						
P7.22*	Light sources are fre	ee from mercury, i.e. le pecify: Number of lam	ess than 0,1 mg/lamp.	m mercury content pe	r lamp: mg				
P8	Batteries								
P8.1*	Battery chemical cor	mposition:					$\boxtimes$		
P9	Energy consumpti	•							
P9.1	For the product the	following power levels	or energy consumption	ns are reported:					
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for modes and test method *	energy			
	le for ENERGY perational Mode ucts	W	W	W					
Standby/of ENERGY S Mode (OM	STAR Operational	W	W	W					
TEC produ	for ENERGY STAR lets (TEC= Typical nsumption)	kWh/week	kWh/week	0.34 kWh/week					
Printing		W	W	<b>440</b> W					
Quiet Mo	de/Printing	W	W	<b>270</b> W					
Ready		W	W	<b>43</b> W					
Sleep		W	W	3.8 W					
Deep Sle		W	W	<b>0.5</b> W					
Power O		W	W	<b>0.08</b> W					
	ed Standby	W	W	<b>0.5</b> W					
		y Level (International	Efficiency Marking Prof	tocol) * :			$\boxtimes$		
Print/Scan	<u> </u>	30 images per r							
	e to enter energy sav								
P9.2*	Information about th	e energy save function	n is provided with the p	roduct.					

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	HL-L2402D	Logo	
Issue date *	1/November/2023		

Product environmental attributes - Market requirements (continued)						Require	ement	met			
Item									Yes	No	n.a.
P10	Emissions										
	Noise emission	<ul> <li>Declared accordi</li> </ul>	ng to ISO 92	96 (See NC	TE <b>B9</b> )						
P10.1	Mode	Mode description			Statistical up L <sub>WA,c</sub> (B)	pper limit A	-weigh	ted sound pov	wer level,		
	Idle	*			*						
	Operation	* Printing			* 6.56						
	Other mode										
	Measured accord	_	∑ Oth	ner <i>DE-U</i>	<b>IZ219</b> (only	if not cover	red by	ECMA-74)			
	Chemical emiss	ions from printing	products (S	See NOTE I	B10)						
P10.2*		ccording to ECMA-			nemical Emis	sion Rates	from E	Electronic	$\boxtimes$		
		IEC 28360), oth									
P10.3	Typical emission	rate (operation pha	ise) is (mg/h)	):							
	Electrophotograp Ink devices:	hic devices: Ozone	Dus Dus		Styrene Styrene	Benzer Benzer		TVOC TVOC			
		ce with maximum e		s in eco labe	els to be decl	ared in P14	1.				
P11		aterials for printing									
P11.1*	A Safety Data Sh	neet (SDS) is availa	ble for the inl	k/toner prep	aration, ever	n if not lega	ılly req	uired (see P4.	3).		
P11.2*	Paper containing EN 12281.	post-consumer rec	ycled fibers	can be used	d, provided th	at it meets	the red	quirements of			
P11.3*	2-sided (duplex)	printing/copying is a	an integrated	product fur	nction.				$\boxtimes$		
P11.4*	The product is de	elivered to end-user	with default	auto-duplex	cenabled.				$\boxtimes$		
P13	Packaging and	documentation									
P13.1*	Product packagir Product packagir	ng material type(s): ng material type(s): ng material type(s):	PS-E HDPE	weight (ke weight (ke		0.77					
P13.2*		rimary packaging is							$\boxtimes$		
P13.3*	consumer recove	ary corrugated fiber ered fiber content:	<b>50</b> %		-	ed percenta	age of	minimum post	t-		
P13.4*	Specify media for Electronic , Pa	r user and product of aper , Other	documentatio	on (tick box)	ī.						
P13.5		iplete this item if pa t documentation on ecify:									
	Totally chlorine-fr Elemental chlorin Processed chlorin	ne-free									
P14	Voluntary progr										
P14.1		ts the requirements	of the follow	ving volunta	ry program(s	):					
	ENERGY STAR® Eco-label: <i>Blue</i>		a version: a version: L	DE-UZ219	Date: Date: 8/May/202	Pr	roduct	category: category: <i>Of</i> Function	fice Equipme	ent wit	h
	Eco-label:	Criteri	a version.		Date:		_	category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$ 

NOTE B10 A Guidance document on Chemical Emissions is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>.

Model number *	HL-L2402D	Logo	
Issue date *	1/November/2023		

Product environmental attributes - Market requirements (concluded)		
P15	Additional information (See NOTE B11)	

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	