

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	EUBIEEnvironmentalGroup@brother.co.uk	
e-mail address		
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	product * Electro-photographic Printer			
Commercial name *	HL-L2460DN			
Model number *	HL-L2460DN			
Issue date *	1/November/2023			
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1 Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

5			
Model number *	HL-L2460DN	Logo	
Issue date *	1/November/2023		

Product	environmental attributes - Legal requirements	Require	ement	met
Item		Yes		n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).) 		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.brother.eu/en/reach	\square		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			\boxtimes
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)			\square
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\boxtimes
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=hll2460dn_eu_ as	-		
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).	\boxtimes		
	Required information is; given in item P15 or added to this document, available at (add URL):			
	https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=hll2460dn_eu_ as	-		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).	\boxtimes		
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	\boxtimes		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s used (see legal reference).)		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	\square		
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	HL-L2460DN Logo					
lssue da	nte *	1/November/2023					
-	Environn	mental attributes - Market requirements (See General Note GN below) nental conscious design		uiremen			
Item		tory to fill in. Additional information regarding each item may be found under P14.	Yes	No n.	a.		
P7	Design	nbly, recycling					
P7.1*		t have to be treated separately are easily separable	\square				
P7.2*		aterials in covers/housing have no surface coating.					
P7.3*		arts > 100 g consist of one material or of easily separable materials.			<u> </u>		
P7.4*	•	-			<u> </u>		
	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.						
P7.5	•	arts are free from metal inlays or have inlays that can be removed with commonly available to			<u> </u>		
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).					
	Product						
P7.7*		g can be done e.g. with processor, memory, cards or drives	<u>L</u>		<u> Ц </u>		
P7.8*		g can be done using commonly available tools					
P7.9	Spare parts are available after end of production for: 7 years						
P7.10	Service is	s available after end of production for: 7 years					
		and substance requirements					
P7.11*	Material t	cover/housing material type (e.g. plastics, metal, aluminum): ype: PS-HI Material type: ABS Material type: PC	XABS				
P7.12		materials of external electrical cables are PVC free.					
P7.13		n materials of internal electrical cables are PVC free.					
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in g more than 25% post-consumer recycled content.	s, and 🦳				
P7.15	halogen a	circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g ard as defined in IEC 61249-2-21. (See NOTE B2)	e low				
P7.16	Marking:		\boxtimes				
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without components additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:	s): 				
		emical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4:	J				
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: "	ons in				
		cal name: , CAS #: " emical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: <i>FR(40</i>) 🖂				
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been the following Risk phrases; and Hazard statements: ce(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Item Ma P7.20* Pc If ' a) or b) P7.21* Bid If ' a) or or	vironmental attr aterial and substances postconsumer recyclogy YES; at least one Of total plastic percentage of ta The weight of r obased plastic ma YES; at least one Of total plastic total plastic by The weight of ta The weight of ta The weight of ta the sources are free	he biobased plastic m	continued) ontent is used in the pro- below shall be answer he postconsumer recy is 4.65 %. 77 g. in the product (See No below shall be answer the biobased plastic r	roduct (Se ered; /cled plas OTE B7): ered;	tic material con	· · · · · · · · · · · · · · · · · · ·	ed as a	Yes	No	met n.a.
Item Ma P7.20* Pc If ' a) or b) P7.21* Bid If ' a) or or	aterial and subst ostconsumer recyc YES; at least one Of total plastic percentage of t The weight of r obased plastic ma YES; at least one Of total plastic total plastic by The weight of t ght sources are fre	ance requirements (c cled plastic material cc of the two alternatives parts' weight > 25 g, ti otal plastic by weight) ecycled material is 1 terial content is used i of the two alternatives parts' weight > 25 g, ti weight) is %.	continued) ontent is used in the pro- below shall be answer he postconsumer recy is 4.65 %. 77 g. in the product (See No below shall be answer the biobased plastic r	roduct (Se ered; /cled plas OTE B7): ered;	tic material con	· · · · · · · · · · · · · · · · · · ·	ed as a	Yes	No	
Ma P7.20* Pc If ` a) or b) P7.21* Bid If ` a) or	YES; at least one Of total plastic percentage of t The weight of r obased plastic ma YES; at least one Of total plastic total plastic by The weight of t ght sources are free	cled plastic material cc of the two alternatives parts' weight > 25 g, ti otal plastic by weight) ecycled material is <u>1</u> terial content is used i of the two alternatives parts' weight > 25 g, ti weight) is %.	below shall be answere the postconsumer recy is 4.65 %. 77 g. in the product (See No below shall be answere the biobased plastic r	ered; /cled plas OTE B7): ered;	tic material con	· · · · · · · · · · · · · · · · · · ·	ed as a			
P7.20* Pc If ` a) or b) P7.21* Bid If ` a) or	YES; at least one Of total plastic percentage of t The weight of r obased plastic ma YES; at least one Of total plastic total plastic by The weight of t ght sources are free	cled plastic material cc of the two alternatives parts' weight > 25 g, ti otal plastic by weight) ecycled material is <u>1</u> terial content is used i of the two alternatives parts' weight > 25 g, ti weight) is %.	below shall be answere the postconsumer recy is 4.65 %. 77 g. in the product (See No below shall be answere the biobased plastic r	ered; /cled plas OTE B7): ered;	tic material con	· · · · · · · · · · · · · · · · · · ·				
a) or b) P7.21* Bid If ¹ a) or	Of total plastic percentage of t <u>The weight of r</u> obased plastic ma YES; at least one Of total plastic total plastic by <u>The weight of t</u> ght sources are fre	parts' weight > 25 g, tl otal plastic by weight) ecycled material is 1 iterial content is used if of the two alternatives parts' weight > 25 g, th weight) is %.	he postconsumer recy is 4.65 %. 77 g. in the product (See No below shall be answe the biobased plastic r	OTE B7):		· · · · · · · · · · · · · · · · · · ·				
<u>7</u> .21* Bio اf ۱ a) or	obased plastic ma YES; at least one Of total plastic total plastic by The weight of t ght sources are free	terial content is used i of the two alternatives parts' weight > 25 g, t weight) is %. he biobased plastic m	in the product (See Ni below shall be answe the biobased plastic r	ered;		ted as a perce	entage of			
lf ` a) or	YES; at least one Of total plastic total plastic by <u>The weight of t</u> ght sources are fre	of the two alternatives parts' weight > 25 g, t weight) is %. he biobased plastic m	below shall be answe the biobased plastic r	ered;		ted as a perce	entage of			
	mercury is used sp	e from mercury, i.e. le pecify: Number of lam	ess than 0,1 mg/lamp.		iry content per	lamp: n	ng			
	Itteries	,			<u>, ,</u>	•	5			
	ittery chemical cor	mposition:								\square
	-	on (See NOTE B8)								
		following power levels	or energy consumption	ons are re	ported:					
Energy mode	*	Power level at 100 V AC	Power level at 115 V AC		ver level at 30 V AC	Reference/Sta modes and te		r er	nergy	
Sleep mode fo STAR® Opera (OM) products	tional Mode	W	W		W					
Mode (OM) pre	R Operational oducts	W	W		W					
	ENERGY STAR (TEC= Typical mption)	kWh/week	kWh/week	0.37	kWh/week					
Printing		W	W	470	W					
Quiet Mode/	Printing	W	W	270	W					
Ready		W	W	43	W					$\overline{\Box}$
Sleep		W	W	3.8	W					$\overline{\Box}$
Deep Sleep		W	W	0.5	W					
Power Off		W	W	0.08	W					
Networked S	Standby	W	W	0.5	W					
External Powe	er Supply Efficienc	y Level (International	Efficiency Marking Pro	otocol) * :						
Print/Scan Spe	eed * :	34 images per r	ninute							
Default time to	enter energy sav									$\overline{\Box}$
		e energy save function	n is provided with the	product				\boxtimes		\exists

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	HL-L2460DN	Logo
Issue date *	1/November/2023	

Produc	t environmental at	ttributes - Market re	equirements (c	ontinued)			Requirement met		
Item							Yes	No	n.a.
P10	Emissions								
		Declared according to	ISO 9296 (See N	,					
P10.1	Mode I	Mode description		Statistical up <i>L_{WA,c}</i> (B)	oper limit A-weig	hted sound powe	r level,		
	Idle '	•		*					
	Operation '	* Printing		* 6.65					
	Other mode								
	Measured according to: ISO 7779 ECMA-74 Other DE-UZ219 (only if not covered by ECMA-74)								
	Chemical emissions from printing products (See NOTE B10)								
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic								
	Equipment (ISO/IEC 28360), other specify: DE-UZ219								
P10.3	Typical emission rate (operation phase) is (mg/h):								
	Electrophotograph Ink devices:	ic devices: Ozone	Dust Dust	Styrene Styrene	Benzene Benzene	TVOC TVOC			
	NOTE: compliance with maximum emission rates in eco labels to be declared in P14.								
P11	Consumable materials for printing products								
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).								
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of I III IIIIIIIIIIIIIIIIIIIIIIIIIIIII								
P11.3*	2-sided (duplex) printing/copying is an integrated product function.								
P11.4*	The product is delivered to end-user with default auto-duplex enabled.								
P13	Packaging and documentation								
P13.1*	Product packaging material type(s): CRGTD-FBRBRD weight (kg): 0.77 Product packaging material type(s): PS-E weight (kg): 0.17 Product packaging material type(s): HDPE weight (kg): 0.03								
P13.2*	Product plastic primary packaging is free from PVC.								
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 50 %								
P13.4*	Specify media for user and product documentation (tick box):								
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:								
	Totally chlorine-free								
	Elemental chlorine-free								
	Processed chlorine-free						H		
P14	Voluntary progra								
P14.1		the requirements of the	ne following volunt	tary program(s)	:				
	ENERGY STAR® Eco-label: Blue A	Criteria ver Angel Criteria ver	rsion: rsion: DE-UZ219	Date: Date: 8/May/202 :	Produc	t category: t category: Offic g Function	e Equipme	nt witl	h
	Eco-label:	Criteria ver	sion:	Date:	Produc	t category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	HL-L2460DN	Logo	
Issue date *	1/November/2023		

Product environmental attributes - Market requirements (concluded) Requirement me					
P15	Additional information (See NOTE B11)				

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	