



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

-

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Electro-photographic Printer				
Commercial name *	HL-L6210DW				
Model number *	HL-L6210DW				
Issue date *	21/September/2023				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	HL-L6210DW	Logo	
Issue date *	21/September/2023		

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated			
1.4	terphenyl (PCT) in preparations (see legal reference).	_	Ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the			
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above $0.5 \mu g/cm^2/week$ (see legal reference).	Ш	Ш	
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.brother.eu/en/reach			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal			
P2.3*	reference) Batteries and accumulators are readily removable. (See legal reference)		$\overline{}$	N/
P3				
P3.1*	Conformity verification & Eco design (ErP) The product is CE-marked to show conformance with applicable legal requirements (see legal reference).		_	
F3.1	The Declaration of Conformity can be requested at (add link or e-mail address):		Ш	
P3.2*	https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=hll6210dw_us_eu_as The product complies with the applicable Eco design Requirements for Energy-Related Products,			_
P3.2	(see legal reference).			
	Required information is; given in item P15 or added to this document,			
	🔀 available at (add URL):			
	https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=hll6210dw_us_eu_as			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	\square		
	are Community workplace exposure limits, the product/packaging is adequately labeled according to		ш	
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s used (see legal reference).) 🔀		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\boxtimes		
	Protocol (see legal reference).	<u></u>]
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	HL-L6210DW	Logo	
Issue date *	21/September/2023		

	environmental attributes - Market requirements (See General Note GN below)	_		
	Environmental conscious design		irement r	net
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No n.a.	
P7	Design			
D7 1*	Disassembly, recycling Parts that have to be treated congretaly are easily congretaly			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		\boxtimes	
P7.8*	Upgrading can be done using commonly available tools		\boxtimes	
P7.9	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PS-HI Material type: ABS Material type: PC			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:			
	1. Chemical name: , CAS #: (See NOTE B4)	ш	ш	ш
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "	_		
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	\boxtimes		
	FR(17)			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:		_	
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	HL-L6210DW	Logo	
Issue date *	21/September/2023		

Product environmental attributes - Market requirements (continued)					Req	uireme	nt n	net
Item					<u>\</u>	∕es N	0	n.a.
		ance requirements (d						
P7.20*	Postconsumer recyc	cled plastic material co	ontent is used in the pro	oduct (See NOTE B6)	:	\bowtie L		Ш
	If VES: at least one	of the two alternatives	below shall be answer	red.				
			he postconsumer recyc		ontent (calculated as a			
	percentage of total plastic by weight) is 6.14 %.							
	or b) The weight of r	recycled material is 4	90.3 g.					
P7.21*			in the product (See NO	TF B7)·			1	
	Ziesaeea piaeae iiie		p. caact (000 110	. = = .).			7	
			below shall be answer		-td			
	 a) Of total plastic total plastic by 		the biodased plastic m	aterial content (calcula	ated as a percentage of			
	or	woight) io 70.						
		he biobased plastic m					_	
P7.22*		ee from mercury, i.e. le pecify: Number of lam		m mercury content pe	r lamp: mg	\boxtimes		
P8	Batteries	pecity. Nutriber of family	ps. and maximu	Thereary content pe	i lamp. mg			
P8.1*	Battery chemical co	mposition:						\square
P9	Energy consumption	on (See NOTE B8)						
P9.1	For the product the	following power levels	or energy consumption	ns are reported:				
Energy mo	ode *	Power level at	Power level at	Power level at	Reference/Standard for	energ	jy	
		100 V AC	115 V AC	230 V AC	modes and test method *			_
	le for ENERGY	W	W	W				
STAR® Op (OM) prode	perational Mode							
	ff mode for	W	W	W				
	STAR Operational							
Mode (OM	<i>,</i> .	1300-61-	1.3.4/1. / 1.	0.50 1300-61-				
-	for ENERGY STAR licts (TEC= Typical	kWh/week	kWh/week	0.59 kWh/week				Ш
	nsumption)							
Printing	<u>`</u>	W	W	710 W				
Quiet Mo	ode/Printing	W	W	430 W				
Ready		W	W	31 W				
Sleep		W	W	5.5 W				
Deep Sle	eep	W	W	0.5 W				
Power O	ff	W	W	0.05 W				
Networked Standby W W 3.1 W								
External P	ower Supply Efficienc	y Level (International	Efficiency Marking Prof	tocol) * :				X
Print/Scan	•	50 images per r	ninute					
	ne to enter energy sav							
P9.2*	Information about th	e energy save function	n is provided with the p	roduct.				

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	HL-L6210DW	Logo	
Issue date *	21/September/2023		

Product environmental attributes - Market requirements (continued)					Require	ment	met		
Item			•	•			Yes	No	n.a.
P10	Emissions								
	Noise emission	- Declared according to I	SO 9296 (See N	OTE B9)					
P10.1	Mode	Mode description		Statistical up L _{WA,c} (B)	per limit A-weig	ghted sound powe	r level,		
	Idle	*		*					
	Operation	* Printing(mono)		* 7.07					
	Other mode								
	Measured accord	J	ECMA-74 Other DE-	UZ219 (only i	f not covered b	v FCMA-74)			
	Chemical emiss	sions from printing prod			. Hot oovered b	y 201011 (1 1)			
P10.2*		according to ECMA-328 D			ion Rates from	Electronic		$\overline{\Box}$	
	•	TEC 28360) , other spe							
P10.3		rate (operation phase) is							
		phic devices: Ozone	Dust	Styrene	Benzene	TVOC			
	Ink devices:		Dust	Styrene	Benzene	TVOC			
	NOTE: complian	ce with maximum emissio	n rates in eco lab	els to be decla	red in P14				
P11		aterials for printing prod		70.0 10 00 0000					
P11.1*		neet (SDS) is available for		paration, even	if not legally re	quired (see P4.3)	. 🛛	П	
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.								
P11.3*		printing/copying is an inte	grated product fu	ınction.			\boxtimes	П	
P11.4*	The product is delivered to end-user with default auto-duplex enabled.						Ħ	Ħ	
P13	Packaging and								
P13.1*			TD-FBRBRD	weight (kg):	2.18				
	Product packagir	ng material type(s): PS-E	weight (I	kg): 0.13					
D 10 0t	Product packagir	ng material type(s): HDP	weight (I	kg): 0.14					
P13.2*		rimary packaging is free fr					\boxtimes		Ш
P13.3*	For product prima	ary corrugated fiberboard		ify the containe	ed percentage o	of minimum post-			
P13.4*		ered fiber content: 50 r user and product docum		/)·					$\overline{}$
1 10.4	Electronic , P		citation (tick box	ζ).					ш
P13.5		plete this item if paper do	cumentation use	d)					
	User and produc	t documentation on paper						\boxtimes	
	If Yes, please sp	ecify:							
	Totally chlorine-f	ree							
	Elemental chlorin						H		
	Processed chlori	ne-free					H		
P14	Voluntary progr	'ams'							
P14.1		ets the requirements of the	following volunt	ary program(s)	:				
	•	•							
	ENERGY STAR	® Criteria versi	ion: 3.0	Date:		ct category: Imag	ging Equipn	nent	
	Eco-label: Blue	Angel Criteria vers	ion: DE-UZ219	17/Dec/202 Date:		ct category: Offic	e Fauinme	nt witl	1
	Loo labol. Dide	Juigor Official Versi	OII. DE-OLLIS	17/Jan/202		ng Function	Equipine		•
	Eco-label:	Criteria versi	ion:	Date:		ct category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	HL-L6210DW	Logo	
Issue date *	21/September/2023		

Product environmental attributes - Market requirements (concluded)		
P15	Additional information (See NOTE B11)	

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	