

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo				
Company name *	Brother International Europe					
Contact information *						
e-mail address	EUBIEEnvironmentalGroup@brother.co.uk					
Internet site *	www.brother.com					
Additional information						

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statements given in this declaration.						
Type of product *	I-In-One Electro-photographic Printer					
Commercial name *	1FC-L2710DW					
Model number *	MFC-L2710DW					
Issue date *	22/February/2018					
Intended market *	Global 🛛 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model nu	del number * MFC-L2710DW		Logo						
Issue dat	ate * 22/February/2018								
Product	Product environmental attributes - Legal requirements								
Item		Yes	No	n.a.					
P1	Hazardo	ous substances and preparations							
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)								
P1.2*									
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),							
	hydrobro trichloro	ethane, methyl bromide (see legal reference). Comment: Legal reference has no r ration values.							
P1.4*	Products	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	nlorinated						
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car intaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in t	he 🔀					
P1.6*	Parts wi (see leg	th direct and prolonged skin contact do not release nickel in concentrations above ( al reference).	0,5 μg/cm²/wee	ek 🗌		$\square$			
P1.7*		nt: Max limit in legal reference when tested according to EN1811:2011-5. Article 33 information about substances in articles is available at (add URL or mail	contact):		_				
F 1.7		other.eu/reach	contact).	$\bowtie$					
P2	Batterie								
P2.1*	Batteries     If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)								
P2.2*	Batteries	al 🗌		$\square$					
P2.3*		s and accumulators are readily removable. (See legal reference)				$\square$			
P3		nity verification & Eco design (ErP)							
P3.1*									
P3.2*	The proc	duct complies with the Eco design requirements for energy-related products, al reference).		$\boxtimes$					
	Required information is; given in item P15 or added to this document,								
		upport.brother.com/g/b/manuallist.aspx?c=gb⟨=en∏=mfcl2710dw_u &type3=10066&type2=101	s_eu_as&flan	g=					
P4	Consun	nable materials							
P4.1*	If a phot legal ref	$\boxtimes$							
P4.2*	If ink/tor	er is used in the product, it does not contain cadmium max 0,1% by weight (see le	gal reference).	$\square$					
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).								
P5		t packaging							
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercur ant chromium by weight of these together.	y, cadmium a	nd 🔀					
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature be legal reference).	of the material	(s) 🔀					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal X								
DC		nt: Legal reference has no maximum concentration values.							
P6.1*		Int information							
F0.1	monnal	וישר אין		$\square$					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		MFC-L2710DW	Logo						
Issue da	te *	22/February/2018							
	Environn	mental attributes - Market requirements (See General NOTE GN below) nental conscious design		Require	ement	met			
ltem	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a.								
P7	Design								
P7.1*		nbly, recycling t baye to be treated separately are easily separable							
P7.2*	Parts that have to be treated separately are easily separable Image: Comparison of the separately are easily separable   Plastic materials in covers/housing have no surface coating. Image: Comparison of the separately are easily separable								
P7.3*		arts > 100 g consist of one material or of easily separable materials.			╞	<u> </u>			
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	<u> </u>			
	-		ailabla taala		<u> </u>	<u> </u>			
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly av	allable tools.		<u> </u>	<u> </u>			
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).							
P7.7*	Product	g can be done e.g. with processor, memory, cards or drives			$\square$				
P7.8*		g can be done using commonly available tools				<u> </u>			
P7.9.						<u> </u>			
P7.9. P7.10		rts are available after end of production for: 7 years				<u> </u>			
P7.10		s available after end of production for: 7years							
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):							
			type: ABS						
P7.12		n materials of external electrical cables are PVC free.			$\boxtimes$				
P7.13	Insulation materials of internal electrical cables are PVC free.								
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts								
P7.15	containing more than 25% post-consumer recycled content.   Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low   balance as defined in UCC 64040-0.24. (Cas NOTE DO)								
P7.16	halogen as defined in IEC 61249-2-21. (See NOTE B2)   Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:   Marking: FR(40)								
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without cor	nponents):						
	TBBPA (	additive) 🔀, TBBPA (reactive) 🔀 (See NOTE B3), Other; chemical name:	, CAS #:	$\boxtimes$					
	according	emical specifications of flame retardants in printed circuit boards (without componer g ISO 1043-4:	, .						
P7.18									
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	-4:	$\boxtimes$					
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which h the following Risk phrases; and Hazard statements:	nave been IOTE B5)						
P7.20*		umer recycled plastic material content is used in the product (See NOTE B6):		$\square$					
-	lf YES; a a) Of to	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ( centage of total plastic by weight) is $0.1$ %.	(calculated a						
		weight of recycled material is g.							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	MFC-L27	10 <b>DW</b>			Logo			
Issue date *	22/Februa	ary/2018						
								t met
Item	and subst		Ye	es No	n.a.			
	Material and substance requirements (continued)     '7.21*   Biobased plastic material content is used in the product (See NOTE B7):   Image: Content is content is used in the product (See NOTE B7):							
	•	of the two alternatives		,				
a) O	f total plastic	parts' weight > 25 g,		material content (calcul	ated as a perce	entage of		
to or	total plastic by weight) is %.							
		ee from mercury, i.e. le				$\geq$		
		pecify: Number of lamp	os: and maxim	um mercury content pe	r lamp:	mg		
P8 Batteri P8.1* Batterv	es chemical co	mposition:						
		on (See NOTE B8)						
		following power levels	or energy consumption	ons are reported:				
Energy mode *		Power level at	Power level at	Power level at	Reference/St	andard for	energy	
		100 V AC	115 V AC	230 V AC	modes and te	est method *		
Sleep mode for EN		W	W	W				$\boxtimes$
STAR® Operationa (OM) products	ai iviode							
Standby/off mode f		W	W	W				$\boxtimes$
ENERGY STAR O Mode (OM) produc								
TEC value for ENE		kWh/week	kWh/week	1.232				
TEC products				kWh/week				
(TEC= Typical Ene	rgy	14/	14/	Amman (10 ) 11				
Printing		W	W	Approx. 440 W				<u> </u>
Copying		W	W	Approx. 455 W				<u> </u>
Quiet Mode/Cop		W	W	<b>Approx. 260</b> W				
Quiet Mode/Print	ting	W	W	<b>Approx. 260</b> W				
Ready		W	W	Approx. 42 W				
Sleep		W	W	Approx. 6.2 W				
Deep Sleep		W	W	Approx. 0.9W				
Power Off		W	W	<b>Approx. 0.03</b> W				
Networked Stand	dby	W	W	<b>Approx. 4.90</b> W				
External Power Su	oply Efficiend	cy Level (International I	Efficiency Marking Pro	otocol) * :				$\boxtimes$
Print/Scan Speed *	:	30 images per seco	nd					
Default time to ente	er energy say	/e mode: 1 minu	es					
P9.2* Information about the energy save function is provided with the product.						$\exists$		
P10 Emissi	ons			<u>.</u>				
Noise	emission – I	Declared according to I						
P10.1 Mode	Μ	lode description		atistical upper limit A-w <sub>//A,c</sub> (B)	eighted sound	power level,		
Idle	*		*					
Operat		Printing(mono)	*	6.48				
Other r								
Measured according to: ISO 7779 ECMA-74 Other <i>RAL-UZ205</i> (only if not covered by ECMA-74)								
		Other <b>RAL-</b>	JZ205 (only if not co	overed by ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nu	umber *	MFC-L2710DW					Logo			
Issue dat	te *	22/February/2018								
Product	environ	mental attributes	- Market reg	uirements (cc	ontinued)			Reau	iremen	t met
Item			Marketreq		Jillindedy			Ye		
	Chemio	cal emissions from	printing produ	icts (See NOTE	B10)					
P10.2*		rformed according to				n Rates from E	Electronic	$\succ$		
	Equipment (ISO/IEC 28360), other specify: RAL-UZ205									
P10.3	Typical emission rate (operation phase) is (mg/h):									
	Electro	photographic devices	s: Ozone	Dust	Styrene	Benzene	TVOC			
	Ink dev	ices:		Dust	Styrene	Benzene	TVOC			Π
	Note: c	ompliance with maxi	mum emission	rates in eco labe	ls to be declared	in P14.				
P11		nable materials for								
P11.1*		y Data Sheet (SDS)			paration, even if	not legally req	uired (see l	P4.3).		
P11.2*	Paper o EN 122	containing post-cons 81.	sumer recycled	fibers can be	used, provided t	hat it meets t	he require			
P11.3*	2-sided	(duplex) printing/co	pying is an integ	grated product fu	inction.					
P11.4*	The product is delivered to end-user with default auto-duplex enabled.									
P13		ing and document								
P13.1*										
P13.2*	Product plastic primary packaging is free from PVC.									
P13.3*										
P13.4*	* Specify media for user and product documentation (tick box):									
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:									
	Totally	chlorine-free						Г	1	
	Elemental chlorine-free									
P14		ary programs:							<u> </u>	
P14.1		duct meets the requ	irements of the	following volunta	ary program(s):					
		GY STAR® el: <b>Blue Angel</b>	Criteria versio Criteria versio	on: <b>2.0</b> on: <b>RAL-UZ205</b>	Date: 7/July/2 Date:27/June		uct categor	: Imaging Eq y: Office Equi th Printing Fu	pment	It
		el: Nordic Swan	Criteria versio	on: 6	Date: 18/August/2			: Imaging Eq		it
P15	Additio	nal information (Se	e NOTE B11)							

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1