



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *		
e-mail address	EUBIEEnvironmentalGroup@brother.co.uk	
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statemen	conforms to the statements given in this declaration.			
Type of product *	All-In-One Electro-photographic Printer			
Commercial name *	MFC-L2750DW			
Model number *	MFC-L2750DW			
Issue date *	22/February/2018			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *		MFC-L2750DW	Logo	,			
Issue date	e *	22/February/2018					
	uct environmental attributes - Legal requirements			Require	ment	met	
Item				Yes	No	n.a.	
P1		ous substances and preparations	0== 0.1				
P1.1*		s do comply with the current European RoHS Directive. (See legal reference and No	OTE B1)		<u>Ц</u>		
P1.2*	Commer	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.			Ш		
P1.3*	Products	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	olorido 1 1 1				
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m		-			
	concentr	ration values.					
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	\boxtimes			
D4 C*		/I (PCT) in preparations (see legal reference).	h : -	- th	_		
P1.5*	chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).			<u> </u>		
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above 0),5 μg/cm²/w	/eek	Ш	\bowtie	
		al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):		П		
		other.eu/reach	,		_		
P2	Batterie	s					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	the disposal				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)						
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					\boxtimes	
P3							
P3.1*	The prod	duct is CE-marked to show conformance with applicable legal requirements (see legelaration of Conformity can be requested at (add link or e-mail address):	gal reference	e).			
	http://support.brother.com/g/b/manuallist.aspx?c=gb⟨=en∏=mfcl2750dw_us_eu_as&flang= English&type3=371&type2=101						
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).					
		d information is; given in item P15 or added to this document, available at (add URL):					
	http://si	يم available at (add GRL). upport.brother.com/g/b/manuallist.aspx?c=gb⟨=en∏=mfcl2750dw_us	s eu as&fla	ang=			
		&type3=10066&type2=101					
P4		nable materials		<u></u> _			
P4.1*	legal refe	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).	•		Ш	Ш	
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	gal reference	e). 🔀			
P4.3*		/toner formulation/preparation is classified as hazardous or contains a substance for		re 🔀			
	are Com	munity workplace exposure limits, the product/packaging is adequately labeled acc le regulations and a Safety Data Sheet (SDS) in accordance with these requiremen	cording to	alo.			
		al reference).	ilo io availal	ле			
P5		packaging					
P5.1*	Packagir	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	y, cadmium	and 🔀			
P5.2*	The pack	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).	of the mater	rial(s)			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal						
	Protocol (see legal reference).						
-		nt: Legal reference has no maximum concentration values.					
P6 1*		nt information					
P6.1*	intormati	on for recyclers/treatment facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	MFC-L2750DW	Logo	
Issue date *	22/February/2018		

Product	Product environmental attributes - Market requirements (See General NOTE GN below)						
-	- Environmental conscious design Requirement met						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P7	Design						
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable						
	· · · · · · · · · · · · · · · · · · ·						
P7.2*	Plastic materials in covers/housing have no surface coating.		<u>Ц</u>				
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes					
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.						
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).						
-	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		\boxtimes				
P7.8*	Upgrading can be done using commonly available tools		\boxtimes				
P7.9.	Spare parts are available after end of production for: 7 years						
P7.10	Service is available after end of production for: 7years						
	Material and substance requirements						
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):						
	Material type: PS-HI Material type: PC/ABS Material type: ABS						
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes				
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes				
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low	,	\boxtimes				
	halogen as defined in IEC 61249-2-21. (See NOTE B2)	_					
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)						
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:						
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:						
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "						
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(17), FR(40)						
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:						
D7 00*	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)		_				
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6): If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 0.1 %. or b) The weight of recycled material is q.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see $\frac{http://www.ecma-international.org/publications/standards/Ecma-370.htm}{}$

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	Model number * MFC-L2750DW		Logo						
Issue date * 22/February/2018									
Product environmental attributes - Market requirements (continued)					Requ	ıiremen	t met		
Item							Y	es No	n.a.
P7.21*			<mark>ance requirements (c</mark> aterial content is used i		NOTE D7\				
F1.21		•		•	,				Ш
	a) Of total or	otal plastic I plastic by		the biobased plast	swered; ic material content (calculated	l as a perce	entage of		
P7.22*			ee from mercury, i.e. le pecify: Number of lam		np. kimum mercury content per lar	np: ı	mg		
P8	Batteries		***						
P8.1*		hemical co	•						
P9		•	on (See NOTE B8)		nt'ana ana ana anta di				
P9.1		roduct the	following power levels						
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	230 V AC m	eference/St odes and te	tandard for est method *	energy	
Sleep mod STAR® Op (OM) produ	erational l		W	W	W				
Standby/of ENERGY S Mode (OM)	f mode for STAR Ope	rational	W	W	W				
TEC value TEC produ	for ENER		kWh/week	kWh/week	1.412 kWh/week				
(TEC= Typ	ical Energ	У							
Printing		W	W	<i>Approx.</i> 475 W					
Copying			W	W	Approx. 485 W				
Quiet Mo	de/Copyi	ng	W	W	Approx. 260 W				
Quiet Mo	de/Printin	ng	W	W	Approx. 260 W				
Ready			W	W	Approx. 42 W				$\overline{\Box}$
Sleep			W	W	Approx. 6.4W				Ħ
Deep Sle	ер		W	W	Approx. 1.1 W				$\overline{\Box}$
Power O	ff		W	W	Approx. 0.03 W				Ħ
Networke	ed Standb	y	W	W	Approx. 5.10 W				$\overline{\Box}$
	Print/Scan Speed * : 34 images per second								
Default time to enter energy save mode: 1 minutes									
P9.2*	P9.2* Information about the energy save function is provided with the product.								
P10 Emissions									
	Noise emission – Declared according to ISO 9296 (See NOTE B9)								
P10.1	Mode	Mode Mode description Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)							
Idle *				*					
	Operation		Printing(mono)		* 6.59				
	Other mode								
	Measured according to: SO 7779 SCMA-74 Other RAL-UZ205 (only if not covered by ECMA-74)								

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	number * MFC-L2750DW		Logo				
Issue date	date * 22/February/2018						
Product	environ	mental attributes - Market requirements (continued)		Requi	rement	met	
Item				Ye	s No	n.a.	
		cal emissions from printing products (See NOTE B10)					
P10.2*		rformed according to ECMA-328 Determination of Chemical Emission Rates from Elent (ISO/IEC 28360), other specify: <i>RAL-UZ205</i>	lectronic	\boxtimes			
P10.3		emission rate (operation phase) is (mg/h):					
1 10.0	• •	, , , , , , , , , , , , , , , , , , ,					
		photographic devices: Ozone Dust Styrene Benzene	TVOC			Н	
	Ink dev	ces: Dust Styrene Benzene	TVOC				
		ompliance with maximum emission rates in eco labels to be declared in P14.					
P11		mable materials for printing products		24.0)		_	
P11.1*		y Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	•	,		Щ.	
P11.2*	Paper (EN 122	containing post-consumer recycled fibers can be used, provided that it meets the 81.	ne requirer	nents of 🔀			
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.		\boxtimes			
P11.4*	The pro	duct is delivered to end-user with default auto-duplex enabled.					
P13	Packag	ing and documentation					
P13.1*		packaging material type(s): CRGTD-FBRBRD weight (kg): 2.13					
		packaging material type(s): PS-E weight (kg): 0.44					
P13.2*	Product packaging material type(s): HDPE weight (kg): 0.08 Product plastic primary packaging is free from PVC.						
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-						
1 10.0	consumer recovered fiber content: 50 %						
P13.4*	Specify media for user and product documentation (tick box):						
P13.5							
		d product documentation on paper media is chlorine-free: blease specify:					
		chlorine-free		_	l		
	•			<u> </u>			
	Elemental chlorine-free Processed chlorine-free						
P14	Voluntary programs:						
P14.1		duct meets the requirements of the following voluntary program(s):					
			t 00t000m	Imagina Fa			
			ct category	Imaging Eq	ment		
		18/August/2017		h Printing Fui Imaging Eq		t	
P15	Additio	nal information (See NOTE B11)					

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1