

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo				
Company name *	Brother International Europe					
Contact information *						
e-mail address	EUBIEEnvironmentalGroup@brother.co.uk					
Internet site *	www.brother.com					
Additional information						

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statement	nts given in this declaration.					
Type of product *	All-In-One Electro-photographic Printer					
Commercial name *	MFC-L2752DW					
Model number *	MFC-L2752DW					
Issue date *	27/November/2018					
Intended market *	🔄 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model nu	umber *	MFC-L2752DW	Logo				
Issue date *		27/November/2018					
Product	t environ	mental attributes - Legal requirements	1	Re	equire	ment	met
Item					Yes	No	n.a.
P1	Hazardo	ous substances and preparations					
P1.1*	Products	s do comply with the current European RoHS Directive. (See legal reference and N	OTE B1)		\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.					
P1.3*	Products hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ration values.		,1-			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	lorinated		\boxtimes		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the	\square		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above (al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²,	/week			
P1.7*		Article 33 information about substances in articles is available at (add URL or mail other.eu/reach	contact):		\square		
P2	Batterie	S					
P2.1*		but contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the dispos	al			\boxtimes
P2.2*		Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)					
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)					\boxtimes
P3	Conform	nity verification & Eco design (ErP)					
P3.1*	The proo	duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) (see legal requirements) (see legal requirement) address): apport.brother.com/g/b/index.aspx?noautojudge=true	gal referen	ice).			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).			\square		
	Required information is; given in item P15 or added to this document, available at (add URL): http://support.brother.com/g/b/index.aspx?noautojudge=true						
P4		hable materials					
P4.1*	If a phot	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).	ax 0,01% (see			
P4.2*		er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	gal referen	ce).	\square		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).						
	U						
P5	Product	packaging					
P5.1*	Product Packagii hexavale	packaging ng and packaging components do not contain more than 0,01% lead, mercur ant chromium by weight of these together.					
P5.1* P5.2*	Product Packagin hexavale The pac used (se	packaging ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together. kaging materials are marked with abbreviations and numbers indicating the nature be legal reference).	of the mate	erial(s)			
P5.1* P5.2* P5.3*	Product Packagin hexavale The pac used (se The pro Protocol Commen	packaging ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together. kaging materials are marked with abbreviations and numbers indicating the nature e legal reference). duct packaging material is free from ozone depleting substances as specified (see legal reference). nt: Legal reference has no maximum concentration values.	of the mate	erial(s)			
P5.1* P5.2*	Product Packagin hexavale The pac used (se The pro Protocol Commen Treatme	packaging ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together. kaging materials are marked with abbreviations and numbers indicating the nature re legal reference). duct packaging material is free from ozone depleting substances as specified (see legal reference).	of the mate	erial(s)			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		MFC-L2752DW	Logo					
ssue date *		27/November/2018						
	Environn	mental attributes - Market requirements (See General NOTE GN below) mental conscious design		Require	ement	met		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.		
P7	Design							
P7.1*		nbly, recycling t have to be treated separately are easily separable						
P7.2*		aterials in covers/housing have no surface coating.			╞	-		
P7.3*		arts > 100 g consist of one material or of easily separable materials.			╞	- 14-		
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	<u> </u>		
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly av	ailable toole		<u> </u>	<u> </u>		
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).			<u> </u>	<u> </u>		
F7.0	Product							
P7.7*		g can be done e.g. with processor, memory, cards or drives						
P7.8*		g can be done using commonly available tools				<u> </u>		
P7.9.		rts are available after end of production for: 7 years				- 12		
P7.10		s available after end of production for: Tyears				<u> </u>		
17.10		and substance requirements						
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):						
	Material	ype: PS-HI Material type: PC/ABS Material	type: ABS					
P7.12	Insulation	materials of external electrical cables are PVC free.	2.		\boxtimes			
P7.13	Insulation	n materials of internal electrical cables are PVC free.						
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.							
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all PCBs > 25 as defined in IEC 61249-2-21. (See NOTE B2)	ig 🗌 are lo	w 🗌	\square			
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		\boxtimes				
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without con	nponents):		_			
	TBBPA (additive) 🔀, TBBPA (reactive) 🔀 (See NOTE B3), Other; chemical name:	, CAS #:	\boxtimes				
	according	emical specifications of flame retardants in printed circuit boards (without componen g ISO 1043-4:						
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/ ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	preparations	in				
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-	4:	\boxtimes				
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which h the following Risk phrases; and Hazard statements:	nave been					
			OTE B5)					
P7.20*	Postcons	umer recycled plastic material content is used in the product (See NOTE B6):		\square				
	a) Of to perc	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (centage of total plastic by weight) is 0.1 %.	calculated as	a				
	or b) The	weight of recycled material is g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	nber *	MFC-L27	52DW			Logo			
Issue date * 27/Nover			nber/2018						
Product e	environr	mental att	ributes - Market red	quirements (conti	nued)	•		<mark>liremen</mark> es No	
ILEITI	Material	and subst	ance requirements (c	ontinued)			1		n.a.
P7.21*			terial content is used i		OTE B7):				
	If YES; a	at least one	of the two alternatives	below shall be answe	ered;		_		
	a) Of t tota	total plastic al plastic by	parts' weight > 25 g,	the biobased plastic r	naterial content (calcula	ated as a perce	entage of		
	or b) The	e weight of t	he biobased plastic ma	aterial is g.					
P7.22*			ee from mercury, i.e. le pecify: Number of lamp	ss than 0,1 mg/lamp.	um mercury content pe	r lamp:	mg		
P8	Batterie	-							
P8.1*		chemical co	•						\boxtimes
P9			on (See NOTE B8)						
P9.1	For the p	product the	following power levels	or energy consumption	ons are reported:				
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		energy	
Sleep mode STAR® Op (OM) produ	erational		W	W	W				\square
Standby/off	f mode fo		W	W	W				\square
Mode (OM)									
TEC value for ENERGY STAR TEC products		GY STAR	kWh/week	kWh/week	1.412 kWh/week				
(TEC= Typ	ical Energ	gy							
Printing			W	W	Approx. 475 W				
Copying			W	W	Approx. 485 W				
Quiet Mo	de/Copyi	ing	W	W	Approx. 260 W				
Quiet Mo	de/Printi	ng	W	W	Approx. 260 W				
Ready			W	W	Approx. 42 W				
Sleep			W	W	Approx. 6.4 W				
Deep Sle	ер		W	W	Approx. 1.1 W				
Power Of	ff		W	W	Approx. 0.03 W				
Networke	ed Standl	by	W	W	Approx. 5.10 W				
External Po	ower Supp	oly Efficienc	y Level (International I	Efficiency Marking Pro	otocol) * :				$\overline{\boxtimes}$
Print/Scan	Speed *	:	34 images per seco	nd					
Default time	e to enter	energy sav	e mode: 1 minu	tes					
P9.2*	Informat	ion about th	e energy save function	n is provided with the	product.			$ \Box $	
P10	Emissio								
P10.1	Noise er Mode		Declared according to I ode description		B9) atistical upper limit A-w	oighted as used	power lovel		
P10.1	wode	IVI	ode description		_{A,c} (B)	eignied sound	power level,		
	Idle	*		*					
	Operatio		Printing(mono)	*	6.59				
	Other me								
Measured accordin				ECMA-74 <mark>Z 205</mark> (only if not cov	vered by FCMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

wodel nu	mber *	MFC-L2752DW						Logo			
Issue date *		27/November/2018									
Product	environ	mental attribute	s - Marke	et requiren	nents (col	ntinued)		·	Requ	remen	t me
Item				•	•	,			Ye		
	Chemi	cal emissions from	n printing	products (S	See NOTE I	B10)					
P10.2*		rformed according t ent (ISO/IEC 28360					sion Rates fr	om Electronic	\triangleright		
P10.3		emission rate (oper									_
1 10.0			•	, ,							
		photographic device	es: Ozone			Styrene	Benzene				L
	Ink dev	ices:		Dus	st s	Styrene	Benzene	e TVOC			
	Note: c	ompliance with max	kimum emi	ission rates i	n eco labels	s to be decla	red in P14.				
P11		mable materials fo									
P11.1*		y Data Sheet (SDS)									
P11.2*	Paper (EN 122	containing post-cor 81.	nsumer re	cycled fibers	s can be u	sed, provide	d that it me	ets the requirem	ients of		
P11.3*	2-sided	(duplex) printing/co	opying is a	in integrated	product fur	nction.			\succ	1 🗆	
P11.4*	The product is delivered to end-user with default auto-duplex enabled.										
P13		jing and documen									
P13.1*	Produc	t packaging materia t packaging materia t packaging materia	l type(s):	PS-E	١	veight (kg): weight (kg): weight (kg):	0.44				
P13.2*	Produc	t plastic primary pac	ckaging is	free from P\	/C.	0 (0)			\square	1 🗆	
P13.3*	For pro	oduct primary corru	gated fibe			cify the cont	ained perce	ntage of minimu		<u> </u>	
P13.4*		media for user and nic \mathbf{X} , Paper \mathbf{X} ,		locumentatio	on (tick box)	:					
P13.5	Úser ar	e only complete this nd product documer please specify:									
	Totally	chlorine-free							Г	1	
		tal chlorine-free sed chlorine-free								1	
P14	Volunta	ary programs:								-	
P14.1		oduct meets the req	uirements	of the follow	ving volunta	ry program(s):				
	ENERO Eco-lab Eco-lab		Criteria	a version: 2 a version: a version:	2.0	Date: 9/Ju Date: Date:	P	roduct category: roduct category: roduct category:	Imaging Eq	uipmer	nt
P15	Additic	nal information (S		B11)							
		able rate: 81.4%		,							

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1