

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	EUBIEEnvironmentalGroup@brother.co.uk	
e-mail address		
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Electro-photographic Printer			
Commercial name *	MFC-L2860DWE			
Model number *	MFC-L2860DWE			
Issue date *	2/October/2023			
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1 Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

5			
Model number *	MFC-L2860DWE	Logo	
Issue date *	2/October/2023		

Produc	t environmental attributes - Legal requirements	Require	emen	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.brother.eu/en/reach	\square		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			\boxtimes
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)			\square
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\boxtimes
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://support.brother.com/g/b/manualtop.aspx?c=gb⟨=en∏=mfcl2860dwe_eu			
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).	\square		
	Required information is; given in item P15 or added to this document, available at (add URL):			
	https://support.brother.com/g/b/manualtop.aspx?c=gb⟨=en∏=mfcl2860dwe_eu			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).	\square		
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)	\square		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	\boxtimes		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			
P6	Treatment information Information for recyclers/treatment facilities is available (see legal reference).			
P6.1*		\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	MFC-L2860DWE	Logo	
Issue date *	2/October/2023		

-	t environmental attributes - Market requirements (See General Note GN below) Environmental conscious design	Requ	irem	ent met
tem	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
77	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\square		
P7.2*	Plastic materials in covers/housing have no surface coating.	\bowtie		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\times		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\square		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\square		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		\mathbf{X}	
P7.8*	Upgrading can be done using commonly available tools		X	
P7.9	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: ABS Material type: PS-HI Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\mathbf{X}	
P7.13	Insulation materials of internal electrical cables are PVC free.		\mathbf{X}	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		\times	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)	\square		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive) 🔲, TBBPA (reactive) 🔀 (See NOTE B3), Other; chemical name: , CAS #:	\boxtimes		
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)			
	 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: " Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40) FR(17) 			
7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model nu	mber *	MFC-L2	860DWE				Logo			
Issue dat	e *	2/Octob	er/2023							
Product	environm	ental attr	ibutes - Market re	quirements (contir	nued)			Requir	ement	t met
Item				• •				Yes	No	n.a.
D7 00*			ance requirements (o							
P7.20*	Postcons	umer recyc	led plastic material co	ontent is used in the pr	oduct (Se	ee NOTE B6):		\boxtimes		
	If YES; at	least one of	of the two alternatives	below shall be answe	ered;					
				he postconsumer recy	cled plas	tic material co	ntent (calculate	ed as a		
percentage of total plastic by weight) is 6.24 %.										
			ecycled material is 4							
P7.21* Biobased plastic material content is used in the product (See NOTE B7):								\boxtimes		
	If YES; at	least one of	of the two alternatives	below shall be answe	ered;					
				the biobased plastic n	naterial co	ontent (calcula	ated as a perce	entage of		
	total	plastic by	weight) is %.							
			ne biobased plastic m							
P7.22*			e from mercury, i.e. le becify: Number of lam	ess than 0,1 mg/lamp.	ım merci	iry content per	·lamn· r	ng		
P8	Batteries	15 0300 34					iamp. i	ing		
P8.1*		emical cor	nposition:							\square
P9	Energy c	onsumptio	on (See NOTE B8)							
P9.1	For the pr	oduct the f	ollowing power levels	or energy consumption	ons are re	ported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC		ver level at 30 V AC	Reference/St modes and te		energy	
	de for ENEF		W	W		W				
STAR® O (OM) prod	perational N	lode								
Standby/o	ff mode for		W	W		W				
	STAR Oper 1) products	ational								_
	e for ENER	GY STAR	kWh/week	kWh/week	0.39	kWh/week				
	ucts (TEC=									
	onsumption)	14/	10/	170	14/				
Printing			W	W	470	W				
Copying			W	W	490	W				
	ode/Copyin	•	W	W	280	W				
Quiet Mo	ode/Printin	g	W	W	270	W				
Ready			W	W	43	W				
Sleep			W	W	4.1	W				
Deep Sl	еер		W	W	0.7	W				
Power Off			W	W	0.08	W				
Networked Standby			W	W	2.9	W				
External F	ower Suppl	y Efficienc	y Level (International	Efficiency Marking Pro	otocol) * :					\boxtimes
Print/Scar	Speed *	:	34 images per r	ninute						
Default tin	ne to enter e	energy save	e mode: minute	es						$\overline{\neg}$
		•••		n is provided with the			1			- 🕂

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	MFC-L2860DWE	Logo	
Issue date *	2/October/2023		

Produc	t environmental at	ttributes - Market re	quirements (co	ontinued)			Require	ment	met
Item			- · ·				Yes	No	n.a.
P10	Emissions								
	Noise emission -	Declared according to	ISO 9296 (See N						
P10.1	Mode 1	Mode description		Statistical up L _{WA,c} (B)	pper limit A-weig	hted sound powe	er level,		
	Idle '	*		*					
	Operation '	* Printing		* 6.63					
	Other mode								
	Measured accordin	ng to: 📃 ISO 7779 📃	ECMA-74	UZ219 (only i	if not covered by	/ ECMA-74)			
	Chemical emission	ons from printing proc	ducts (See NOTE	B10)					
P10.2*	•	cording to ECMA-328 [sion Rates from	Electronic	\boxtimes		
		EC 28360) 🔄, other sp)					
P10.3	Typical emission ra	ate (operation phase) is	s (mg/h):						
	Electrophotograph Ink devices:	ic devices: Ozone	Dust Dust	Styrene Styrene	Benzene Benzene	TVOC TVOC			
	NOTE: compliance	e with maximum emissi	on rates in eco lal	bels to be decla	ared in P14.				
P11		erials for printing pro							
P11.1*		eet (SDS) is available fo					. 🛛		
P11.2*	Paper containing p EN 12281.	post-consumer recycled	fibers can be use	ed, provided the	at it meets the re	equirements of	\square		
P11.3*	2-sided (duplex) p	rinting/copying is an int	egrated product fu	unction.			\boxtimes		
P11.4*	The product is deli	ivered to end-user with	default auto-duple	ex enabled.			\boxtimes		
P13	Packaging and de								
P13.1*	Product packaging Product packaging	g material type(s): CR g material type(s): PS- g material type(s): HD	E weight (PE weight (weight (kg): kg): 0.43 kg): 0.05	2.31				
P13.2*	Product plastic pri	mary packaging is free	from PVC.				\boxtimes		
P13.3*	For product primar consumer recover	ry corrugated fiberboard ed fiber content: 5	l packaging, spec 0 %	ify the containe	ed percentage o	f minimum post-			
P13.4*	Specify media for Electronic 🔀, Pa	user and product docur per 🔀, Other 🗌	nentation (tick bo	x):					
P13.5		lete this item if paper d documentation on pape cify:							
	Totally chlorine-fre	e							
	Elemental chlorine-free				H				
	Processed chlorine-free								
P14	Voluntary progra	ms:							
P14.1		s the requirements of th	e following volunt	ary program(s)	:				
	ENERGY STAR® Eco-label: Blue A	Criteria ver	-	Date:	Produc Produc	t category: t category: Offic g Function	ce Equipme	nt witl	b
	Eco-label:	Criteria ver	sion:	Date:		t category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	MFC-L2860DWE	Logo	
Issue date *	2/October/2023		

Product environmental attributes - Market requirements (concluded) Requirements				
P15	Additional information (See NOTE B11)			

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	