



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	EUBIEEnvironmentalGroup@brother.co.uk	
e-mail address		
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Electro-photographic Printer				
Commercial name *	MFC-L6915DN				
Model number *	MFC-L6915DN				
Issue date *	21/September/2023				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	MFC-L6915DN	Logo	
Issue date *	21/September/2023		

Product	environmental attributes - Legal requirements	Require	t met	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes	$\overline{}$	
1 1.0	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		ш	
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
D4 4*				
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\boxtimes		
D4 5*	terphenyl (PCT) in preparations (see legal reference).		_	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	\boxtimes		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week			
	(see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	https://www.brother.eu/en/reach		ш	ш
DO	•			
P2	Batteries (1) Control of the latest tensor of the l			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			\boxtimes
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal			\boxtimes
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\boxtimes
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
	The Declaration of Conformity can be requested at (add link or e-mail address):		ш	ш
	https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=mfcl6915dn_eu			
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products,	$\overline{\nabla}$	\neg	
. 0.2	(see legal reference).		ш	ш
	` _			
	Required information is; given in item P15 or added to this document,		ш	
	available at (add URL):			
	https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=mfcl6915dn_eu			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater	\boxtimes		
	than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see	\boxtimes	\Box	
	legal reference)		ш	ш
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	\boxtimes	\neg	
1 4.0	are Community workplace exposure limits, the product/packaging is adequately labeled according to		ш	
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
DE				
P5	Product packaging		_	
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	\boxtimes		
	hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)			
	used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal			
	Protocol (see legal reference).			_
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		$\neg \neg$	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	MFC-L6915DN	Logo	
Issue date *	21/September/2023		

	environmental attributes - Market requirements (See General Note GN below)	_		
	Environmental conscious design		irement r	net
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No n.a.	
P7	Design			
D7 1*	Disassembly, recycling Parts that have to be treated congretaly are easily congretaly			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		\boxtimes	
P7.8*	Upgrading can be done using commonly available tools		X	
P7.9	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PS-HI Material type: ABS Material type: PC			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		\boxtimes	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)	X		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:			
	1. Chemical name: , CAS #: (See NOTE B4)	ш		ш
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt 2. Chamical analytications of flame retardants in plantic narts > 25 a coverding ISO 1042 4. FD/(0)	\boxtimes		
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40) FR(17)			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	MFC-L6915DN	Logo	
Issue date *	21/September/2023		

Product environmental attributes - Market requirements (continued)					Re	quire	ment	met
Item						Yes	No	n.a.
	Material and substa	ance requirements (d	continued)					
P7.20*	Postconsumer recyc	cled plastic material co	ntent is used in the pro	oduct (See NOTE B6):	:		Ш	
	If YES: at least one	of the two alternatives	below shall be answe	red·				
			ne postconsumer recyc		ontent (calculated as a			
		otal plastic by weight)	is 5.42 %.		,			
	or b) The weight of recycled material is 602.46 g.							
P7.21*			n the product (See NC	OTE B7):			\square	
	·		, ,	,				ш
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of							
	a) Of total plastic total plastic by		ine biobased plastic in	ateriai content (calcula	ateu as a percentage of			
	or	,						
D7 00*		he biobased plastic m					_	
P7.22*		ee from mercury, i.e. le pecify: Number of lam		m mercury content pe	r lamp: mg		Ш	
P8	Batteries	'		<u> </u>				
P8.1*	Battery chemical cor	mposition:						
P9	Energy consumption	on (See NOTE B8)						
P9.1	For the product the t	following power levels	or energy consumption	ns are reported:				
Energy mo	ode *	Power level at	Power level at	Power level at			nergy	
		100 V AC	115 V AC	230 V AC	modes and test method	*		
	le for ENERGY	W	W	W				
STAR® Op (OM) produ	perational Mode							
	ff mode for	W	W	W				
ENERGY S	STAR Operational							
Mode (OM		Is\A/b/ssock	Id/Mh/woold	0.62 1/\/b/wook				$\overline{}$
	for ENERGY STAR lcts (TEC= Typical	kWh/week	kWh/week	0.63 kWh/week				Ш
	nsumption)							
Printing		W	W	710 W				
Copying		W	W	710 W				
Quiet Mo	ode/Copying	W	W	430 W				
Quiet Mo	ode/Printing	W	W	430 W				
Ready		W	W	31 W				
Sleep		W	W	6.7 W				
Deep Sle	eep	W	W	0.7 W				
Power O	ff	W	W	0.05 W				
Network	ed Standby	W	W	0.7 W				
External P	ower Supply Efficienc	y Level (International	Efficiency Marking Pro	tocol) * :				\boxtimes
Print/Scan	•	50 images per n	ninute					
	ie to enter energy sav							
P9.2*	Information about th	e energy save function	n is provided with the p	product.		\boxtimes		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	MFC-L6915DN	Logo	
Issue date *	21/September/2023		

Produc	t environmental attri	butes - Market req	uirements (c	ontinued)			Require	ement	met
Item				-			Yes	No	n.a.
P10	Emissions								
	Noise emission - De	eclared according to IS	SO 9296 (See N	IOTE B9)					
P10.1	Mode Mo	de description		Statistical u	ıpper limit A-we	ighted sound powe	er level,		
	Idle *			*					П
	Operation *	Printing(mono)		* 7.06					П
	Other mode								
	Measured according		CMA-74 Other DE -	- UZ219 (only	if not covered	by ECMA-74)			
	Chemical emissions	s from printing produ	icts (See NOTE	B10)					
P10.2*		rding to ECMA-328 De			ssion Rates fror	m Electronic			
	Equipment (ISO/IEC	28360), other spe	cify: DE-UZ21	9					
P10.3	Typical emission rate	(operation phase) is ((mg/h):						
	Electrophotographic of Ink devices:	devices: Ozone	Dust Dust	Styrene Styrene	Benzene Benzene	TVOC TVOC			
	NOTE: compliance w	rith maximum emissior	n rates in eco la	bels to be dec	lared in P14.				
P11		als for printing produ							
P11.1*		(SDS) is available for		eparation, eve	n if not legally r	required (see P4.3)	. 🛛		\Box
P11.2*	Paper containing pos EN 12281.	t-consumer recycled f	ibers can be us	ed, provided th	hat it meets the	requirements of			
P11.3*	2-sided (duplex) print	ing/copying is an integ	grated product fo	unction.			\boxtimes		
P11.4*	The product is deliver	red to end-user with de	efault auto-duple	ex enabled.			X		T
P13	Packaging and docu	umentation							
P13.1*	Product packaging m	aterial type(s): CRG aterial type(s): PS-E aterial type(s): HDPE	weight (weight (kg) (kg): 0.61 (kg): 0.23	3.60				
P13.2*	Product plastic prima	ry packaging is free fr	om PVC.				\boxtimes		
P13.3*	consumer recovered		%	•	ned percentage	of minimum post-			
P13.4*	Electronic X, Paper								
P13.5	(Please only complet User and product doo If Yes, please specify	e this item if paper doc cumentation on paper r:	cumentation use media is chlorin	ed) e-free:				\boxtimes	
	Totally chlorine-free								
	Elemental chlorine-fre	ee					H		
	Processed chlorine-fr						H		
P14	Voluntary programs								
P14.1		e requirements of the	following volunt	tary program(s	s):				
	ENERGY STAR® Eco-label: <i>Blue An</i>	Criteria versi	J	Date:	, Produ Produ	uct category: uct category: Officing Function	ce Equipme	ent witi	h
	Eco-label:	Criteria versi	on:	Date:		uct category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	MFC-L6915DN	Logo	
Issue date *	21/September/2023		

Product	Requirement met	
P15	Additional information (See NOTE B11)	

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	