

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	EUBIEEnvironmentalGroup@brother.co.uk	
e-mail address		
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.

Type of product *	SCANNER
Commercial name *	ADS-1300
Model number *	ADS-1300
Issue date *	13/February/2024
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas 🗌 Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1 Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

5			
Model number *	ADS-1300	Logo	
Issue date *	13/February/2024		

Product	environmental attributes - Legal requirements	Require	ement	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\square		
	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the			
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week			\bowtie
	(see legal reference).			
P1.7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5. REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\square		
F 1. <i>1</i>	https://www.brother.eu/en/reach			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			\boxtimes
1 2.1	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal			\boxtimes
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\boxtimes
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\square		
	The Declaration of Conformity can be requested at (add link or e-mail address):			
P3.2*	https://support.brother.com/g/b/producttop.aspx?c=eu_ot⟨=en∏=ads1300_us_eu_as The product complies with the applicable Eco design Requirements for Energy-Related Products,			
F J.Z	(see legal reference).			
	Required information is; given in item P15 or added to this document,			
	available at (add URL):	_		_
	https://support.brother.com/g/b/producttop.aspx?c=eu_ot⟨=en∏=ads1300_us_eu_as			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater			\boxtimes
	than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see			\bowtie
P4.3*	legal reference)			
P4.3	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to			\bowtie
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	\boxtimes		
DEC	hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) 🖂		
P5.3*	used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal			
F0.0	Protocol (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	ADS-1300 Logo			
lssue da	ite *	13/February/2024			
	Environ	mental attributes - Market requirements (See General Note GN below) mental conscious design		remen	
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No n.	а.
P7	Design				
P7.1*		mbly, recycling at have to be treated separately are easily separable			
P7.2*		naterials in covers/housing have no surface coating.		<u> </u>	<u> </u>
P7.3*				<u> </u>	<u> </u>
	•	arts > 100 g consist of one material or of easily separable materials.		<u> </u>	<u> </u>
P7.4*	•	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			
P7.5	•	arts are free from metal inlays or have inlays that can be removed with commonly available tools.	\square		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).	\square		
		lifetime			
P7.7*		ng can be done e.g. with processor, memory, cards or drives	\square		
P7.8*	Upgradir	ng can be done using commonly available tools		\square	
P7.9	Spare pa	arts are available after end of production for: 5 years			
P7.10	Service i	is available after end of production for: 5 years			
		and substance requirements			
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: <u>plastic</u> Material type: Material type:			
P7.12	Insulatio	n materials of external electrical cables are PVC free.	\boxtimes		
P7.13	Insulatio	n materials of internal electrical cables are PVC free.	\boxtimes		
P7.14	weight (polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts ng more than 25% post-consumer recycled content.			
P7.15		circuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25 g 🗌 are low as defined in IEC 61249-2-21. (See NOTE B2)	'	\boxtimes	
P7.16	Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: : >ABS< , >PC-GF35-FR(65)< , >PC(REC)-FR(65)< , >PC+ABS-FR(40)<	\boxtimes		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without components): (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	accordin	nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4:			
P7.18	<u>Alt. 1:</u> Fl concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in rations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: "			
	5. Unem	ical name: , CAS #: "			
	<u>Alt. 2: </u> Cl	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\boxtimes
P7.19	In plastic assigned	c parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been d the following Risk phrases; and Hazard statements: rce(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)		\square	

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model nu		ADS-130				Logo			
Issue date	e *	13/Febr	uary/2024						
Product Item	environm	ental attr	ibutes - Market re	equirements (contin	ued)		Require Yes	ment No	
Item	Matorial	and subst	ance requirements ((continued)			Tes	INU	n.a.
P7.20*				content is used in the pro	duct (See NOTE B6)				
		•		s below shall be answer					
	a) Of to	otal plastic		the postconsumer recyc	,	ontent (calculate	ed as a		
	or b) The	weight of r	ecycled material is 1 0	03.64 g.					
P7.21*								\boxtimes	
	a) Of total	t least one o otal plastic plastic by	parts' weight > 25 g,	s below shall be answer the biobased plastic m	ed; aterial content (calcul	ated as a perce	ntage of		
	or b) The	weight of t	ne biobased plastic n	naterial is g.					
P7.22*	Light sou	rces are fre		less than 0,1 mg/lamp.	m mercury content pe	r lamp: r	ng		
P8	Batteries	;							
P8.1*	Battery cl	nemical cor	nposition:						\boxtimes
P9			on (See NOTE B8)						
P9.1	For the p	roduct the f	ollowing power levels	s or energy consumption	ns are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Sta modes and te		nergy	
	de for ENEI perational I lucts		W	0.99 W	W				
Standby/o ENERGY	ff mode for STAR Ope 1) products		W	0.02 W	W				
TEC produ	e for ENER ucts (TEC= onsumption	Typical	kWh/week	kWh/week	kWh/week				
			W	W	W				
			W	W	W				
			W	W	W				
			W	W	W				
			W	W	W				
			W	W	W				
			W	W	W	1			
			W	W	W	1			
			W	W	W				$\overline{\neg}$
External P	ower Supp	ly Efficienc	y Level (International	I Efficiency Marking Prot	iocol) * : VI				
Print/Scan	Speed *	: (60 images per minute	9					
Default tim	ne to enter	energy sav	e mode: 10 minutes						$\overline{\neg}$
P9.2*				on is provided with the p	roduct.	1			⊢
				,			K A		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	ADS-1300	Logo
Issue date *	13/February/2024	

Produc	t environmental	attributes - Market re	equirements (c	ontinued)				Require	ement	met
Item			•	•				Yes	No	n.a.
P10	Emissions									
	Noise emission	n – Declared according to	ISO 9296 (See N	OTE B9)						
P10.1	Mode	Mode description		Statistical up <i>L_{WA,c}</i> (B)	per limit	A-weigł	nted sound power	level,		
	Idle	* Idle		* 16 dB(A)						
	Operation	* 300 dpi color		* 59.1 dB(A)						
	Other mode	600 dpi color		49.1 dB(A)						
	Measured acco	Measured according to: ISO 7779 ECMA-74								
	Chemical emis	sions from printing pro	ducts (See NOTE	E B10)						
P10.2*	Test performed	according to ECMA-328	Determination of (ion Rate	s from E	Electronic			\boxtimes
		0/IEC 28360) 🤄, other s								
P10.3	Typical emissio	n rate (operation phase) i	s (mg/h):							\boxtimes
	Electrophotogra	aphic devices: Ozone	Dust Dust	Styrene Styrene	Benz Benz		TVOC TVOC			\boxtimes
	NOTE: complia	nce with maximum emiss	ion rates in eco la	bels to be decla	ared in P	14.				
P11		naterials for printing pro								
P11.1*	A Safety Data S	Sheet (SDS) is available f	or the ink/toner pr	eparation, even	if not leg	ally req	uired (see P4.3).			\boxtimes
P11.2*	EN 12281.	g post-consumer recycle		•	at it meet	s the re	quirements of			\boxtimes
P11.3*	2-sided (duplex) printing/copying is an in	tegrated product f	unction.						\boxtimes
P11.4*	The product is o	delivered to end-user with	default auto-dupl	ex enabled.						\boxtimes
P13	Packaging and	I documentation								
P13.1*	Product packag Product packag	ing material type(s): <i>Out</i> s ing material type(s): <i>Insid</i> ing material type(s): <i>Part</i> ing material type(s): <i>Cus</i>	de Carton ition weight (weight (kg): (weight (kg): ((kg): 0.051 weight (kg): (0.202					
P13.2*	Product plastic	primary packaging is free	from PVC.					\boxtimes		
P13.3*	consumer recov		0%	-	ed percer	ntage of	minimum post-			
P13.4*		or user and product docu Paper 🔀, Other 🗌	mentation (tick bo	x):						
P13.5		mplete this item if paper of ct documentation on pape pecify:						\boxtimes		
	Totally chlorine-	-free								
	Elemental chlorine-free									
	Processed chlo	rine-free						\boxtimes		
P14	Voluntary prog									
P14.1	The product me	ets the requirements of the	ne following volun	tary program(s)	:					
	ENERGY STAF Eco-label: Eco-label:	R® Criteria vel Criteria vel Criteria vel	rsion:	Date: 09/19 Date: Date:	l	Product	category: <i>Imagir</i> category: category:	ng Equipm	ent	

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	ADS-1300	Logo	
Issue date *	13/February/2024		

Product environmental attributes - Market requirements (concluded) Requirement requirement						
P15	Additional information (See NOTE B11)					

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Legal references Larope Annex Dr	
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	