



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *		
e-mail address	EUBIEEnvironmentalGroup@brother.co.uk	
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statements given in this declaration.						
Type of product *	Stamp Creator					
Commercial name *	SC-2000USB					
Model number *	SC-2000USB					
Issue date *	17/May/2016					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Issue date *		17/May/2016				
Product environmental attributes - Legal requirements			Require	ment	met	
Item		Yes	No	n.a.		
P1	Hazardo					
P1.1*	Products	s do comply with the current European RoHS Directive. (See legal reference and N	OTE B1)			
P1.2*	Commer	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	lorinated			
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the		
P1.6*	Parts wit	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm ² /	week		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail other.eu/reach	contact):			
P2	Batterie	S				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with the Information on proper disposal is provided in user manual. (See legal reference)	the disposa	al		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legareference)					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					\boxtimes
P3		nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legularation of Conformity can be requested at (add link or e-mail address):	gal referen	ce).		
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).					
	Required information is; given in item P15 or added to this document, available at (add URL):					
		upport.brother.com/g/b/manuallist.aspx?c=gb⟨=en∏=sc2000usbeuk -368&type2=10004	&flang=En	glish		
P4		nable materials				
P4.1*	legal refe	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).		_		
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	gal referenc	ce).		\boxtimes
P4.3*	are Com applicab	/toner formulation/preparation is classified as hazardous or contains a substance for munity workplace exposure limits, the product/packaging is adequately labeled accolle regulations and a Safety Data Sheet (SDS) in accordance with these requiremental reference).	ording to			
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.	, .			
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.					
P6		nt information				
P6.1*	P6.1* Information for recyclers/treatment facilities is available (see legal reference).					

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * SC-2000USB

Model number *	SC-2000USB	Logo	
Issue date *	17/May/2016		

Product environmental attributes - Market requirements (See General NOTE GN below)							
-		Require		t met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P7	Design Disassembly, recycling						
P7.1*	Parts that have to be treated separately are easily separable		$\overline{}$				
P7.2*	Plastic materials in covers/housing have no surface coating.	\overline{X}	H	_			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		+	-			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\square	+				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		+	- -			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		+	- -			
F1.0	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		\square				
P7.8*	Upgrading can be done using commonly available tools	\dashv					
P7.9.	Spare parts are available after end of production for: 7 years						
P7.10	Service is available after end of production for: 7 years			- -			
P7.10	· · ·						
P7.11*	Material and substance requirements Product cover/housing material type (e.g. plastics, metal, aluminum):						
1 7.11	Material type: ABS Material type: Material type:						
P7.12	Insulation materials of external electrical cables are PVC free.		X				
P7.13	Insulation materials of internal electrical cables are PVC free.		X				
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%						
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and						
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts						
P7.15	containing more than 25% post-consumer recycled content.						
1 7.10	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		Ш				
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		$\overline{}$				
1 7.10	Marking:	Ш	ш	Ш			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):						
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:						
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g	_	_	_			
	according ISO 1043-4:						
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in						
	concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)		Ш				
	2. Chemical name: , CAS #: " (See THE 12 B I)						
	3. Chemical name: , CAS #: "						
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:						
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been						
	assigned the following Risk phrases; and Hazard statements:						
D7 20*	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)						
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):		\boxtimes				
	If YES; at least one of the two alternatives below shall be answered;						
	 a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %. 						
	or						
I	b) The weight of recycled material is q.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	nber *	SC-2000L	JSB			Logo				
Issue date		17/May/20								
issue uate		17/Way/20	710							
Droduct o	Product environmental attributes - Market requirements (continued) Requirement met									mot
Item										n.a.
itoiii	Material	and subst	ance requirements (continued)				. 00	110	ma.
P7.21*			aterial content is used		NOTE B7):				\square	$\overline{\Box}$
	If YES: a	t least one	of the two alternatives	below shall be an	swered:			_		
	,				ic material content (calculate	d as a perc	entage of			
		I plastic by	c by weight) is %.							
	or b) The weight of the biobased plastic material is g.									
P7.22*	, , , , , , , , , , , , , , , , , , , ,									
F1.22			pecify: Number of lam		rip. kimum mercury content per la	ımp:	mg		Ш	Ш
P8	Batteries	·				•				
P8.1*	Battery c	hemical co	mposition:							\square
P9	Energy	consumpti	on (See NOTE B8)							
P9.1	For the p	roduct the	following power levels	or energy consum	ptions are reported:					
Energy mo	de *		Power level at	Power level at	Power level at F	Reference/S	tandard fo	r e	nergy	
			100 V AC	115 V AC	230 V AC r	nodes and t	est method *			
Sleep mod			W	W	W					
STAR® Op (OM) produ		Mode								
Standby/of		•	W	W	W					
ENERGY S	STAR Ope	erational								ш
Mode (OM)			LAAM to to constitution	130/1- /1-	LAAM- Assa als					
TEC value for ENERGY STAR TEC products		GY STAR	kWh/week	kWh/week	kWh/week					Ш
(TEC= Typ	icai Energ	<u>Jy</u>	W	W	0.001 W	Power swite	ch off			$\overline{}$
										<u> </u>
Stand By			W	W		Power swite	ch on			
			W	W	W					
			W	W	W					
			W	W	W					
			W	W	W					
External Po	ower Supp	olv Efficienc	cy Level (International	Efficiency Marking	Protocol) *:					
			<u> </u>		,					
	Print/Scan Speed * : images per minute									
Default time to enter energy save mode: 240 minutes								<u>Ц</u>		
	P9.2* Information about the energy save function is provided with the product.									
P10	Emissio		Darlana dara andia a ta	100 0000 (0 NG	ATE DO					
P10.1	Mode er		Declared according to ode description	1SO 9296 (See NC	Statistical upper limit A-weig	htod cound	power level			
F 10.1	Wiode	IVI	ode description		$L_{WA,c}$ (B)	nteu sounu	power level,			
	Idle	*			*					\boxtimes
	Operatio	n *			*					X
	Other mo	ode								
	Measure	d according	g to: SO 7779	ECMA-74					-	
				(only if not covered	d by ECMA-74)					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number * 5		SC-2000USB					Logo				
Issue date *		17/May/2016									
Product 6	environ	mental attributes -	Market req	uirements (c	continued)			Re	quire	ment	met
Item									Yes	No	n.a.
		al emissions from p									
P10.2*		rformed according to			Chemical Emi	ssion Rates from E	lectronic		Ш	Ш	\boxtimes
D40.0		ent (ISO/IEC 28360) emission rate (operat									_
P10.3	турісаі	emission rate (operati	ion priase) is i	(mg/n).							Ш
		hotographic devices:	Ozone	Dust	Styrene	Benzene	TVOC				
	Ink devi	ces:		Dust	Styrene	Benzene	TVOC				
	Note: co	ompliance with maxim	um emission	rates in eco lab	els to be decla	ared in P14.					
P11		nable materials for p									
P11.1*		y Data Sheet (SDS) is			reparation, eve	en if not legally requ	uired (see F	P4.3).			\boxtimes
P11.2*	Paper of EN 122	containing post-consu	mer recycled	l fibers can be	used, provid	ed that it meets the	ne requiren	nents of			\boxtimes
P11.3*	2-sided (duplex) printing/copying is an integrated product function.										
P11.4*	The pro	duct is delivered to er	nd-user with d	efault auto-dup	lex enabled.						\boxtimes
P13		ing and documentat									
P13.1*	Product packaging material type(s): CRGTD-FBRBRD weight (kg): 1.63										
	Product packaging material type(s): Styrofoam weight (kg): 0.06 Product packaging material type(s): Plastic(non Styrofoam) weight (kg): 0.04										
P13.2*	Product	plastic primary packa	ging is free fr	om PVC	· · · · · · · · · · · · · · · · · · ·	weight (kg). 0.04			\square	$\overline{}$	$\overline{}$
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-										
1 10.0	consum	er recovered fiber cor	ntent: %			named percentage	Or minimo	iii post			
P13.4*											
D40.5	Electron										
P13.5		only complete this ited product documenta								\boxtimes	
		d product documenta blease specify:	lion on paper	media is chioni	ne-nee.				Ш		
	-	chlorine-free									
	Elemen	tal chlorine-free									
	Process	sed chlorine-free									
P14		ary programs:									
P14.1	The pro	duct meets the require	ements of the	following volur	ntary program(s):					
	_	Y STAR®	Criteria versi		Date:		category:				
	Eco-lab Eco-lab		Criteria versi Criteria versi		Date: Date:		category: category:				
P15		nal information (See		OI 1.	Date.	Troduct	category.				

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1