



**THE ECO DECLARATION**

**Product environmental attributes – THE ECO DECLARATION**

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).  
Additional information regarding each item may be found under P14.

|                        |                                       |      |
|------------------------|---------------------------------------|------|
| Brand *                | Brother                               | Logo |
| Company name *         | Brother International Europe          |      |
| Contact information *  | EUBIEEnvironmentalGroup@brother.co.uk |      |
| Internet site *        | www.brother.com                       |      |
| Additional information |                                       |      |

|  |   |
|--|---|
| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. |   |
| Type of product *  | All In One Electro-photographic Printer   |
| Commercial name *  | MFC-L6900DW   |
| Model number *   | MFC-L6900DW   |
| Issue date *   | 21/December/2015  |
| Intended market *  | <input type="checkbox"/> Global <input checked="" type="checkbox"/> Europe <input type="checkbox"/> Asia, Pacific & Japan <input type="checkbox"/> Americas <input type="checkbox"/> Other (Russia) |
| Additional information   |   |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

| Quality Control |  | Requirement met                     |                          |
|-----------------|--|-------------------------------------|--------------------------|
| Item            |  | Yes                                 | No                       |
| QC1 *           | The company enforces an internal quality control scheme to ensure the correctness of this eco declaration  | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| QC2 *           | The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org). | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

|                       |                         |             |
|-----------------------|-------------------------|-------------|
| <b>Model number *</b> | <b>MFC-L6900DW</b>      |             |
| <b>Issue date *</b>   | <b>21/December/2015</b> | <b>Logo</b> |

| <b>Product environmental attributes - Legal requirements</b>           |   | <b>Requirement met</b>              |                          |                                     |
|--|---|-------------------------------------|--------------------------|-------------------------------------|
| Item   |   | Yes                                 | No                       | n.a.                                |
| <b>P1 Hazardous substances and preparations</b>                        |   |                                     |                          |                                     |
| P1.1*  | Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)   | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                                     |
| P1.2*  | Products do not contain Asbestos (see legal reference).<br>Comment: Legal reference has no maximum concentration value.   | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                                     |
| P1.3*  | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.   | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                                     |
| P1.4*  | Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).   | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                                     |
| P1.5*  | Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).  | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                                     |
| P1.6*  | Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).<br>Comment: Legal reference has no maximum concentration values.   | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| P1.7*  | Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)  | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| P1.8*  | Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).<br>Comment: Legal reference has no maximum concentration values.  | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| P1.9*  | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm <sup>2</sup> /week (see legal reference).<br>Comment: Max limit in legal reference when tested according to EN1811:1998.  | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| P1.10*   | REACH Article 33 information about substances in articles is available at (add URL or mail contact):<br><a href="http://www.brother.eu/reach">www.brother.eu/reach</a>  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| <b>P2 Batteries</b>  |   |                                     |                          |                                     |
| P2.1*  | If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| P2.2*  | Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)  | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| P2.3*  | Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)  | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| <b>P3 Safety, EMC connection to the telephone network and labeling</b> |   |                                     |                          |                                     |
| P3.1*  | The product complies with legally required safety standards as specified (see legal reference).   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| P3.2*  | The product complies with legally required standards for electromagnetic compatibility (see legal reference).   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| P3.3*  | If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| P3.4*  | The product is labeled to show conformance with applicable legal requirements (see legal reference).  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| <b>P4 Consumable materials</b>   |   |                                     |                          |                                     |
| P4.1*  | If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| P4.2*  | If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| P4.3*  | If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| <b>P5 Product packaging</b>  |   |                                     |                          |                                     |
| P5.1*  | Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.   | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                                     |
| P5.2*  | Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |
| P5.3*  | The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).<br>Comment: Legal reference has no maximum concentration values.  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

|                |                  |      |
|----------------|------------------|------|
| Model number * | MFC-L6900DW      | Logo |
| Issue date *   | 21/December/2015 |      |

| Product environmental attributes - Market requirements - Environmental conscious design |   | Requirement met                     |                                     |                                     |
|---|---|-------------------------------------|-------------------------------------|-------------------------------------|
| Item  | *=mandatory to fill in. Additional information regarding each item may be found under P14.  | Yes                                 | No                                  | n.a.                                |
| <b>P6 Treatment information</b>   |   |                                     |                                     |                                     |
| P6.1*   | Information for recyclers/treatment facilities is available (see legal reference).  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| <b>P7 Design</b>  |   |                                     |                                     |                                     |
| <b>Disassembly, recycling</b>   |   |                                     |                                     |                                     |
| P7.1*   | Parts that have to be treated separately are easily separable   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| P7.2*   | Plastic materials in covers/housing have no surface coating.  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| P7.3*   | Plastic parts >100g consist of one material or of easily separable materials.   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| P7.4*   | Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| P7.5  | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| P7.6*   | Labels are easily separable. (This requirement does not apply to safety/regulatory labels).   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| <b>Product lifetime</b>   |   |                                     |                                     |                                     |
| P7.7*   | Upgrading can be done e.g. with processor, memory, cards or drives  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| P7.8*   | Upgrading can be done using commonly available tools  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| P7.9.   | Spare parts are available after end of production for: <b>7</b> years   |                                     |                                     | <input type="checkbox"/>            |
| P7.10   | Service is available after end of production for: <b>7</b> years  |                                     |                                     | <input type="checkbox"/>            |
| <b>Material and substance requirements</b>  |   |                                     |                                     |                                     |
| P7.11*  | Product cover/housing material type:<br>Material type: <b>ABS</b> Material type: <b>PS-HI</b> Material type: <b>PC FR(40)</b>   |                                     |                                     |                                     |
| P7.12   | Electrical cable insulation materials of power cables are PVC free.   | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| P7.13   | Electrical cable insulation materials of signal cables are PVC free   | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| P7.14   | All cover/housing plastic parts >25g are free from chlorine and bromine.  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| P7.15   | All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)   | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| P7.16   | Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:<br>Marking: <b>FR(40)</b>   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| P7.17   | Alt. 1<br>Chemical specifications of flame retardants in printed circuit boards >25g (without components):<br>TBBPA (additive) <input type="checkbox"/> , TBBPA (reactive) <input type="checkbox"/> , Other; chemical name:                      , CAS #: <b>40039-93-8</b><br><b>26265-08-7</b>  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
|   | Alt. 2<br>Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:   | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            |
| P7.18   | Alt. 1<br>Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:<br>Comment: No legal limits exist, this is a market requirement.<br>1. Chemical name:                      , CAS #:<br>2. Chemical name:                      , CAS #:<br>3. Chemical name:                      , CAS #:<br>Alt. 2<br>Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:<br><b>FR(40), FR(17)</b> | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            |
| P7.19   | Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)   | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| P7.20   | Of total plastic parts' weight >25g, recycled material content is <b>0.11</b> %.  |                                     |                                     |                                     |
| P7.21   | Of total plastic parts' weight >25g, biobased material content is <b>0</b> %.   |                                     |                                     |                                     |
| P7.22   | Light sources are free from mercury<br>If mercury is used specify: Number of lamps:                      and max. mercury content per lamp:                      mg   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| <b>P8 Batteries</b>   |   |                                     |                                     |                                     |
| P8.1*   | Battery chemical composition:   |                                     |                                     | <input checked="" type="checkbox"/> |
| P8.2  | Batteries meet the requirements of the following voluntary program/s:   |                                     |                                     | <input checked="" type="checkbox"/> |

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

|                |                  |      |
|----------------|------------------|------|
| Model number * | MFC-L6900DW      | Logo |
| Issue date *   | 21/December/2015 |      |

**Product environmental attributes - Market requirements (continued)** **Requirement met**

Item Yes No n.a.

**P9 Energy consumption**

9.1 For the product the following power levels or energy consumptions are reported:

| Energy mode *  | Power level at 100 V AC | Power level at 115 V AC | Power level at 230 V AC | Reference / Standard for energy modes and test method * | <input type="checkbox"/>            |
|--|-------------------------|-------------------------|-------------------------|---|-------------------------------------|
| Printing   | W                       | W                       | 805 W                   |   | <input type="checkbox"/>            |
| Copying  | W                       | W                       | 805 W                   |   | <input type="checkbox"/>            |
| Quiet Mode/Copying   | W                       | W                       | 390 W                   |   | <input type="checkbox"/>            |
| Quiet Mode/Printing  | W                       | W                       | 390 W                   |   | <input type="checkbox"/>            |
| Ready  | W                       | W                       | 34 W                    |   | <input type="checkbox"/>            |
| Sleep  | W                       | W                       | 8.0 W                   |   | <input type="checkbox"/>            |
| Deep Sleep   | W                       | W                       | 1.6 W                   |   | <input type="checkbox"/>            |
| Power Off  | W                       | W                       | 0.04 W                  |   | <input type="checkbox"/>            |
| Networked Standby  | W                       | W                       | 3.7 W                   |   | <input type="checkbox"/>            |
| EPS No-load<br>(External power supply / charger plugged in the wall outlet but disconnected from the product.) | W                       | W                       | W                       |   | <input checked="" type="checkbox"/> |
| PTEC *<br>Typical Energy Consumption   | W                       | W                       | W                       |   | <input checked="" type="checkbox"/> |
| TEC *<br>Typical Energy Consumption  | kWh/week                | kWh/week                | 2.493 kWh/week          |   | <input type="checkbox"/>            |
| ETEC *<br>Annual Energy Consumption  | kWh/year                | kWh/year                | kWh/year                |   | <input checked="" type="checkbox"/> |

Display resolution\* : Megapixels

Print Speed\* : 50 Images per minute

Default time to enter energy save mode: 1 minutes

P9.2\* Information about the energy save function is provided with the product.

P9.3\* The product meets the energy requirements of the following voluntary program/s:  
ENERGY STAR® version: 2.0 Tier: Product category: **IMAGING EQUIPMENT**     
Others specify:

**P10 Emissions**

**Noise emission – Declared according to ISO 9296**

| P10.1   | Mode       | Mode description<br><i>Mono Copy Speed:50cpm</i> | Declared A-weighted sound power level $L_{WAd}$ (B) | Declared A-weighted sound pressure level $L_{pAm}$ (dB)   |  |                          |
|---|------------|--|---|---|--|--------------------------|
|   |            |  |   | Operator position <input type="checkbox"/><br>Desktop <input type="checkbox"/><br>or Desk side <input type="checkbox"/> | Bystander positions <input type="checkbox"/><br>(only if product is not operator attended) |                          |
|   | Idle       | * Ready  | * 4.80  |   |  | <input type="checkbox"/> |
|   | Operation  | * Copying  | * 6.76  |   |  | <input type="checkbox"/> |
|   | Other mode |  |   |   |  |                          |
| Measured according to: <input type="checkbox"/> ISO7779 <input type="checkbox"/> ECMA-74<br><input checked="" type="checkbox"/> Other <b>RAL-UZ171</b> (only if not covered by ECMA-74 with $L_{pAm}$ measurement distance m) |            |  |   |   |  |                          |

P10.2 The product meets the acoustic noise requirements of the following voluntary program/s: **RAL-UZ171**

\* Conformity with "Acoustic noise requirements" of RAL-UZ171 can be applicable to 50cpm model.

|                |                  |      |
|----------------|------------------|------|
| Model number * | MFC-L6900DW      | Logo |
| Issue date *   | 21/December/2015 |      |

| Product environmental attributes - Market requirements (continued) |  | Requirement met                     |                                     |                                     |
|--|--|-------------------------------------|-------------------------------------|-------------------------------------|
| Item   |  | Yes                                 | No                                  | n.a.                                |
| <b>Chemical emissions from printing products</b>                   |  |                                     |                                     |                                     |
| P10.3*   | Test performed according to ECMA-328 (ISO/IEC 28360) standard <input type="checkbox"/> , other specify: <b>RAL-UZ171</b>   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| P10.4  | Typical emission rate (print phase) is (mg/h):<br>Dust                      Ozone                      Styrene                      Benzene                      TVOC  |                                     |                                     | <input type="checkbox"/>            |
| P10.5  | Chemical emission requirements of the following voluntary program/s are met for :<br>Dust <input checked="" type="checkbox"/> Ozone <input checked="" type="checkbox"/> Styrene <input checked="" type="checkbox"/> Benzene <input checked="" type="checkbox"/> TVOC <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| <b>Electromagnetic emissions</b>                                   |  |                                     |                                     |                                     |
| P10.6  | Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:  | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| <b>P11 Consumable materials for printing products</b>              |  |                                     |                                     |                                     |
| P11.1*   | A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| P11.2*   | Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| P11.3*   | 2-sided (duplex) printing/copying is an integrated product function.   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| <b>P12 Ergonomics for computing products</b>                       |  |                                     |                                     |                                     |
| P12.1*   | The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.  | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| P12.2*   | The physical input device meets the requirements of ISO 9995 and ISO 9241-410.   | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| <b>P13 Packaging and documentation</b>                             |  |                                     |                                     |                                     |
| P13.1*   | Product packaging material type(s): <b>CRGTD-FBRBRD</b> weight (kg): <b>2.84</b><br>Product packaging material type(s): <b>PS-E</b> weight (kg): <b>0.84</b><br>Product packaging material type(s): weight (kg):   |                                     |                                     |                                     |
| P13.2*   | Product plastic packaging is free from PVC.  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| P13.3*   | Specify media for user and product documentation (tick box):<br>Electronic <input checked="" type="checkbox"/> , Paper <input checked="" type="checkbox"/> , Other <input type="checkbox"/>  |                                     |                                     | <input type="checkbox"/>            |
| P13.4*   | For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: % <b>No Information</b>   |                                     |                                     | <input type="checkbox"/>            |
| Rev. P13.5   | User and product documentation do not contain chlorine bleached paper  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| <b>P14 Additional information (See Note B4)</b>                    |  |                                     |                                     |                                     |
|  |  |                                     |                                     |                                     |
|  |  |                                     |                                     |                                     |
|  |  |                                     |                                     |                                     |

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

| Reference  | Declaration item             |
|--|------------------------------|
| 2002/95/EC (ROHS Directive)  | P1.1, P4.1                   |
| REACH, Annex XVII  | P1.6, P1.8, P4.2             |
| REACH, Annex XVII  | P1.4                         |
| REACH, Annex XVII  | P1.2                         |
| REACH, Annex XVII  | P1.7                         |
| REACH, Annex XVII  | P1.9                         |
| Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000  | P1.3                         |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5                         |
| 2006/66/EC (Battery and accumulators Directive)  | P2.1, P2.2, P2.3, P3.4, P8.1 |
| 2006/95/EC (Low Voltage Directive)   | P3.1, 3.4                    |
| 2004/108/EEC (New EMC Directive)   | P3.2, 3.4                    |
| 1999/5/EC (R&TTE Directive)  | P3.3, 3.4                    |
| "REACH" Regulation (1907/2006), annex VII  | P1.10                        |
| (EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)                       | P4.3                         |
| REACH article 31, annex II   | P4.3                         |
| 2004/12/EC (Directive on packaging and packaging waste)  | P5.1                         |
| (97/129/EC) (Commission Decision on Identification System for Packaging Materials)                 | P5.2                         |
| 2037/2000/EC Regulation on Substances that Deplete the Ozone Layer                                 | P5.3                         |
| 2002/96/EC (WEEE directive)  | P3.4, P6.1                   |
| (EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)                       | P7.19                        |