

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	EUBIEEnvironmentalGroup@brother.co.uk	
e-mail address		
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.

Type of product *	Label Printer
Commercial name *	PT-P750W
Model number *	PT-P750W
Issue date *	27/September/2024
Intended market *	🗌 Global 🔀 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1 Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

5		
Model number *	PT-P750W	Logo
Issue date *	27/September/2024	

	t environmental attributes - Legal requirements	Require	emen	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\square		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5μ g/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.brother.eu/en/reach			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			\boxtimes
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)			\boxtimes
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\boxtimes
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=p750weuk	\square		
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).	\square		
	Required information is; given in item P15 or added to this document, available at (add URL):			
	https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=p750weuk			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater			
P4.2*	than 0,01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).	\square		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	number *	PT-P750W Logo				
lssue da	ate *	27/September/2024				
	- Environr	mental attributes - Market requirements (See General Note GN below) nental conscious design	Requi	rement	met	
Item		tory to fill in. Additional information regarding each item may be found under P14.	Yes	No n.a	à.	
P7	Design					
P7.1*		mbly, recycling				
P7.1		t have to be treated separately are easily separable		<u> </u>	<u> </u>	
		naterials in covers/housing have no surface coating.		<u> </u>	<u> </u>	
P7.3*		arts > 100 g consist of one material or of easily separable materials.	\bowtie			
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\square			
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes			
	Product					
P7.7*	Upgradir	ig can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradir	g can be done using commonly available tools		\boxtimes		
P7.9	Spare pa	arts are available after end of production for: 7 years				
P7.10	Service i	s available after end of production for: 7 years			Ħ	
	Material	and substance requirements				
P7.11*	Material	cover/housing material type (e.g. plastics, metal, aluminum): type: PC/ABS Material type: PC Material type:				
P7.12	Insulatio	n materials of external electrical cables are PVC free.		\boxtimes		
P7.13	Insulatio	n materials of internal electrical cables are PVC free.		\boxtimes		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.					
P7.15		circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low as defined in IEC 61249-2-21. (See NOTE B2)	/			
P7.16	Flame re	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	\boxtimes			
		FR(40)				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without components):	_	_	_	
	TBBPA (additive) 🛄, TBBPA (reactive) 🛄 (See NOTE B3), Other; chemical name: , CAS #:				
		nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4:				
P7.18	<u>Alt. 1:</u> Fl concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: ")			
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	\boxtimes			
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been the following Risk phrases; and Hazard statements: rce(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model nu	mber *	PT-P750V	V			Logo			
Issue dat	e *	27/Septer	mber/2024						
Product	environm	ental attr	ibutes - Market red	quirements (contin	nued)		Require	ment	met
Item							Yes	No	n.a.
	Material a	nd substa	nce requirements (c	ontinued)					
P7.20*			•		oduct (See NOTE B6)	:			
	a) Of to	tal plastic p		below shall be answe ne postconsumer recy is %.	red; cled plastic material co	ontent (calculated a	is a		
			ecycled material is	g.					
P7.21*							\square		
	a) Of to total or	tal plastic plastic by v	parts' weight > 25 g, t		red; naterial content (calcul	ated as a percenta	ge of		
P7.22*	Light sour	ces are fre	e from mercury, i.e. le ecify: Number of lamp	ss than 0,1 mg/lamp.	Im mercury content pe	r lamp: mg			
P8	Batteries								
P8.1*			nposition: Lithium-io	on					
P9			on (See NOTE B8)						
P9.1	For the pro	oduct the f	ollowing power levels	or energy consumptio	ns are reported:				
Energy m	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Stand modes and test r		nergy	
	de for ENER perational N lucts		W	W	1.45 W				
Standby/c ENERGY	off mode for STAR Oper /) products	ational	W	W	0.249 W				
TEC prod	e for ENERG ucts (TEC= onsumption)	Typical	kWh/week	kWh/week	kWh/week				
			W	W	W				
			W	W	W				
			W	W	W				
			W	W	W				
			W	W	W				
			W	W	W				
			W	W	W	1			
			W	W	W				
			W	W	W	1			
External F	Power Supply	y Efficiency	/ Level (International I	Efficiency Marking Pro	otocol) * : V	1			
Print/Scar	n Speed *		1 images per minu	te		1			
Default tir	ne to enter e	energy save	e mode: minute	S		1			\square
P9.2*	Informatio	n about the	e energy save functior	n is provided with the p	product.	1			Ē

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	PT-P750W	Logo
Issue date *	27/September/2024	

Produc	t environmental	attributes - Market re	quirement	s (continued)			Require	ment	met	
Item							Yes	No	n.a.	
P10	Emissions									
		- Declared according to	ISO 9296 (S	,						
P10.1	Mode	Mode description		Statistical u <i>L_{WA,c}</i> (B)	pper limit A-weig	hted sound powe	r level,			
	Idle	*		*						
	Operation	*		*						
	Other mode									
	Measured according to: ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)									
	Chemical emiss	sions from printing pro				14)				
P10.2*		according to ECMA-328 I			sion Rates from	Electronic				
	•	(IEC 28360) , other sp								
P10.3	Typical emission	rate (operation phase) is	s (mg/h):							
	Electrophotograp	ohic devices: Ozone	Dust Dust	Styrene Styrene	Benzene Benzene	TVOC TVOC				
	NOTE: complian	ce with maximum emissi	on rates in e	co labels to be decl	ared in P14.					
P11		aterials for printing pro								
P11.1*	A Safety Data SI	heet (SDS) is available fo	or the ink/tone	er preparation, eve	n if not legally red	quired (see P4.3).				
P11.2*	Paper containing EN 12281.	post-consumer recycled	l fibers can b	e used, provided th	nat it meets the re	equirements of			\boxtimes	
P11.3*	2-sided (duplex)	printing/copying is an int	egrated prod	luct function.					\boxtimes	
P11.4*	The product is de	elivered to end-user with	default auto-	duplex enabled.					\square	
P13	Packaging and	documentation								
P13.1*	Product packagi	Product packaging material type(s): CRGTD-FBRBRD weight (kg): 0.251 Product packaging material type(s): LDPE weight (kg): 0.048 Product packaging material type(s): weight (kg): weight (kg):								
P13.2*	Product plastic p	rimary packaging is free	from PVC.				\boxtimes			
P13.3*	consumer recove	ary corrugated fiberboard ered fiber content:	%		ed percentage o	f minimum post-				
P13.4*		or user and product docu Paper 🔀, Other 🗌	nentation (tic	k box):						
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:									
	Totally chlorine-free									
	Elemental chlorine-free						H			
	Processed chlorine-free									
P14	Voluntary prog	rams:								
P14.1		ets the requirements of the	e following v	oluntary program(s):					
	ENERGY STAR	® Criteria ver	sion:	Date:	Produc	t category:				
	Eco-label:	Criteria ver		Date:		t category:				
	Eco-label:	Criteria ver	sion:	Date:		t category:				

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	PT-P750W	Logo	
Issue date *	27/September/2024		

Produc	Product environmental attributes - Market requirements (concluded) Requirement me					
P15	Additional information (See NOTE B11)					
Recyclable rate: 82.8%						

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Legal references Europe Annex Br	
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	