

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	EUBIEEnvironmentalGroup@brother.co.uk	
e-mail address		
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.

Type of product *	Mobile Receipt Printer
Commercial name *	RJ-3035B
Model number *	RJ-3035B
Issue date *	24/July/2024
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas 🗌 Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1 Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number * RJ-3035B Logo
Model number * RJ-3035B Logo
Issue date * 24/July/2024

Product environmental attributes - Legal requirements Re							
ltem		Yes	No	n.a.			
P1	Hazardous substances and preparations						
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes					
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).						
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes					
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.						
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.brother.eu/en/reach	\boxtimes					
P2	Batteries						
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	\boxtimes					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes					
P3	Conformity verification & Eco design (ErP)						
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://support.brother.com/g/b/producttop.aspx?c=eu_ot⟨=en∏=rj3035beuk						
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).	\boxtimes					
	Required information is; given in item P15 or added to this document, available at (add URL):						
	https://support.brother.com/g/b/producttop.aspx?c=eu_ot⟨=en∏=rj3035beuk						
P4	Consumable materials						
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).						
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)						
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).						
P5	Product packaging						
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	\square					
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).	\square					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.						
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * Issue date *		RJ-3035B	Logo			
		24/July/2024				
		mental attributes - Market requirements (See General Note GN below) nental conscious design		Requi	ireme	nt met
Item		tory to fill in. Additional information regarding each item may be found under P14.			No	
P7	Design					
		mbly, recycling				
P7.1*		t have to be treated separately are easily separable				
P7.2*	Plastic m	aterials in covers/housing have no surface coating.		\square		
P7.3*	Plastic pa	arts > 100 g consist of one material or of easily separable materials.		\bowtie		
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes		
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).				
	Product					
P7.7*	Upgradin	g can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradin	g can be done using commonly available tools		$\overline{\boxtimes}$		
P7.9	Spare pa	rts are available after end of production for: 7 years				
P7.10	Service is	s available after end of production for: 7 years				
	Material	and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: <i>Plastics</i> Material type: Material	type:			
P7.12	Insulation	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulation	n materials of internal electrical cables are PVC free.			\boxtimes	
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) cl g more than 25% post-consumer recycled content.	retardants, a	nd		
P7.15		circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 as defined in IEC 61249-2-21. (See NOTE B2)	ōg 🗌 are lo	ow	\boxtimes	
P7.16	Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co additive) 🔀, TBBPA (reactive) 🗌 (See NOTE B3), Other; chemical name:	mponents): , CAS #:		\boxtimes	
	according	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	, 0		\square	
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances, ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	/preparations	in		
		$\sigma_{\rm m}$ mand. $\sigma_{\rm m}$, $\sigma_{\rm m}$ $\sigma_{\rm m}$, $\sigma_{\rm m}$			\boxtimes	
		emical specifications of flame retardants in plastic parts > 25 g according ISO 1043				
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements: ce(s) for these classifications is/are found at (add URL(s)): , (See N	have been IOTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model nu	umber *	RJ-3035	3						Logo				
Issue dat	Issue date * 24/July		/2024						-				
Product	t environm	nental attr	ributes	- Market re	quirements	(contin	ued)				Requi	remen	t met
Item											Ye	s No	n.a.
P7.20*				quirements (o									
F7.20	20* Postconsumer recycled		cled plas	itic material co	ontent is used i	n the pro	oduct (See NOTE	- B6):			L		
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material conte percentage of total plastic by weight) is %. 							ial conten	it (calcula	ted as a			
	or b) The	weight of r	acyclad	material is	a								
P7.21*	,				g. in the product	(See NO	TE B7):						
 P7.21* Biobased plastic material content is used in the product (See NOTE B7): If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of the biobased plastic material is g. 								entage o	f				
P7.22*				mercury, i.e. le lumber of lam	ess than 0,1 m		m mercury conte	nt ner larr	n.	mg	\boxtimes		
P8	Batteries	, i	Decity. N		ps. anu	maximu	In mercury conte	ni per lan	ip.	ing			
P8.1*		nemical cor	mpositio	n:									
		Ingredient		CAS	NO.	Co	ontent (wt%)						
		Lithium		7439	-93-2	1.8	(0.036 gram)						
	Prop	ylene Carbona	ate	108-	32-7		5.2						
	Mai	iganese dioxid	le	1313	-13-9		29.0						
	1,2-I	Dimethoxyetha	ane	110-	71-4		4.0						
	Lith	ium perchlora	te	7791	-03-9	1.3							
		Graphite		7782-42-5、	1333-86-4	2.8							
	Р	olypropylene		9003-07-0		3.8							
		Teflon		9002-84-0		3.3							
	s	tainless steel		7439	-89-6		48.8						
P9				NOTE B8)									
P9.1	For the p	roduct the t	following	power levels	or energy con	sumptior	ns are reported:						
Energy m	node *			er level at	Power lev		Power level		ference/S		for	energy	
Sleep mo	de for ENE	RGY		00 V AC W	115 V A W		230 V AC W	mc	odes and t	lest meth	Da "		\boxtimes
STAR® C (OM) prod	Operational I	Mode											
Standby/o	off mode for		١	W	W		W						\square
ENERGY STAR Operational Mode (OM) products													
TEC value for ENERGY STAR		I	kWh/week	kWh/w	/eek	kWh/we	ek					\boxtimes	
TEC products (TEC= Typical Energy Consumption)													
	-	-	١	W	W		W						
		١	W	W		W							
				W	W		W						
External I	Power Supp	ly Efficienc	y Level ((International	Efficiency Mar	king Prot	tocol) * :						
Print/Sca	n Speed 6 i	ps @ 203 I	DPi*	: imag	es per minute								
	me to enter												\boxtimes
P9.2* Information about the energy save function is provided with the product.											\boxtimes		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	RJ-3035B	Logo	
Issue date *	24/July/2024		

Produc	t environmental	attributes - Market re	quirements	(continued)			Requirement me		
Item							Yes	No	n.a.
P10	Emissions								
	Noise emission	 Declared according to 	ISO 9296 (See						
P10.1	Mode	Mode description		Statistical u <i>L_{WA,c}</i> (B)	pper limit A-weig	hted sound powe	r level,		
	Idle	*		*					X
	Operation	*		*					
	Other mode								
	Measured accor	rding to: 🗌 ISO 7779 🗌	ECMA-74 Other	(only if not c	overed by ECMA	A-74)			
	Chemical emis	sions from printing proc				,			
P10.2*		according to ECMA-328 [sion Rates from	Electronic		\square	
		/IEC 28360) , other sp							
P10.3	Typical emission	n rate (operation phase) is	s (mg/h):						\boxtimes
	Electrophotogra Ink devices:	phic devices: Ozone	Dust Dust	Styrene Styrene	Benzene Benzene	TVOC TVOC			\boxtimes
	NOTE: compliar	nce with maximum emissi	on rates in eco	labels to be decl	ared in P14.				
P11	Consumable m	aterials for printing pro	ducts						
P11.1*	A Safety Data S	heet (SDS) is available fo	r the ink/toner	preparation, ever	n if not legally red	quired (see P4.3)			\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.								\boxtimes
P11.3*	2-sided (duplex)) printing/copying is an inte	egrated produc	ct function.					\boxtimes
P11.4*	The product is d	lelivered to end-user with	default auto-du	uplex enabled.					\square
P13	Packaging and	documentation							
P13.1*	Product packag Product packag	ing material type(s): Pap ing material type(s): PE ing material type(s): Tap	weigl e weigl	ht (kg): ht (kg): ht (kg):					
P13.2*		orimary packaging is free						\bowtie	
P13.3*	consumer recov	nary corrugated fiberboard rered fiber content:	%		ed percentage of	f minimum post-			\square
P13.4*	Electronic, I	or user and product docur Paper ⊠, Other 📃							
P13.5		mplete this item if paper d ct documentation on pape pecify:						\boxtimes	
	Totally chlorine-free								
	Elemental chlorine-free								
	Processed chlor	rine-free					Ē		
P14	Voluntary prog	rams:							
P14.1		ets the requirements of th	e following vol	untary program(s):				
	ENERGY STAR	R Criteria vers	sion:	Date:	Produc	t category:			
	Eco-label:	Criteria vers		Date:		t category:			
	Eco-label:	Criteria vers	sion:	Date:	Produc	t category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	RJ-3035B	Logo	
Issue date *	24/July/2024		

Product environmental attributes - Market requirements (concluded) Requirement m						
P15	Additional information (See NOTE B11)					

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Legal references Europe Annex Br	
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	