

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	EUBIEEnvironmentalGroup@brother.co.uk	
e-mail address		
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.

Type of product *	Label Printer
Commercial name *	TD-4410D
Model number *	TD-4410D
Issue date *	26/September/2024
Intended market *	🔄 Global 🔀 Europe 📃 Asia, Pacific & Japan 🔛 Americas 📃 Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1 Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *         TD-4410D         Logo           Issue date *         26/September/2024	5			
Issue date * 26/September/2024	Model number *	TD-4410D	Logo	0
	Issue date *	26/September/2024		

Produc	t environmental attributes - Legal requirements	Require	emen	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.brother.eu/en/reach			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			$\square$
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)			$\square$
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			$\boxtimes$
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=lptd4410deuk			
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).	$\boxtimes$		
	Required information is; given in item P15 or added to this document, available at (add URL):	$\boxtimes$		
	https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=lptd4410deuk			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).			$\boxtimes$
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)	$\square$		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	$\square$		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).	$\square$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\square$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	TD-4410D	Logo			
Issue da	ate *	26/September/2024				
Produc	t environ	mental attributes - Market requirements (See General Note GN below)				
-		mental conscious design			rement	
Item		atory to fill in. Additional information regarding each item may be found under P14.		Yes	No n.a	a.
P7	Design	mbly, recycling				
P7.1*		at have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.				-  - -
P7.3*		arts > 100 g consist of one material or of easily separable materials.				-#-
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly av	ailabla taa			<u> </u>
P7.5 P7.6*	•	re easily separable. (This requirement does not apply to safety/regulatory labels).				<u> </u>
P7.0						
P7.7*	Product	g can be done e.g. with processor, memory, cards or drives				
P7.8*		ng can be done using commonly available tools				<u> </u>
P7.9	10					<u> </u>
P7.9 P7.10						<u> </u>
P7.10		s available after end of production for: 7 years				
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):				
P7.11		type: PC/ABS Material type (e.g. plastics, metal, authinum). Material type: ABS Material t	vpe.			
P7.12		n materials of external electrical cables are PVC free.	.ypc.		$\square$	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.				
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) brow	mine and C	).1%		
	weight (	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame r	etardants,	and		
		chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ch	lorine in p	oarts		
P7.15		ng more than 25% post-consumer recycled content.				
17.15		circuit boards, PCBs (without components) are low halogen: all PCBs > 25 as defined in IEC 61249-2-21. (See NOTE B2)	g 🔄 are			
P7.16	Flame re	starded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		$\boxtimes$		
		FR(40)				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without cor	nponents):			
	TBBPA (	additive) 🔲, TBBPA (reactive) 🗌 (See NOTE B3), Other; chemical name:	, CAS #:			
		· · · · · · · · · · · · · · · · · · ·		_	_	_
		nemical specifications of flame retardants in printed circuit boards (without componer g ISO 1043-4:	nts) > 25 g			
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substances/	preparation	ns in		
		rations above 0,1%:	p. opaiaioi			
		ical name: , CAS #: (See NOTE B4)				
		ical name: , CAS #: "				
	3. Unem	ical name: , CAS #: "				
	<u>Alt. 2: </u> Cł	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-	4: <i>FR(40)</i>			
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which h				
		the following Risk phrases; and Hazard statements:				
	i ne soui	rce(s) for these classifications is/are found at (add URL(s)): , (See N	OTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$ 

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model nu	mber *	TD-4410E	)			Logo			
Issue date	e *	26/Septer	mber/2024						
Product	environm	ental attr	ibutes - Market re	equirements (conti	nued)		Require	ment	met
Item				•			Yes	No	n.a.
			ance requirements	• • • • • • • • • • • • • • • • • • •					
P7.20*	Postcons	umer recyc	led plastic material c	ontent is used in the p	roduct (See NOTE B6)	:			
	a) Of to	otal plastic p			ered; /cled plastic material co	ontent (calculated	as a		
	or b) The weight of recycled material is g.								
P7.21* Biobased plastic material content is used in the product (See NOTE B7):								$\boxtimes$	
	a) Of to total or	otal plastic plastic by v	parts' weight > 25 g,		ered; naterial content (calcul	ated as a percenta	age of		
P7.22*	Light sou	rces are fre		less than 0,1 mg/lamp.	um mercury content pe	r lamp: mg			
P8	Batteries								
P8.1*		nemical con	•						$\square$
P9			on (See NOTE B8)						
P9.1	For the p	roduct the f	ollowing power level	s or energy consumption	ons are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at <b>230</b> V AC	Reference/Stan modes and test		nergy	
	de for ENEF perational I ucts		W	0.61 W	W				
Standby/o ENERGY	ff mode for STAR Ope 1) products		W	0.09 W	W				
TEC produ	ofor ENER ucts (TEC=	Typical	kWh/week	kWh/week	kWh/week				
Printing			W	W	142.3 W				
Power Of	f		W	W	0.1 W				
Networke	d Standby		W	W	0.65 W				
			W	W	W				
			W	W	W				
			W	W	W	1			
			W	W	W	1			
			W	W	W				
			W	W	W				$\overline{\neg}$
External Power Supply Efficiency Level (International Efficiency Marking Protocol) * : <i>V</i>									
Print/Scan		-	203mm/sec	, , ,	,				$\overline{\neg}$
		energy save		tes					
P9.2*				on is provided with the	product.	1			

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	TD-4410D	Logo
Issue date *	26/September/2024	

Produc	t environmental	attributes - Market re	quirement	s (continued)			Require	ment	met	
Item							Yes	No	n.a.	
P10	Emissions									
		<ul> <li>Declared according to</li> </ul>	ISO 9296 (S	/						
P10.1	Mode	Mode description		Statistical u <i>L<sub>WA,c</sub></i> (B)	oper limit A-weig	hted sound powe	r level,			
	Idle	*		*						
	Operation	*		*						
	Other mode	Other mode								
	Measured accor	Measured according to: ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)								
	Chemical emiss	sions from printing pro				14)				
P10.2*		according to ECMA-328 I			sion Rates from	Electronic				
	Equipment (ISO/IEC 28360) _, other specify:									
P10.3	Typical emission	n rate (operation phase) is	s (mg/h):							
	Electrophotogra Ink devices:	phic devices: Ozone	Dust Dust	Styrene Styrene	Benzene Benzene	TVOC TVOC				
	NOTE: complian	ice with maximum emissi	on rates in ec	o labels to be decl	ared in P14.					
P11		aterials for printing pro								
P11.1*	A Safety Data S	heet (SDS) is available fo	or the ink/tone	er preparation, ever	n if not legally red	quired (see P4.3).			$\boxtimes$	
P11.2*	Paper containing EN 12281.	g post-consumer recycled	d fibers can be	e used, provided th	at it meets the re	equirements of			$\boxtimes$	
P11.3*	2-sided (duplex)	printing/copying is an int	egrated produ	uct function.					$\boxtimes$	
P11.4*	The product is d	elivered to end-user with	default auto-	duplex enabled.					$\square$	
P13	Packaging and	documentation								
P13.1*	Product packagi	ng material type(s): CR ng material type(s): LDI ng material type(s):	PE wei	D weight (kg): ght (kg): 0.032 ght (kg):	0.858					
P13.2*	Product plastic p	primary packaging is free	from PVC.				$\square$			
P13.3*		ary corrugated fiberboard	d packaging, %	specify the contain	ed percentage of	f minimum post-				
P13.4*		or user and product docu Paper 🔀, Other 🗌	mentation (tic	k box):						
P13.5	(Please only con	nplete this item if paper c t documentation on pape								
	Totally chlorine-f	free								
	Elemental chlorine-free						H			
	Processed chlor						H			
P14	Voluntary prog									
P14.1		ets the requirements of th	ne following ve	oluntary program(s	):					
	ENERGY STAR	® Criteria ver	sion:	Date:	Produc	t category:				
	Eco-label:	Criteria ver		Date:		t category:				
	Eco-label:	Criteria ver	sion:	Date:	Product	t category:				

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	TD-4410D	Logo	
Issue date *	26/September/2024		

Product environmental attributes - Market requirements (concluded) Requirement me					
P15	Additional information (See NOTE B11)				
	Recyclable rate:38.9%				

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	