



## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

-

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Label Printer				
Commercial name *	TD-4420DN				
Model number *	TD-4420DN				
Issue date *	4/September/2024				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	TD-4420DN	Logo	
Issue date *	4/September/2024		

Product	environmental attributes - Legal requirements	Requirement me		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$		
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$	$\overline{}$	
1 1.0	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		ш	
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
D4 4*			_	
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the		$\overline{}$	
F1.5	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		Ш	
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week		$\neg$	$\square$
	(see legal reference).		ш	
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
D1 7*			$\overline{}$	
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\boxtimes$		
	https://www.brother.eu/en/reach			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			$\boxtimes$
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal			$\square$
	reference)		ш	
P2.3*	Batteries and accumulators are readily removable. (See legal reference)		$\Box$	$\square$
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).		$\overline{}$	
F 3. I	The Declaration of Conformity can be requested at (add link or e-mail address):			
D0.0*	https://support.brother.com/g/b/producttop.aspx?c=eu_ot⟨=en∏=lptd4420dneuk			
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products,	$\bowtie$		
	(see legal reference).			
	Required information is; given in item P15 or added to this document,	$\boxtimes$		
	🔀 available at (add URL):			
	https://support.brother.com/g/b/producttop.aspx?c=eu_ot⟨=en∏=lptd4420dneuk			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater	$\overline{}$	$\neg$	
	than 0,01% (see legal reference and NOTE B1).		ш	
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see	$\boxtimes$	$\neg$	
1 7.2	legal reference)		ш	Ш
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	$\boxtimes$		
	are Community workplace exposure limits, the product/packaging is adequately labeled according to		ш	
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and		$\overline{}$	
F3.1	hexavalent chromium by weight of these together.			
DE Ot			$\overline{}$	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)			
DE 0*	used (see legal reference).			_
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	$\boxtimes$		
	Protocol (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	TD-4420DN	Logo	
Issue date *	4/September/2024		

	t environmental attributes - Market requirements (See General Note GN below)  Environmental conscious design	Pogu	iromont	mot
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	irement No n.a	
P7	Design	168	NO II.a	
F /	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Ħ
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\boxtimes}$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		$\boxtimes$	
P7.8*	Upgrading can be done using commonly available tools		$\boxtimes$	
P7.9	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):  Material type: PC/ABS Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$	
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	$\boxtimes$		
	Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:			
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see <a href="http://www.ecma-internationl.org/publications/standards/Ecma-370.htm">http://www.ecma-internationl.org/publications/standards/Ecma-370.htm</a>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	TD-4420DN	Logo	
Issue date *	4/September/2024		

Product environmental attributes - Market requirements (continued)					quiren	nent	met	
Item						Yes	No	n.a.
	Material and substa	ance requirements (d	continued)					
P7.20*	Postconsumer recyc	cled plastic material co	ontent is used in the pro	oduct (See NOTE B6):			$\boxtimes$	
	If VES: at least one	of the two alternatives	below shall be answer	-ed·				
			he postconsumer recyc		ntent (calculated as a			
		total plastic by weight)		•	•			
	or b) The weight of r	ecycled material is	a					
P7.21*			g. in the product (See NO	TF B7)·			$\square$	
17.21								ш
			below shall be answer					
	<ul> <li>a) Of total plastic parts' weight &gt; 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is</li> <li>%.</li> </ul>							
	or	weight) is 70.						
		he biobased plastic m						
P7.22*			ess than 0,1 mg/lamp.			$\boxtimes$		
DO		pecify: Number of lam	ps. and maximu	m mercury content pe	r lamp: mg			
P8.1*	Batteries Battery chemical cor	mnosition:						$\square$
P9	Energy consumption	-						
P9.1		<u> </u>	or energy consumption	ns are reported:				
	· · · · · · · · · · · · · · · · · · ·	Power level at			Reference/Standard fo	r on	orav.	$\overline{}$
				Reference/Standard for modes and test method *	r en	ergy	Ш	
Sleen mod	le for ENERGY	W	0.61 W	W				
	perational Mode	**	0.07 **					ш
(OM) produ								_
Standby/of	f mode for STAR Operational	W	0.09 W	W				
Mode (OM								
	for ENERGY STAR	kWh/week	kWh/week	kWh/week				$\boxtimes$
	ıcts (TEC= Typical							
	nsumption)			440.014				
Printing		W	W	142.3 W				
Power Off		W	W	<b>0.1</b> W				
Networked	d Standby	W	W	0.65 W				
		W	W	W				
		W	W	W				
		W	W	W				
		W	W	W				
		W	W	W				
		W	W	W				
External P	ower Supply Efficienc	y Level (International	Efficiency Marking Prot	tocol) *: VI				
Print/Scan	•	203mm/sec						
Default tim	e to enter energy sav							$\boxtimes$
P9.2*	Information about th	e energy save functio	n is provided with the p	roduct.				$\boxtimes$

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	TD-4420DN	Logo	
Issue date *	4/September/2024		

Product environmental attributes - Market requirements (continued)					Require	ment	met		
Item							Yes	No	n.a.
P10	Emissions								
	Noise emission	- Declared according to	ISO 9296 (See N	OTE B9)					
P10.1	Mode	Mode description		Statistical up	oper limit A-weig	hted sound power	r level,		
	Idle	*		*					
	Operation	*		*					$\blacksquare$
	Other mode								
	Measured accord	ding to: SO 7779	ECMA-74 Other	(only if not cov	vered by ECMA-	-74)			
	Chemical emiss	sions from printing prod			voice by Lown	,			
P10.2*	Test performed a	according to ECMA-328 D	etermination of C	hemical Emiss	sion Rates from	Electronic		$\overline{\Box}$	$\overline{\Box}$
		(IEC 28360) , other spe							ш
P10.3		rate (operation phase) is							
	Electrophotograp	ohic devices: Ozone	Dust Dust	Styrene Styrene	Benzene Benzene	TVOC TVOC			
	NOTE: complian	ce with maximum emission	n rates in eco lab	els to be decla	ared in P14.				
P11	Consumable ma	aterials for printing prod	lucts						
P11.1*	A Safety Data Sh	neet (SDS) is available fo	r the ink/toner pre	paration, ever	n if not legally re	quired (see P4.3).			$\square$
P11.2*	Paper containing EN 12281.	post-consumer recycled	fibers can be use	ed, provided th	at it meets the re	equirements of			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.								$\boxtimes$
P11.4*	The product is de	elivered to end-user with	default auto-duple	ex enabled.				Ħ	
P13	Packaging and	documentation							
P13.1*	Product packagir	ng material type(s): CRO ng material type(s): LDP ng material type(s):		weight (kg): kg): <b>0.032</b> kg):	1.258				
P13.2*	Product plastic p	rimary packaging is free f	rom PVC.				$\boxtimes$		
P13.3*		ary corrugated fiberboard ered fiber content:	packaging, spec	ify the containe	ed percentage o	f minimum post-			
P13.4*	Specify media fo	r user and product docum	nentation (tick box	<b>()</b> :					
P13.5	(Please only com	nplete this item if paper do							
	Totally chlorine-f	ree							
	Elemental chloring	ne-free					$\Box$		
	Processed chlori	ne-free							
P14	Voluntary progr	rams:							
P14.1	The product mee	ets the requirements of the	e following volunt	ary program(s)	):				
	ENERGY STARGECO-label:	© Criteria vers Criteria vers Criteria vers	ion:	Date: Date: Date:	Produc	ct category: ct category: ct category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$ 

NOTE B10 A Guidance document on Chemical Emissions is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>.

Model number *	TD-4420DN	Logo	
Issue date *	4/September/2024		

Product environmental attributes - Market requirements (concluded)		Requirement met
P15	Additional information (See NOTE B11)	
	Recyclable rate:38.9%	

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	