



## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

-

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Label Printer					
Commercial name *	TD-4650TNWBR					
Model number *	TD-4650TNWBR					
Issue date *	4/July/2024					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	TD-4650TNWBR	Logo	
Issue date *	4/July/2024		

Product	environmental attributes - Legal requirements	Require		t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		$\neg$	
F1.3	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		Ш	
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	$\square$	$\overline{}$	
1 1.4	terphenyl (PCT) in preparations (see legal reference).		ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	X	$\overline{}$	
1 1.5	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		Ш	
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week	$\boxtimes$	$\Box$	
	(see legal reference).		ш	Ш
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\square$		
1 1.7	https://www.brother.eu/en/reach		ш	
	•			
P2	Batteries			_
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	$\boxtimes$		
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	$\boxtimes$		
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	$\boxtimes$		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	X		
	The Declaration of Conformity can be requested at (add link or e-mail address):			
	https://support.brother.com/g/b/producttop.aspx?c=gb⟨=en∏=lptd4650tnwbreuk			
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products,	$\overline{X}$		
	(see legal reference).			
	Required information is;			
	available at (add URL):			
	https://support.brother.com/g/b/producttop.aspx?c=gb⟨=en∏=lptd4650tnwbreuk			
D4				
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater		Ш	$\bowtie$
D 1 01	than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see		Ш	$\boxtimes$
	legal reference)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there		Ш	$\boxtimes$
	are Community workplace exposure limits, the product/packaging is adequately labeled according to			
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	$\boxtimes$		
	hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)			
	used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal			
	Protocol (see legal reference).			_
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$		
	, , ,			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	TD-4650TNWBR	Logo	
Issue date *	4/July/2024		

	t environmental attributes - Market requirements (See General Note GN below)  Environmental conscious design	Regui	irement	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No n.:	
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$		
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):  Material type: Material type: Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$	
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all Z PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "  3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:  The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$ 

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model num	nber *	TD-4650	OTNWBR						Logo				
Issue date	*	4/July/	2024										
Dun dunat a		4-1 -44	alle set e a . NA								Di	4	4
Item	environme	entai atti	ributes - Mi	arket re	quirements (c	ontin	uea)				Require Yes	ment No	met n.a.
	Material a	nd subst	ance require	monts (	continued)						165	NO	II.a.
P7.20*						the nro	oduct (See NOTE	B6).					
	1 031001134	inci iccyc	neu plastie m	atoriai oc	ontent is used in	uic pic	duct (OCC 1401E	50).					ш
	If YES; at I	east one	of the two alt	ernatives	s below shall be	answer	red;						
						er recyc	led plastic materia	al content	(calculat	ed as a			
	or perce	ntage of t	otal plastic b	y weight)	is %.								
		veight of r	ecycled mate	rial is	g.								
P7.21*	Biobased p	olastic ma	terial content	is used	in the product (S	ee NO	TE B7):						
	If YES; at least one of the two alternatives below shall be answered;												
							eu, aterial content (ca	culated :	as a perc	entage o	f		
			weight) is	%.	•		,		•	3			
	or		l l. ! . l										
P7.22*			he biobased		ess than 0,1 mg/	]. Iamn							
1 7.22			pecify: Numb				m mercury conten	t per lam	p:	mg		Ш	Ш
P8	Batteries												
P8.1*	Battery che												
		Compone			Material		CAS No.	Content					
		sitive elect			anese dioxide		1313-13-9	12 - 5					
	Ne	gative elec	troue		nium metal nethoxyethane		7439-93-2 110-71-4	0.5 - 1.5 - 3					
		Electrolyt			ithium Perchlorate		7791-03-9 0.2 -						
		2.000.0.70			Organic electrolyte		-	2.5 -					
	011	Steel en Die	-1' t-\		Steel	7439	-89-6, 7440-47-3	30 - 8					
	Others(s	steel or Pla	istic parts)	Pol	ypropylene		9003-07-0	0.5 - 2	LO				
P9			on (See NOT										
P9.1	For the pro	duct the	following pow	er levels	or energy consu	umptior	ns are reported:						
Energy mod	de *		Power le		Power level		Power level a		erence/S			energy	
			100 V	AC	115 V AC	)	230 V AC	mo	des and t	est meth	od *		
Sleep mode			W		W		W						$\boxtimes$
STAR® Op (OM) produ		ode											
Standby/off			W		W		2.772 W		M				
ENERGY S	STAR Opera	ational											
Mode (OM)					1340.7								
TEC value			kvvh/	week	kWh/we	ek	kWh/weel	K					$\boxtimes$
TEC products (TEC= Typical Energy Consumption)													
3, 1	1 /		W		W		W						
			W		W		W						$\dashv$
			W		W		W						$\overline{+}$
			W		W		W						
			W		W		W						$\overline{\Box}$
			W		W		W						
External Po	wer Supply	/ Efficienc	y Level (Inter	national	Efficiency Marki	ng Prot	ocol) * : VI						П

images per minute

14.86

minutes

Information about the energy save function is provided with the product.

Print/Scan Speed 6 ips @ 203 DPi\*

P9.2\*

Default time to enter energy save mode:

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	TD-4650TNWBR	Logo	
Issue date *	4/July/2024		

Product environmental attributes - Market requirements (continued)							Require	ment	met
Item				·			Yes	No	n.a.
P10	Emissions								
	Noise emission	- Declared according to	SO 9296 (See N	IOTE <b>B9</b> )					
P10.1	Mode	Mode description		Statistical upper L <sub>WA,c</sub> (B)	limit A-weigh	ted sound power	level,		
	Idle	*		*					
	Operation	*		*					$\top$
	Other mode								
	Measured accord	ding to: SO 7779	ECMA-74 Other	(only if not covere	ed by FCMA-	74)			
	Chemical emiss	sions from printing prod			cd by EOWIN	7-7)			
P10.2*	Test performed a	according to ECMA-328 D	etermination of C	Chemical Emission	Rates from E	lectronic			$\overline{}$
	•	(IEC 28360), other spe						ш	ш
P10.3		rate (operation phase) is							
	Electrophotograp	ohic devices: Ozone	Dust Dust	,	Benzene Benzene	TVOC TVOC			
	NOTE: complian	ce with maximum emission	n rates in eco lat	bels to be declared	in P14.				
P11		aterials for printing prod							
P11.1*	A Safety Data Sh	heet (SDS) is available for	the ink/toner pre	eparation, even if n	ot legally requ	uired (see P4.3).			$\overline{\boxtimes}$
P11.2*	Paper containing EN 12281.	g post-consumer recycled	fibers can be use	ed, provided that it	meets the red	quirements of			
P11.3*		printing/copying is an inte	grated product fu	unction.				П	X
P11.4*		elivered to end-user with o						$\overline{H}$	
P13	Packaging and		<u>'</u>						
P13.1*	Product packagir Product packagir	ng material type(s): Papeng material type(s): PE ng material type(s): Tape	weight (	kg):					
P13.2*		orimary packaging is free f						$\boxtimes$	
P13.3*		ary corrugated fiberboard ered fiber content:	packaging, spec	ify the contained po	ercentage of	minimum post-			
P13.4*	Specify media fo	or user and product docum		x):					
P13.5	(Please only com	nplete this item if paper do t documentation on paper							
	Totally chlorine-f								
	Elemental chloring								
	Processed chlori	ine-free							
P14	Voluntary progr								
P14.1	The product mee	ets the requirements of the	e following volunt	ary program(s):					
	ENERGY STARGECO-label:	R Criteria vers Criteria vers Criteria vers	ion:	Date: <b>2019/09/2</b> Date: Date:	Product	category: <b>Printe</b> category: category:	er		

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$ 

NOTE B10 A Guidance document on Chemical Emissions is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>.

Model number *	TD-4650TNWBR	Logo	
Issue date *	4/July/2024		

Product	Requirement met	
P15	Additional information (See NOTE B11)	

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	