

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo	
Company name *	Brother International Europe		
Contact information *	EUBIEEnvironmentalGroup@brother.co.uk		
e-mail address			
Internet site *	www.brother.com		
Additional information			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.

Type of product *	Label Printer
Commercial name *	TD-4750TNWB
Model number *	TD-4750TNWB
Issue date *	4/July/2024
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1 Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

5			
Model number *	TD-4750TNWB	Logo	
Issue date *	4/July/2024		

Product environmental attributes - Legal requirements Re							
ltem		Yes	No	n.a.			
P1	Hazardous substances and preparations						
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	$\square$					
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\boxtimes$					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\square$					
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-						
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$					
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$					
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm <sup>2</sup> /week	$\boxtimes$					
	(see legal reference).	لالسع					
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.						
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.brother.eu/en/reach	$\square$					
P2	Batteries						
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	$\square$					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	$\square$					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	$\boxtimes$					
P3	Conformity verification & Eco design (ErP)						
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):						
P3.2*	https://support.brother.com/g/b/producttop.aspx?c=gb⟨=en∏=lptd4750tnwbeuk The product complies with the applicable Eco design Requirements for Energy-Related Products,	N7					
P3.2	(see legal reference).						
	Required information is; given in item P15 or added to this document, available at (add URL):						
	https://support.brother.com/g/b/producttop.aspx?c=gb⟨=en∏=lptd4750tnwbeuk						
P4	Consumable materials						
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).			$\square$			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)			$\square$			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there			$\mathbf{X}$			
	are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).						
P5	Product packaging						
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and						
	hexavalent chromium by weight of these together.						
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).						
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	$\boxtimes$					
	Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.						
<b>P6</b>	Treatment information						
26							

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * Issue date *		TD-4750TNWB	Logo			
		4/July/2024				
	Environn	mental attributes - Market requirements (See General Note GN below) nental conscious design				nt met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	า.a.
P7	Design					
D7.4*		mbly, recycling				
P7.1*		t have to be treated separately are easily separable			<u> </u>	
P7.2*		aterials in covers/housing have no surface coating.		$\square$		
P7.3*		arts > 100 g consist of one material or of easily separable materials.		$\boxtimes$		
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		$\boxtimes$		
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools	. 🛛		
P7.6*	Labels ar	re easily separable. (This requirement does not apply to safety/regulatory labels).				
	Product	lifetime				
P7.7*	Upgradin	g can be done e.g. with processor, memory, cards or drives		$\boxtimes$		
P7.8*	Upgradin	g can be done using commonly available tools			Ē	
P7.9	Spare pa	Ints are available after end of production for: 7 years				
P7.10		s available after end of production for: 7 years				-H
		and substance requirements				
P7.11*	Product of	cover/housing material type (e.g. plastics, metal, aluminum): type: <i>Plastics</i> Material type: Material	type:			
P7.12	Insulatior	n materials of external electrical cables are PVC free.			$\boxtimes$	
P7.13	Insulation	n materials of internal electrical cables are PVC free.			$\square$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.					
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 as defined in IEC 61249-2-21. (See NOTE B2)	ōg 🗌 are I	ow	$\boxtimes$	
P7.16	Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co additive) 🔀, TBBPA (reactive) 🗌 (See NOTE B3), Other; chemical name:	mponents): , CAS #:		$\boxtimes$	
	according	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	, 0		$\square$	
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/ ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	/preparations	in		
	J. Chemi			_		
	<u>Alt. 2: </u> Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	-4:		$\boxtimes$	
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$ 

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model num	nber *	TD-4750	OTNWB						Logo				
Issue date	*	4/July/	2024										
Product	environm	ental att	ributes - Ma	arket re	quirements (c	ontin	ued)				Require	ment	met
Item					• •						Yes	No	n.a.
	Material a	and substa	ance require	ments (	continued)								
P7.20*	Postcons	umer recyc	cled plastic m	aterial co	ontent is used in	the pro	duct (See NOTE I	B6 <b>)</b> :				$\bowtie$	
	If YES; at	least one	of the two alt	ernatives	s below shall be	answer	ed;						
			parts' weight otal plastic b			er recyc	led plastic materia	al content	(calculat	ted as a			
	or												
P7.21*										$\square$			
	a) Of to		parts' weight		s below shall be the biobased pla		ed; aterial content (ca	lculated a	s a perc	entage o	f		
	or b) The	weight of t	he biobased	nlastic m	naterial is	1							
P7.22*	Light sour	rces are fre	ee from merc	ury, i.e. le	ess than 0,1 mg/	). Iamp.					$\square$		
	-		pecify: Numb	er of lam	ps: and n	naximur	m mercury content	t per lamp	:	mg			
P8.1*	Batteries		mponition:										
P8.1	Ballery cr	nemical con Compone			Material		CAS No.	Content	(%)				
	Po	ositive elect			anese dioxide		1313-13-9	12 - 50					
		egative elec			hium metal		7439-93-2	0.5 - 6					
					nethoxyethane		110-71-4	1.5 - 3.					
		Electrolyt	e		m Perchlorate		7791-03-9	0.2 - 0.					
				Orgar	nic electrolyte Steel	7/30	- -89-6, 7440-47-3	2.5 - 7 30 - 85					
	Others	(Steel or Pla	istic parts)	Pol	ypropylene	7455	9003-07-0	0.5 - 10					
P9			on (See NOT	E B8)									
P9.1	For the pr	oduct the t	following pow	er levels	or energy consu	umptior	ns are reported:						
Energy mo	de *		Power lev <b>100</b> V		Power level 115 V AC		Power level a 230 V AC			tandard est meth		nergy	
Sleep mod	e for ENEE	RGY	W	10	W		W	iniou					$\boxtimes$
STAR® Op	perational N												
(OM) produ Standby/of			W		W		2.772 W	0	N				
ENERGY S	STAR Oper	rational											
Mode (OM TEC value	/ <b>·</b>	SV STAR	k\//b/	week	kWh/we	ok	kWh/weel	k .					
TEC produ Energy Co	cts (TEC=	Typical		WOOK		CK	KWII/WCCI						
			W		W		W						
			W		W		W						
			W		W		W						
			W		W		W						
			W		W		W						
			W		W		W						
		-		national	Efficiency Marki	ng Prot	ocol) * : 🛛 🗸						
Print/Scan	Speed 6 ip	os @ 203 E	)Pi* : <b>1</b> 4	4.86	images per min	ute							
Default tim				minut									$\square$
P9.2*	Informatio	on about th	e energy sav	e functio	n is provided wit	h the p	roduct.				$\square$		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	TD-4750TNWB	Logo	
Issue date *	4/July/2024		

Product	t environmental a	attributes - Market re	quirements (	(continued)			Require	ement	met	
Item							Yes	No	n.a.	
P10	Emissions									
	Noise emission	- Declared according to	ISO 9296 (See	NOTE <b>B9</b> )						
P10.1	Mode	Mode description		Statistical uppe <i>L</i> <sub>WA,c</sub> (B)	r limit A-weigł	nted sound power	level,			
	Idle	*		*						
	Operation	*		*					Η	
	Other mode									
	Measured accord									
	Chamical amias	iono from printing prod	Other	(only if not cove	red by ECMA	-74)				
P10.2*	Chemical emissions from printing products (See NOTE B10) Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic									
F 10.2	Equipment (ISO/IEC 28360) , other specify:									
P10.3		rate (operation phase) is								
	Electrophotograp	hic devices: Ozone	Dust Dust	Styrene Styrene	Benzene Benzene	TVOC TVOC				
	NOTE: complian	ce with maximum emissio	on rates in eco	labels to be declare	d in P14.					
P11		aterials for printing proc								
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).								$\boxtimes$	
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.									
P11.3*	2-sided (duplex) printing/copying is an integrated product function.								$\mathbf{X}$	
P11.4*	The product is de	elivered to end-user with	default auto-du	plex enabled.						
P13				•						
P13.1*	Packaging and documentation           Product packaging material type(s):         Paper         weight (kg):           Product packaging material type(s):         PE         weight (kg):           Product packaging material type(s):         Tape         weight (kg):									
P13.2*	Product plastic p	rimary packaging is free f	rom PVC.					$\boxtimes$		
P13.3*	consumer recove	ary corrugated fiberboard ered fiber content:	%	•	percentage of	minimum post-			$\boxtimes$	
P13.4*	Specify media fo Electronic 🔀, P	r user and product docun aper 🔀, Other 🗌	nentation (tick b	cox):						
P13.5		plete this item if paper do t documentation on pape ecify:						$\boxtimes$		
	Totally chlorine-free									
	Elemental chlorir						H			
	Processed chlorine-free									
P14	Voluntary progr									
P14.1		ets the requirements of the	e following volu	untary program(s):						
	ENERGY STAR® Eco-label: Eco-label:	Oriteria vers Criteria vers Criteria vers Criteria vers	sion:	Date: <b>2019/09</b> Date: Date:	Product	category: <b>Printe</b> category: category:	er			

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

	Logo	TD-4750TNWB	Model number *
		4/July/2024	Issue date *
		4/July/2024	Issue date *

Product environmental attributes - Market requirements (concluded) Requirement n					
P15	Additional information (See NOTE B11)				

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Legal references Europe Annex Br						
Reference	Declaration item					
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1					
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2					
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10					
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3					
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3					
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5					
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1					
Directive 2014/35/EU (Low Voltage Directive)	P3.1					
Directive 2014/30/EU (EMC Directive)	P3.1					
Directive 2014/53/EU (RE Directive)	P3.1					
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1					
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions						
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1					
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19					
Directive 2004/12/EC (Packaging Directive)	P5.1					
Decision 97/129/EC (Secondary packaging legislation)	P5.2					

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	