

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	EUBIEEnvironmentalGroup@brother.co.uk	
e-mail address		
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.

Type of product *	Label Printer
Commercial name *	TD-4750TNWBR
Model number *	TD-4750TNWBR
Issue date *	4/July/2024
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1 Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

5			
Model number *	TD-4750TNWBR	Logo	
Issue date *	4/July/2024		

Product environmental attributes - Legal requirements Re							
ltem		Yes	No	n.a.			
P1	Hazardous substances and preparations						
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes					
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes					
1 1.5	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-						
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes					
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes					
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm ² /week	\boxtimes					
	(see legal reference).	لاسم					
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.						
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.brother.eu/en/reach	\square					
P2	Batteries						
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	\square					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	\boxtimes					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes	Π				
P3	Conformity verification & Eco design (ErP)						
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):						
P3.2*	https://support.brother.com/g/b/producttop.aspx?c=gb⟨=en∏=lptd4750tnwbreuk The product complies with the applicable Eco design Requirements for Energy-Related Products,	\boxtimes					
	(see legal reference).						
	Required information is; given in item P15 or added to this document, available at (add URL):						
	https://support.brother.com/g/b/producttop.aspx?c=gb⟨=en∏=lptd4750tnwbreuk						
P4	Consumable materials						
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).			\square			
P4.2*	If inktoner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)			\square			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there			\boxtimes			
	are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).						
P5	Product packaging						
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and						
	hexavalent chromium by weight of these together.						
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).						
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	\boxtimes					
	Comment: Legal reference has no maximum concentration values.						
P 6	Treatment information						
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\square					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * Issue date *		TD-4750TNWBR	Logo			
		4/July/2024				
	Environr	mental attributes - Market requirements (See General Note GN below) nental conscious design		Requi	rement	t met
Item		atory to fill in. Additional information regarding each item may be found under P14.		Yes	No n.	а.
P7	Design					
P7.1*		mbly, recycling at have to be treated separately are easily separable				
P7.2*					<u> </u>	<u> </u>
=		naterials in covers/housing have no surface coating.			Ц_	<u> </u>
P7.3*	•	arts > 100 g consist of one material or of easily separable materials.			_Ц_	<u> </u>
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				<u> </u>
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.	\square		
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		\square		
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*		ng can be done using commonly available tools		\square		
P7.9	Spare pa	arts are available after end of production for: 7 years				
P7.10	Service i	s available after end of production for: 7 years				
		and substance requirements				
P7.11*	Material	cover/housing material type (e.g. plastics, metal, aluminum): type: <u>Plastics</u> Material type: Material	type:			
P7.12	Insulation	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			\boxtimes	
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) c ng more than 25% post-consumer recycled content.	retardants, ar	nd 📃		
P7.15		circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 as defined in IEC 61249-2-21. (See NOTE B2)	5 g 🗌 are lo	w	\square	
P7.16	Marking:				\square	
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name:	omponents): ,CAS #:		\square	
	according	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	, 0		\square	
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	/preparations	in		
		σ π			\boxtimes	
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043				
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which I the following Risk phrases; and Hazard statements: rce(s) for these classifications is/are found at (add URL(s)): , (See N	have been NOTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model num	nber *	TD-4750	TNWBR						Logo				
Issue date	*	4/July/2	2024										
Product	nvironm	ental att	ributes - Ma	arket re	quirements (c	ontin	ued)				Require	ment	met
Item					quirements (e	onun	ucuj				Yes	No	n.a.
	Material a	and substa	ance require	ments (continued)								
P7.20*	Postcons	umer recyc	cled plastic m	aterial co	ontent is used in	the pro	duct (See NOTE I	B6):				\boxtimes	
		laget one	of the two alt	ornativos	below shall be a		a du						
	a) Of to	otal plastic		> 25 g, t	he postconsume		ed, led plastic materia	l content	(calcula	ted as a			
	or b) Tho	woight of r	ocyclod mate	vrial in	a								
P7.21*	b) The weight of recycled material is g. 21* Biobased plastic material content is used in the product (See NOTE B7):												
1 7.21	Diobasea	plaotio ma		10 0000			12 07).						
	a) Of to		parts' weight		below shall be a the biobased pla		ed; aterial content (ca	lculated a	is a perc	entage o	f		
			he biobased										
P7.22*	If mercury	/ is used s	ee from merc pecify: Numb		ess than 0,1 mg/ ps: and m		m mercury conten	t per lamp):	mg			
	Batteries	nemical cor	mposition:										
F0.1		Compone			Vaterial		CAS No.	Content	(%)				
	P	ositive elect			anese dioxide		1313-13-9	12 - 50					
	Ne	egative elec	trode	Litł	nium metal		7439-93-2	0.5 - 6	5				
				-	nethoxyethane		110-71-4	1.5 - 3					
		Electrolyt	e		n Perchlorate		7791-03-9	0.2 - 0.					
				Orgar	iic electrolyte Steel	7439	- -89-6, 7440-47-3	2.5 - 7 30 - 8					
	Others	(Steel or Pla	stic parts)	Pol	ypropylene	7100	9003-07-0	0.5 - 1					
P9	Energy c	onsumpti	on (See NOT	E B8)									
P9.1	For the pr	roduct the f	following pow	er levels	or energy consu	umptior	ns are reported:						
Energy mod	de *		Power lev 100 V		Power level 115 V AC		Power level a 230 V AC			Standard test meth		nergy	
Sleep mode STAR® Op	erational N		W		W		W						\square
(OM) produ Standby/off			W		W		2.772 W	0	м				
ENERGY S Mode (OM)	TAR Ope		vv		vv		2.772						
TEC value TEC produc Energy Cor	cts (TEC=	Typical	kWh/	week	kWh/we	ek	kWh/weel	< l					\boxtimes
			W		W		W						
			W		W		W						$\overline{\neg}$
			W		W		W						
		W		W		W						\exists	
		W		W		W							
			W		W		W						
External Pa	External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: V/												
		•	•			-							<u> </u>
Print/Scan		-			images per min	ute							
Default time				minut									
P9.2*	Informatio	on about th	e energy sav	e functio	n is provided wit	h the p	roduct.				\square		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	TD-4750TNWBR	Logo	
Issue date *	4/July/2024		

Product	t environmental a	attributes - Market re	quirements ((continued)			Require	ement	met
Item							Yes	No	n.a.
P10	Emissions								
	Noise emission	- Declared according to	ISO 9296 (See	NOTE B9)					
P10.1	Mode	Mode description		Statistical uppe <i>L</i> _{WA,c} (B)	r limit A-weigł	nted sound power	level,		
	Idle	*		*					
	Operation	*		*					Η
	Other mode								
	Measured accord	ding to: 📃 ISO 7779 🗌	ECMA-74 Other	(only if not cove	red by COMA	74)			
	Chamical amias	ions from printing prod		(only if not cove	red by ECMA	-74)			
P10.2*	Test performed a	according to ECMA-328 D	etermination o	IE BIU) f Chemical Emission	Rates from F	Electronic			
F 10.2	•	IEC 28360) , other sp							
P10.3		rate (operation phase) is							
	Electrophotograp	hic devices: Ozone	Dust Dust	Styrene Styrene	Benzene Benzene	TVOC TVOC			
	NOTE: complian	ce with maximum emissio	on rates in eco	labels to be declare	d in P14.				
P11		aterials for printing proc							
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).								\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.								
P11.3*		printing/copying is an inte	egrated produc	t function.					\mathbf{X}
P11.4*	The product is de	elivered to end-user with	default auto-du	plex enabled.					
P13				•					
P13.1*	Packaging and documentation Product packaging material type(s): Paper weight (kg): Product packaging material type(s): PE weight (kg): Product packaging material type(s): Tape weight (kg):								
P13.2*	Product plastic p	rimary packaging is free f	rom PVC.					\boxtimes	
P13.3*	consumer recove	ary corrugated fiberboard ered fiber content:	%	•	percentage of	minimum post-			\boxtimes
P13.4*	Specify media fo Electronic 🔀, P	r user and product docun aper 🔀, Other 🗌	nentation (tick b	cox):					
P13.5		plete this item if paper do t documentation on pape ecify:						\boxtimes	
	Totally chlorine-free								
	Elemental chlorine-free								
	Processed chlori						H		
P14	Voluntary progr								
P14.1		ets the requirements of the	e following volu	untary program(s):					
	ENERGY STAR® Eco-label: Eco-label:	Oriteria vers Criteria vers Criteria vers Criteria vers	sion:	Date: 2019/09 Date: Date:	Product	category: Printe category: category:	er		

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	TD-4750TNWBR	Logo	
Issue date *	4/July/2024		

Product environmental attributes - Market requirements (concluded) Requiremen					
P15	Additional information (See NOTE B11)				

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Legal references Europe Annex Br	
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	