



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	EUBIEEnvironmentalGroup@brother.co.uk	
e-mail address		
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemer	nts given in this declaration.				
Type of product *	Label Printer				
Commercial name *	TJ-4005DN				
Model number *	TJ-4005DN				
Issue date *	24/July/2024				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	TJ-4005DN	Logo	
Issue date *	24/July/2024		

Product	environmental attributes - Legal requirements	Requirement met		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
D4.0*	Comment: Legal reference has no maximum concentration value.		_	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-	\bowtie	Ш	
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\square	$\overline{}$	
	terphenyl (PCT) in preparations (see legal reference).		ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the			
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week	\boxtimes		
	(see legal reference).		_	
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	https://www.brother.eu/en/reach			_
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	\boxtimes		
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\boxtimes		
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
	The Declaration of Conformity can be requested at (add link or e-mail address):			
D0.0*	https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=lptj4005dneuk			N 1
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).		Ш	
	Required information is; given in item P15 or added to this document,			\boxtimes
	available at (add URL):			_
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater		П	
	than 0,01% (see legal reference and NOTE B1).	ш	ш	
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see			\boxtimes
	legal reference)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there			\boxtimes
	are Community workplace exposure limits, the product/packaging is adequately labeled according to			
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging		_	
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	\boxtimes	Ш	
DE 0*	hexavalent chromium by weight of these together.		$\overline{}$	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s used (see legal reference).) 🔀	Ш	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	$\overline{\square}$	$\overline{}$	
1 3.3	Protocol (see legal reference).		Ш	Ш
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			
	-,,			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Logo	ber * TJ-4005DN	Model number *
	* 24/July/2024	Issue date *
	24/July/2024	Issue date *

Product environmental attributes - Market requirements (See General Note GN below)							
-	Environmental conscious design	Requir	ement	met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No n.a				
P7	Design						
D= 44	Disassembly, recycling						
P7.1*	Parts that have to be treated separately are easily separable		<u> </u>				
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes					
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes					
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes					
	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes					
P7.8*	Upgrading can be done using commonly available tools	\boxtimes					
P7.9	Spare parts are available after end of production for: 7 years						
P7.10	Service is available after end of production for: 7 years						
	Material and substance requirements						
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: Material type: Material type:						
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes				
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes				
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all \boxtimes PCBs > 25 g \square are low halogen as defined in IEC 61249-2-21. (See NOTE B2)						
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		\boxtimes				
	Marking:						
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):						
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			Ш			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:						
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "						
D7.40	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:						
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Issue date * 24/July/2024									
			1				5	•	44
Product environmental attributes Item	- Market re	equirements	(contin	ued)			Requ Ye	<mark>iremen</mark> es No	
Material and substance req	uiromonte (continued)					10	55 INU	II.a.
P7.20* Postconsumer recycled plast			in the pro	duct (See NO	TE B6):				
If YES; at least one of the two	alternatives	s below shall b	e answer	ed:					
 a) Of total plastic parts' we percentage of total plast 	ight > 25 g, t	the postconsur		,	erial conten	t (calculate	ed as a		
	or b) The weight of recycled material is g.								
, ,	Biobased plastic material content is used in the product (See NOTE B7):								
If YES; at least one of the two a) Of total plastic parts' we total plastic by weight) is or b) The weight of the biobas	eight > 25 g, s %.	the biobased	plastic ma		(calculated	as a perce	ntage of		
P7.22* Light sources are free from n	ercury, i.e. I	ess than 0,1 m	g. ng/lamp.					1 \square	
If mercury is used specify: No	ımber of lam	ips: and	l maximu	m mercury con	tent per lam	ıp: n	ng]
P8 Batteries									
P8.1* Battery chemical composition Component		laterial		AS No.	Content (%	1			Ш
Positive electrode		nese dioxide		13-13-9	12 - 50	'			
Negative electrode		um metal		39-93-2	0.5 - 6				
	1,2-dime	ethoxyethane	1:	10-71-4	1.5 - 3.5				
Electrolyte	Lithium	Lithium Perchlorate		91-03-9					
	Organio	c electrolyte		-	2.5 - 7				
Others(Steel or Plastic parts)		Steel	7439-89	-6, 7440-47-3	30 - 85				
	Polyp	oropylene	90	03-07-0	0.5 - 10				
P9 Energy consumption (See									
P9.1 For the product the following	power levels	s or energy cor	nsumption	ns are reported					
	er level at V AC	Power lev		Power leve 230 V A		ference/Standate	andard for st method *	energy	
Sleep mode for ENERGY STAR® Operational Mode	V	W		W					\boxtimes
(OM) products Standby/off mode for	V	W		2.705 W		OM .			
ENERGY STAR Operational Mode (OM) products									
TEC value for ENERGY STAR TEC products (TEC= Typical Energy Consumption)	Wh/week	kWh/\	week	kWh/v	veek				
V	V	W		W					
V	V	W		W					
ν		W		W					
V		W		W					
V		W		W					
V	•	W		W					
External Power Supply Efficiency Level (rking Prot	ocol) *: VI	¯				
Print/Scan Speed 10 ips@203 dpi *	:	24.7 imag	ges per m	inute					
Default time to enter energy save mode:	minut								\boxtimes
P9.2* Information about the energy	save function	on is provided v	with the p	roduct.					

Logo

TJ-4005DN

Model number

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	TJ-4005DN	Logo	
Issue date *	24/July/2024		

Product	duct environmental attributes - Market requirements (continued)						Requirement me		
Item							Yes	No	n.a.
P10	Emissions								
		 Declared according to 	ISO 9296 (See No	· · · · · · · · · · · · · · · · · · ·					
P10.1	Mode	Mode description		Statistical upper line $L_{WA,c}$ (B)	mit A-weigh	ted sound power	level,		
	Idle	*		*					\boxtimes
	Operation	*		*					X
	Other mode								
	Measured accord	ding to: ISO 7779	ECMA-74 Other	(only if not covered	d by ECMA-	-74)			
		sions from printing proc							
P10.2*		according to ECMA-328 D		hemical Emission R	tates from E	lectronic		\boxtimes	
		(IEC 28360), other sp							
P10.3	Typical emission	rate (operation phase) is	(mg/h):						\boxtimes
	Electrophotograp	phic devices: Ozone	Dust Dust	,	enzene enzene	TVOC TVOC			\boxtimes
	NOTE: compliane	ce with maximum emission	on rates in eco lab	els to be declared in	n P14.				
P11		aterials for printing pro-							
P11.1*		neet (SDS) is available fo							\boxtimes
P11.2*	Paper containing EN 12281.	post-consumer recycled	fibers can be use	ed, provided that it m	eets the red	quirements of			
P11.3*	2-sided (duplex)	printing/copying is an inte	egrated product fu	inction.					\boxtimes
P11.4*	The product is de	elivered to end-user with	default auto-duple	x enabled.					\boxtimes
P13	Packaging and	documentation							
P13.1*	Product packagir Product packagir Product packagir	ng material type(s): Pap ng material type(s): PE ng material type(s): Tap	weight (F e weight (F	κg):					
P13.2*	Product plastic p	rimary packaging is free	from PVC.					\boxtimes	
P13.3*		ary corrugated fiberboardered fiber content:	l packaging, speci %	ify the contained per	centage of	minimum post-			
P13.4*	Specify media fo	or user and product documents of the product of the	nentation (tick box	() :					
P13.5	(Please only com	nplete this item if paper det t documentation on pape							
	Totally chlorine-f	ree							
	Elemental chloring	ne-free					П		
	Processed chlori	ne-free					Ħ		
P14	Voluntary progr	rams:							
P14.1		ets the requirements of th	e following volunta	ary program(s):					
	ENERGY STAR© Eco-label: Eco-label:	8 Criteria vers Criteria vers Criteria vers	sion:	Date: 2021/12/10 Date: Date:	Product	category: Print category: category:	er		

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	TJ-4005DN	Logo	
Issue date *	24/July/2024		

Product	Requirement met	
P15	Additional information (See NOTE B11)	

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

I	Directive 2012/19/EU (WEEE directive)	P6.1
	Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
	Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment	
I	(WEEE) generated by weight in each Member State.	