



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

-

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Label Printer				
Commercial name *	TJ-4020TN				
Model number *	TJ-4020TN				
Issue date *	11/November/2024				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	TJ-4020TN	Logo	
Issue date *	11/November/2024		

Product	environmental attributes - Legal requirements	Require	t met	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X	П	
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	e 🔀		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week			
	(see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes	Ш	
	https://www.brother.eu/en/reach			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	\boxtimes		
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\boxtimes		
70.04	reference)			_
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes	<u>Ш</u>	
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
	The Declaration of Conformity can be requested at (add link or e-mail address):			
P3.2*	https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=lptj4020tneuk		_	<u> </u>
P3.2"	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).			
	Required information is; given in item P15 or added to this document,		Ш	\boxtimes
	available at (add URL):			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater			\boxtimes
	than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there			\boxtimes
	are Community workplace exposure limits, the product/packaging is adequately labeled according to			
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	\boxtimes		
D	hexavalent chromium by weight of these together.	<u> </u>		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s used (see legal reference).	s) <u>×</u>	Ш	Ш
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\boxtimes		
	Protocol (see legal reference).		_	
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			<u></u> _
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
	·			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	TJ-4020TN	Logo	
Issue date *	11/November/2024		

Product environmental attributes - Market requirements (See General Note GN below) - Environmental conscious design Requirement met								
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No n.:					
P7	Design							
	Disassembly, recycling							
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes						
P7.2*	Plastic materials in covers/housing have no surface coating.							
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes						
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes						
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes						
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes						
	Product lifetime							
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes						
P7.8*	Upgrading can be done using commonly available tools	\boxtimes						
P7.9	Spare parts are available after end of production for: 7 years							
P7.10	Service is available after end of production for: 7 years							
	Material and substance requirements							
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: Material type: Material type: Material type:							
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes					
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes					
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.							
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all Z PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)							
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:							
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:							
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:							
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "							
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:							
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Issue date	*	11/Nov	ember/202	4								
Draduata	ny dronn	antal att	ributos N	larkat va	au irom onto	/oontin	uad\			Dogu	ikomoni	mot
Item	HIVIFORIII	entai att	ributes - N	narket re	quirements	(contin	uea)				<mark>iiremen</mark> t es No	n.a.
	Material a	and subst	ance requi	romonts (continued)					ı	C3 110	II.a.
P7.20*				•		in the nro	oduct (See NO	TE B6):				
	If YES; at a) Of to	least one	of the two a	lternatives nt > 25 g, t	s below shall b he postconsur	e answei	`	,	nt (calculate	ed as a		
	or b) The	weight of i	recycled ma	terial is	g.							
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):											
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of the biobased plastic material is g.											
P7.22*	Light sour	ces are fr		cury, i.e. le	ess than 0,1 m	ng/lamp.	m morouny con	tont nor lar	nn: n			
P8	Batteries		pecity. Nulli	DEI UI IAIII	po. and	ı maximu	m mercury cor	iterit per iar	πp. I	ng		
	Battery ch		mnosition:									
1 0.1	Battery on	Componer		M	aterial		CAS No.	Content (9	6)			
	Po	sitive elect	rode	Mangar	nese dioxide	13	313-13-9	12 - 50				
	Ne	gative elect	trode	Lithiu	um metal	74	139-93-2	0.5 - 6				
				1,2-dime	thoxyethane	1	10-71-4	1.5 - 3.5				
	Electrolyte		e	Lithium Perchlorate		77	791-03-9 0.2 - 0.					
				Organic electrolyte			- 2.5 - 7					
	O.I. //	S. 1 B.		Steel		7439-89	39-6, 7440-47-3 30 - 8					
	Otners(:	Steel or Pla	stic parts)	Polypropylene		90	003-07-0	0.5 - 10				
P9	Energy c	onsumpti	on (See NC	TE B8)								
P9.1	For the pr	oduct the	following po	wer levels	or energy cor	nsumption	ns are reported	<u>:</u>				
Energy mod	de *		Power I 100 V		Power lev		Power lev 230 V A		eference/St odes and te	andard for est method *	energy	
Sleep mode STAR® Op			W		W		W					
(OM) produ	cts											
Standby/off ENERGY S Mode (OM)	TAR Oper	rational	W		W		2.705 W		ОМ			Ш
TEC value for ENERGY STAR TEC products (TEC= Typical Energy Consumption)		kWl	Vh/week kWh/w		week	veek kWh/week						
			W		W		W					
		W		W		W						
		W		W		W						
			W		W		W					
			W		W		W					
	W W W											
External Po	wer Suppl	y Efficiend	y Level (Inte	ernational	Efficiency Ma	rking Prot	tocol) *: VI					
Print/Scan S	Speed 1	10 ips@20	3 dpi *	: .	24.7 ima	ges per n	ninute					
Default time	e to enter e	energy sav	ve mode:	minute	es							
P9.2*	P9.2* Information about the energy save function is provided with the product.											

Logo

Model number

TJ-4020TN

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	TJ-4020TN	Logo	
Issue date *	11/November/2024		

Product	environmental :	attributes - Market re	quirements (c	ontinued)			Require	ment	met
Item				-			Yes	No	n.a.
P10	Emissions								
	Noise emission	- Declared according to	ISO 9296 (See N	NOTE B9)					
P10.1	Mode	Mode description		Statistical upper L _{WA,c} (B)	er limit A-weigh	ited sound power	level,		
	Idle	*		*					\square
	Operation	*		*					X
	Other mode								
	Measured accord	ding to: SO 7779	ECMA-74 Other	(only if not cove	ered by FCMA	-74)			
	Chemical emiss	sions from printing prod			ored by Eown	17)			
P10.2*		according to ECMA-328 [n Rates from E	Electronic		\square	$\overline{}$
		(IEC 28360), other sp					ш		ш
P10.3		rate (operation phase) is							X
	,,	, ,	(0 /						
	Electrophotograp	ohic devices: Ozone	Dust	Styrene	Benzene	TVOC			\boxtimes
	Ink devices:		Dust	Styrene	Benzene	TVOC			$\overline{\boxtimes}$
	NOTE: complian	ce with maximum emissi	on rates in eco la	hele to he declare	d in D1/				
P11		aterials for printing pro-		ibels to be deciale	ZG 1111 14.				
P11.1*				eparation, even if	not legally reg	uired (see P4.3).			
P11.2*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3) Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.								
P11.3*		printing/copying is an inte	egrated product f	unction.				П	\square
P11.4*	The product is de	elivered to end-user with	default auto-dupl	lex enabled.				Ħ	\overline{X}
P13	Packaging and								
P13.1*	Product packagir Product packagir Product packagir	ng material type(s): Pap ng material type(s): PE ng material type(s): Tap	weight e weight	(kg):					
P13.2*	Product plastic p	rimary packaging is free	from PVC.					\boxtimes	
P13.3*	consumer recove	ary corrugated fiberboard ered fiber content:	%	•	percentage of	minimum post-			
P13.4*	Specify media for Electronic , P	or user and product docur	nentation (tick bo	ox):					
P13.5	(Please only com	nplete this item if paper d t documentation on pape							
	Totally chlorine-fi								
	Elemental chlorin						Ц		
	Processed chlori								
P14	Voluntary progr								
P14.1	The product mee	ets the requirements of th	e tollowing volun	tary program(s):					
	ENERGY STAR® Eco-label: Eco-label:	® Criteria vers Criteria vers Criteria vers	sion:	Date: 2021/12 Date: Date:	Product	category: Printe category: category:	er		

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	TJ-4020TN	Logo	
Issue date *	11/November/2024		

Produc	Product environmental attributes - Market requirements (concluded)					
P15	Additional information (See NOTE B11)					

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

I	Directive 2012/19/EU (WEEE directive)	P6.1
	Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
	Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment	
I	(WEEE) generated by weight in each Member State.	