

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand *                | Brother                               | Logo |
|------------------------|---------------------------------------|------|
| Company name *         | Brother International Europe          |      |
| Contact information *  | EUBIEEnvironmentalGroup@brother.co.uk |      |
| e-mail address         |                                       |      |
| Internet site *        | www.brother.com                       |      |
| Additional information |                                       |      |

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.

| Type of product *      | Label Printer  |
|------------------------|--|
| Commercial name *      | TJ-4021TNR   |
| Model number *         | TJ-4021TNR   |
| Issue date *           | 24/July/2024   |
| Intended market *      | 🗌 Global 🔀 Europe 🔲 Asia, Pacific & Japan 🗌 Americas 🗌 Other |
| Additional information |  |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1 Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

| 5              |              |      |  |
|----------------|--------------|------|--|
| Model number * | TJ-4021TNR   | Logo |  |
| Issue date *   | 24/July/2024 |      |  |

| Produc                | t environmental attributes - Legal requirements   | Require     | ement | t met       |
|-----------------------|---|-------------|-------|-------------|
| Item                  |   | Yes         | No    | n.a.        |
| P1                    | Hazardous substances and preparations   |             |       |             |
| P1.1*                 | Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)                          | $\boxtimes$ |       |             |
| P1.2*                 | Products do not contain Asbestos (see legal reference).   | $\square$   |       |             |
| <b>D</b> ( <b>a</b> ) | Comment: Legal reference has no maximum concentration value.  |             |       |             |
| P1.3*                 | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),  | $\boxtimes$ |       |             |
|                       | hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-                     |             |       |             |
|                       | trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum                          |             |       |             |
| 54.44                 | concentration values.   |             |       |             |
| P1.4*                 | Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated                        | $\bowtie$   |       |             |
| <b>D</b> 4 <b>C</b>   | terphenyl (PCT) in preparations (see legal reference).  |             |       |             |
| P1.5*                 | Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the                | e 🖂         |       |             |
|                       | chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).                                   |             |       |             |
| P1.6*                 | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm <sup>2</sup> /week |             |       |             |
|                       | (see legal reference).  |             |       |             |
|                       | Comment: Max limit in legal reference when tested according to EN1811:2011-5.   |             |       |             |
| P1.7*                 | REACH Article 33 information about substances in articles is available at (add URL or mail contact):                    | $\bowtie$   |       |             |
|                       | https://www.brother.eu/en/reach   |             |       |             |
| P2                    | Batteries   |             |       |             |
| P2.1*                 | If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal               | $\times$    |       |             |
|                       | symbol. Information on proper disposal is provided in user manual. (See legal reference)                                |             |       |             |
| P2.2*                 | Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal                  | X           |       |             |
|                       | reference)  |             |       |             |
| P2.3*                 | Batteries and accumulators are readily removable. (See legal reference)   | $\boxtimes$ |       |             |
| P3                    | Conformity verification & Eco design (ErP)  |             |       |             |
| P3.1*                 | The product is CE-marked to show conformance with applicable legal requirements (see legal reference).                  | X           |       |             |
|                       | The Declaration of Conformity can be requested at (add link or e-mail address):   |             |       |             |
|                       | https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=lptj4021tnreuk  |             |       |             |
| P3.2*                 | The product complies with the applicable Eco design Requirements for Energy-Related Products,                           |             |       | $\boxtimes$ |
|                       | (see legal reference).  |             |       |             |
|                       | Required information is; given in item P15 or added to this document,   |             |       | $\square$   |
|                       | available at (add URL):   |             |       |             |
| P4                    | Consumable materials  |             |       |             |
| P4.1*                 | If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater           |             |       | $\square$   |
|                       | than 0,01% (see legal reference and NOTE B1).   |             |       |             |
| P4.2*                 | If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see            |             |       | $\boxtimes$ |
|                       | legal reference)  |             |       |             |
| P4.3*                 | If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there             |             |       | $\square$   |
|                       | are Community workplace exposure limits, the product/packaging is adequately labeled according to                       |             |       |             |
|                       | applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available                 |             |       |             |
|                       | (see legal reference).  |             |       |             |
| P5                    | Product packaging   |             |       |             |
| P5.1*                 | Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and                            | $\square$   |       |             |
|                       | hexavalent chromium by weight of these together.  |             |       |             |
| P5.2*                 | The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s               | ;) 🔀        |       |             |
|                       | used (see legal reference).   | , <u>k</u>  |       |             |
| P5.3*                 | The product packaging material is free from ozone depleting substances as specified in the Montreal                     | $\boxtimes$ |       |             |
|                       | Protocol (see legal reference).   |             |       | <u> </u>    |
|                       | Comment: Legal reference has no maximum concentration values.   |             |       |             |
| P6                    | Treatment information   |             |       |             |
| P6.1*                 | Information for recyclers/treatment facilities is available (see legal reference).                                      | $\boxtimes$ |       |             |
|                       |   | <u> </u>    |       |             |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model nu | umber *                           | TJ-4021TNR   | Logo                   |           |             |          |
|----------|-----------------------------------|--|------------------------|-----------|-------------|----------|
| Issue da | ite *                             | 24/July/2024   |                        |           |             |          |
|          | Environn                          | mental attributes - Market requirements (See General Note GN below)<br>mental conscious design   |                        |           |             | nt met   |
| Item     |                                   | tory to fill in. Additional information regarding each item may be found under P14.  |                        | Yes       | No r        | i.a.     |
| P7       | Design                            | where requesting   |                        |           |             |          |
| P7.1*    |                                   | nbly, recycling<br>t have to be treated separately are easily separable  |                        |           |             |          |
| P7.2*    |                                   | aterials in covers/housing have no surface coating.  |                        |           |             | <u> </u> |
| P7.3*    |                                   |  |                        |           |             | <u> </u> |
|          |                                   | arts > 100 g consist of one material or of easily separable materials.   |                        |           | <u> </u>    | <u> </u> |
| P7.4*    | -                                 | arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.   |                        |           | <u> </u>    | <u> </u> |
| P7.5     |                                   | arts are free from metal inlays or have inlays that can be removed with commonly a   | vailable tools         |           |             |          |
| P7.6*    |                                   | e easily separable. (This requirement does not apply to safety/regulatory labels).   |                        | $\square$ |             |          |
|          | Product                           |  |                        |           |             |          |
| P7.7*    |                                   | g can be done e.g. with processor, memory, cards or drives   |                        |           |             |          |
| P7.8*    |                                   | g can be done using commonly available tools   |                        | $\square$ |             |          |
| P7.9     | Spare pa                          | rts are available after end of production for: <b>7</b> years  |                        |           |             |          |
| P7.10    | Service is                        | available after end of production for: <b>7</b> years  |                        |           |             |          |
|          |                                   | and substance requirements   |                        |           |             |          |
| P7.11*   |                                   | over/housing material type (e.g. plastics, metal, aluminum):<br>ype: <i>Plastics</i> Material type: Material   | type:                  |           |             |          |
| P7.12    | Insulatior                        | materials of external electrical cables are PVC free.  |                        |           | $\boxtimes$ |          |
| P7.13    | Insulatior                        | materials of internal electrical cables are PVC free.  |                        |           | $\boxtimes$ |          |
| P7.14    | weight (1<br>polyvinyl            | plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro<br>000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame<br>chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) cl<br>g more than 25% post-consumer recycled content. | retardants, a          | ind 🗌     |             |          |
| P7.15    |                                   | ircuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25<br>as defined in IEC 61249-2-21. (See NOTE B2)   | ōg 🗌 are I             | ow        | $\square$   |          |
| P7.16    | Marking:                          | arded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:   |                        |           | $\square$   |          |
| P7.17    |                                   | emical specifications of flame retardants in printed circuit boards > 25 g (without co<br>additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name:  | mponents):<br>, CAS #: |           |             |          |
|          |                                   | emical specifications of flame retardants in printed circuit boards (without compone<br>JISO 1043-4:   | nts) > 25 g            |           | $\square$   |          |
| P7.18    | concentra<br>1. Chemi<br>2. Chemi | and retarded plastic parts > 25 g contain the following flame retardant substances,<br>ations above 0,1%:<br>cal name: , CAS #: (See NOTE B4)<br>cal name: , CAS #: "  | /preparations          | in        |             |          |
|          | 3. Unemi                          | cal name: , CAS #: "   |                        |           |             |          |
|          | <u>Alt.</u> 2: Ch                 | emical specifications of flame retardants in plastic parts > 25 g according ISO 1043   | -4:                    |           | $\boxtimes$ |          |
| P7.19    | In plastic<br>assigned            | parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:   | have been              |           |             |          |

NOTE B3 and B4 A Guidance document on Chemical substances is available;

## see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

| Model nun                | nber *   | TJ-4021                                     | TNR                                      |                                 |                    |                  |                        |               | Logo                       |           |             |             |             |
|--------------------------|--|---|--|---------------------------------|--------------------|------------------|------------------------|---------------|----------------------------|-----------|-------------|-------------|-------------|
| Issue date               | *  | 24/July                                     | /2024                                    |                                 |                    |                  |                        |               |                            |           |             |             |             |
|                          |  |   |  |                                 |                    |                  |                        |               |                            |           |             |             |             |
| Product e                | environm   | nental atti                                 | ributes - N                              | larket re                       | quirements         | (contin          | ued)                   |               |                            | F         | Require     | ment        | met         |
| Item                     |  |   |  |                                 |                    |                  | ,                      |               |                            |           | Yes         | No          | n.a.        |
| <b>DT</b> 0.01           |  |   |  |                                 | continued)         |                  |                        |               |                            |           |             |             |             |
| P7.20*                   | Postcons   | umer recyc                                  | led plastic                              | material co                     | ontent is used     | in the pro       | oduct (See NO          | TE B6):       |                            |           |             | $\bowtie$   |             |
|                          | <ul> <li>If YES; at least one of the two alternatives below shall be answered;</li> <li>a) Of total plastic parts' weight &gt; 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %.</li> <li>or</li> <li>b) The weight of recycled material is g.</li> </ul> |   |  |                                 |                    |                  |                        |               |                            |           |             |             |             |
| P7.21*                   | Biobased   | l plastic ma                                | terial conte                             | nt is used                      | in the product     | (See NO          | TE B7):                |               |                            |           |             | $\boxtimes$ |             |
|                          | a) Of to<br>total<br>or<br>b) The  | otal plastic<br>l plastic by<br>weight of t | parts' weig<br>weight) is<br>he biobased | ht > 25 g,<br>%.<br>d plastic m | naterial is        | plastic ma<br>g. | ed;<br>aterial content | (calculate    | ed as a perc               | entage of |             |             |             |
| P7.22*                   |  |   | e from mer<br>becify: Num                |                                 | ess than 0,1 m     |                  | m mercury con          | tent ner l    | amn.                       | ma        | $\boxtimes$ |             |             |
| P8                       | Batteries  |   | Joony. Nulli                             |                                 | ipo. and           |                  |                        | iterit per la | anip.                      | mg        |             |             |             |
| P8.1*                    |  | hemical cor                                 | nposition:                               |                                 |                    |                  |                        |               |                            |           |             |             |             |
|                          |  | Componen                                    |  | M                               | aterial            | C                | AS No.                 | Content       | (%)                        |           |             |             |             |
|                          | Po   | ositive electr                              | ode                                      | Mangar                          | nese dioxide       | 13               | 13-13-9                | 12 - 50       | )                          |           |             |             |             |
|                          | Ne   | gative elect                                | rode                                     | Lithiu                          | um metal           | 74               | 39-93-2                | 0.5 - 6       | 5                          |           |             |             |             |
|                          |  |   |  | 1,2-dime                        | thoxyethane        | 1:               | 10-71-4                | 1.5 - 3.      | 5                          |           |             |             |             |
|                          |  | Electrolyte                                 | 2  | Lithium                         | Perchlorate        | 77               | 91-03-9                | 0.2 - 0.      | 7                          |           |             |             |             |
|                          |  |   |  | Organic                         | electrolyte        |                  | -                      | 2.5 - 7       | 7                          |           |             |             |             |
|                          |  |   |  |                                 | Steel              | 7439-89          | -6, 7440-47-3          | 30 - 85       | 5                          |           |             |             |             |
|                          | Others(  | Steel or Pla                                | stic parts)                              | Polyp                           | propylene          | 90               | 03-07-0                | 0.5 - 1       | 0                          |           |             |             |             |
| P9                       | Energy of  | consumption                                 | on (See NC                               | ,.                              |                    | I                |                        | I             |                            |           |             |             |             |
| P9.1                     | For the p  | roduct the f                                | following po                             | wer levels                      | or energy cor      | nsumptior        | ns are reported        | <u>:</u>      |                            |           |             |             |             |
| Energy mo                | de *   |   | Power I<br><b>100</b> \                  |                                 | Power lev<br>115 V |                  | Power leve<br>230 V A  |               | Reference/S<br>modes and t |           |             | energy      |             |
| Sleep mod                | e for ENE  | RGY   | W  | AU                              | W                  | AU               | 230 V A                |               |                            | connenie  |             |             | $\boxtimes$ |
| STAR® Op                 | erational I  |   |  |                                 |                    |                  |                        |               |                            |           |             |             |             |
| (OM) produ<br>Standby/of | <u>icts</u><br>f mode for  |   | W  |                                 | W                  |                  | 2.705 W                |               | ОМ                         |           |             |             |             |
| ENERGY S                 | STAR Ope   | rational                                    |  |                                 |                    |                  |                        |               | •                          |           |             |             |             |
| Mode (OM)<br>TEC value   |  |   | <i>L\\\</i>                              | h/week                          | kWh/\              | Nook             | kWh/v                  | vook          |                            |           |             |             |             |
| TEC produ                |  |   |  | II/WEEK                         |                    | WEEK             |                        | VEEK          |                            |           |             |             | $\boxtimes$ |
| Energy Co                |  |   |  |                                 |                    |                  |                        |               |                            |           |             |             |             |
|                          |  |   | W  |                                 | W                  |                  | W                      |               |                            |           |             |             |             |
|                          |  |   | W  |                                 | W                  |                  | W                      |               |                            |           |             |             |             |
|                          |  |   | W  |                                 | W                  |                  | W                      |               |                            |           |             |             |             |
|                          |  | W   |  | W                               |                    | W                |                        |               |                            |           |             |             |             |
|                          |  |   | W  |                                 | W                  |                  | W                      |               |                            |           |             |             |             |
|                          |  |   | W  |                                 | W                  |                  | W                      |               |                            |           |             |             |             |
| External Po              | ower Supp  | ly Efficienc                                | y Level (Inte                            | ernational                      | Efficiency Ma      | rking Prot       | ocol) * : 🛛 🖊          |               |                            |           |             |             |             |
| Print/Scan               | Speed  | 10 ips@20                                   | 3 dpi *                                  | :                               | <b>24.7</b> imag   | ges per m        | ninute                 |               |                            |           |             |             |             |
| Default time             | e to enter   | energy sav                                  | e mode:                                  | minute                          | es                 |                  |                        |               |                            |           |             |             | $\boxtimes$ |
| P9.2*                    | Informatio   | on about th                                 | e energy sa                              | ave functio                     | n is provided      | with the p       | roduct.                |               |                            |           | $\boxtimes$ |             |             |
|                          |  |   |  |                                 |                    |                  |                        |               |                            |           |             |             |             |

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

| Model number * | TJ-4021TNR   | Logo |  |
|----------------|--------------|------|--|
| Issue date *   | 24/July/2024 |      |  |

| Product | oduct environmental attributes - Market requirements (continued)   |  |                  |  |                  |  |             |      | ement     | met         |
|---------|--|--|------------------|--|------------------|--|-------------|------|-----------|-------------|
| Item    |  |  |                  |  |                  |  |             | Yes  | No        | n.a.        |
| P10     | Emissions  |  |                  |  |                  |  |             |      |           |             |
|         | Noise emission   | <ul> <li>Declared according to</li> </ul>                          | ISO 9296 (S      | ee NOTE <b>B9</b> )                    |                  |  |             |      |           |             |
| P10.1   | Mode   | Mode description   |                  | Statistical u<br>L <sub>WA,c</sub> (B) | pper limit A     | -weighted sound  | l power lev | /el, |           |             |
|         | Idle   | *  |                  | *                                      |                  |  |             |      |           | $\square$   |
|         | Operation  | *  |                  | *                                      |                  |  |             |      |           |             |
|         | Other mode   |  |                  |  |                  |  |             |      |           |             |
|         | Measured accor   | rding to: 🗌 ISO 7779 🗌   | ECMA-74<br>Other | (only if not c                         | covered by I     | =CMA-74)   |             |      |           |             |
|         | Chemical emis  | sions from printing prod   |                  |  |                  |  |             |      |           |             |
| P10.2*  | Test performed   | according to ECMA-328 D  | etermination     | n of Chemical Emis                     | sion Rates       | from Electronic  |             |      | $\square$ |             |
|         |  | /IEC 28360), other spe   |                  |  |                  |  |             |      |           |             |
| P10.3   | Typical emission   | n rate (operation phase) is  | (mg/h):          |  |                  |  |             |      |           | $\boxtimes$ |
|         | Electrophotogra<br>Ink devices:  | phic devices: Ozone  | Dust<br>Dust     | Styrene<br>Styrene                     | Benzei<br>Benzei |  |             |      |           | $\boxtimes$ |
|         | NOTE: compliar   | nce with maximum emissio   | on rates in ed   | co labels to be dec                    | lared in P14     | 1.   |             |      |           |             |
| P11     |  | aterials for printing proc   |                  |  |                  |  |             |      |           |             |
| P11.1*  | A Safety Data S  | heet (SDS) is available for  | r the ink/tone   | er preparation, eve                    | n if not lega    | Illy required (see                                       | P4.3).      |      |           | $\square$   |
| P11.2*  | Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.   |  |                  |  |                  |  |             |      |           | $\boxtimes$ |
| P11.3*  | 2-sided (duplex)   | ) printing/copying is an inte                                      | egrated prod     | uct function.                          |                  |  |             |      |           | $\boxtimes$ |
| P11.4*  | The product is d   | lelivered to end-user with   | default auto-    | duplex enabled.                        |                  |  |             |      |           | $\square$   |
| P13     | Packaging and  | documentation  |                  |  |                  |  |             |      |           |             |
| P13.1*  | Product packaging material type(s):       Paper       weight (kg):         Product packaging material type(s):       PE       weight (kg):         Product packaging material type(s):       Tape       weight (kg): |  |                  |  |                  |  |             |      |           |             |
| P13.2*  |  | primary packaging is free f  |                  |  |                  |  |             |      | $\square$ |             |
| P13.3*  | consumer recov   | nary corrugated fiberboard<br>rered fiber content:                 | %                |  | ned percent      | age of minimum   | post-       |      |           | $\boxtimes$ |
| P13.4*  |  | or user and product docum<br>Paper 🔀, Other 🗌                      | nentation (tic   | k box):                                |                  |  |             |      |           |             |
| P13.5   | (Please only cor   | nplete this item if paper do                                       |                  |  |                  |  |             |      |           |             |
|         | Totally chlorine-free<br>Elemental chlorine-free   |  |                  |  |                  |  |             |      |           |             |
|         | Processed chlorine-free  |  |                  |  |                  |  |             |      |           |             |
| P14     | Voluntary prog   | rams:  |                  |  |                  |  |             |      |           |             |
| P14.1   |  | ets the requirements of the  | e following v    | oluntary program(s                     | s):              |  |             |      |           |             |
|         | ENERGY STAR<br>Eco-label:<br>Eco-label:  | ® Criteria vers<br>Criteria vers<br>Criteria vers<br>Criteria vers | ion:             | Date: <b>202</b> 1<br>Date:<br>Date:   | P                | roduct category:<br>roduct category:<br>roduct category: |             |      |           |             |

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

| J-4021TNR   | Logo |  |
|-------------|------|--|
| 4/July/2024 |      |  |
|             |      |  |

| Product environmental attributes - Market requirements (concluded) Requirement |                                       |  |  |  |  |  |
|--|---------------------------------------|--|--|--|--|--|
| P15  | Additional information (See NOTE B11) |  |  |  |  |  |
|  |                                       |  |  |  |  |  |
|  |                                       |  |  |  |  |  |
|  |                                       |  |  |  |  |  |

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

| Reference  | Declaration item             |
|--|------------------------------|
|  |                              |
| Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.   | P1.1, P3.1, P4.1             |
| Commission Regulation (EC) 1907/2006 (REACH<br>Regulation), annex XVII   | P1.2, P1.4, P1.6, P1.7, P4.2 |
| Commission Regulation (EC) 1907/2006 (REACH<br>Regulation), annex VII  | P1.10                        |
| Commission Regulation (EC) 1907/2006 (REACH<br>Regulation), Article 31, annex II)  | P4.3                         |
| Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)  | P1.3, P5.3                   |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002   | P1.5                         |
| Directive 2006/66/EC (Battery and accumulators<br>Directive), as amended.*<br>* These provisions shall not apply where, for safety,<br>performance, medical or data integrity reasons, continuity of<br>power supply is necessary and requires a permanent<br>connection between the appliance and the battery or<br>accumulator.              | P2.1, P2.2, P2.3, P8.1       |
| Directive 2014/35/EU (Low Voltage Directive)   | P3.1                         |
| Directive 2014/30/EU (EMC Directive)   | P3.1                         |
| Directive 2014/53/EU (RE Directive)  | P3.1                         |
| Commission Regulation (EC) No 1275/2008<br>implementing Directive 2005/32/EC of the European<br>Parliament and of the Council with regard to ecodesign<br>requirements for standby and off mode electric power<br>consumption of electrical and electronic household and<br>office equipment (Standby Regulation)                              | P3.1, P3.2, P9.1             |
| Commission Regulation (EC) 801/2013 amending<br>Regulation (EC) No 1275/2008 with regard to ecodesign<br>requirements for standby, off mode electric power<br>consumption of electrical and electronic household and<br>office equipment, and amending Regulation (EC) No<br>642/2009 with regard to ecodesign requirements for<br>televisions |                              |
| Commission Regulation (EC) No 278/2009 of 6 April<br>2009 implementing Directive 2005/32/EC of the<br>European Parliament and of the Council with regard to<br>ecodesign requirements for no-load condition electric<br>power demand and average active efficiency of external<br>power supplies   | P3.1, P3.2, P9.1             |
| Commission Regulation (EC) 1272/2008 (CLP<br>Regulation)   | P4.3, P7.19                  |
| Directive 2004/12/EC (Packaging Directive)   | P5.1                         |
| Decision 97/129/EC (Secondary packaging legislation)   | P5.2                         |

| Directive 2012/19/EU (WEEE directive)  | P6.1 |
|--|------|
| Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.  |      |
| Commission Implementing Regulation 2017/699<br>establishing a common methodology for the calculation<br>of the weight of electrical and electronic equipment<br>(EEE) placed on the national market in each Member<br>State and a common methodology for the calculation of<br>the quantity of waste electrical and electronic equipment<br>(WEEE) generated by weight in each Member State. |      |