



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	EUBIEEnvironmentalGroup@brother.co.uk	
e-mail address		
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statements given in this declaration.					
Type of product *	Label Printer				
Commercial name *	TJ-4121TN				
Model number *	TJ-4121TN				
Issue date *	24/July/2024				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	TJ-4121TN	Logo	
Issue date *	24/July/2024		

Product	environmental attributes - Legal requirements	Requirement me		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X	П	
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		ш	
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	e 🔀		
P1.6*	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		$\overline{}$	
F 1.0	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference).		Ш	Ш
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	https://www.brother.eu/en/reach			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	\boxtimes		
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)			Ш
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):			
	https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=lptj4121tneuk			
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products,	\neg	П	\boxtimes
1 0.2	(see legal reference).			
	Required information is; given in item P15 or added to this document,			\boxtimes
	available at (add URL):			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater			\boxtimes
	than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there			X
	are Community workplace exposure limits, the product/packaging is adequately labeled according to		_	
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	\boxtimes		
D	hexavalent chromium by weight of these together.	<u> </u>		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s used (see legal reference).	s) <u>×</u>	Ш	Ш
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\boxtimes		
	Protocol (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	TJ-4121TN	Logo	
Issue date *	24/July/2024		

	t environmental attributes - Market requirements (See General Note GN below) Environmental conscious design	Regui	irement	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No n.:	
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: Material type: Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all \boxtimes PCBs > 25 g \square are low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Issue date	*	24/July	//2024									
D 1 1						1			•	D	•	44
Item	nvironm	ental atti	ributes - N	larket re	quirements	(contin	ued)			Requ Ye	iremer es No	
	Material a	nd subst	ance requi	rements (continued)					1.0	55 INC	ii.a.
P7.20*						in the pro	duct (See NO	TE B6):				
	If YFS: at	least one	of the two a	Iternatives	s below shall b	e answer	ed·					
	a) Of to perce	tal plastic		nt > 25 g, t	he postconsur		led plastic mat	erial conte	nt (calculate	ed as a		
	or b) The	weight of r	ecycled ma	terial is	g.							
P7.21*					in the product	(See NO	TE B7):					
	a) Of to total or	otal plastic plastic by		ht > 25 g, %.			ed; aterial content	(calculated	l as a perce	entage of		
P7.22*	Light sour	ces are fre		cury, i.e. le	ess than 0,1 m		m mercury con	tent per la	mp: n	ng		
P8	Batteries		•				,	· ·	•	-		
P8.1*	Battery ch	emical co	mposition:									
		Componer	nt	M	aterial	С	AS No.	Content (%)			
	Po	sitive electi	rode	Mangar	nese dioxide	13	13-13-9	12 - 50				
	Neg	gative elect	rode	Lithiu	um metal	74	39-93-2	0.5 - 6				
				1,2-dime	thoxyethane	1:	10-71-4	1.5 - 3.5				
		Electrolyte	9	Lithium	Perchlorate	77	91-03-9	0.2 - 0.7				
				Organic	electrolyte		-	2.5 - 7				
	Others(S	Steel or Pla	stic parts)		Steel		-6, 7440-47-3	30 - 85				
P9	Engrave	onoumnti	on (See NC		propylene	90	03-07-0	0.5 - 10				
P9.1					or energy cor	sumption	ns are reported	·				
Energy mod			Power I	evel at	Power lev	vel at	Power leve	el at R	eference/St	andard for	energ	у 🔲
Sloop mode	for ENES	ocv.	W	AC	W	40	W W	.C 11	oues and te	Striethou		
Sleep mode STAR® Op (OM) produ	erational N		VV		VV		VV					
Standby/off ENERGY S	mode for	ational	W		W		2.705 W		ОМ			
Mode (OM)	products											
TEC value to TEC product Energy Cor	cts (TEC=	Typical	kWl	h/week	kWh/\	week	kWh/v	veek				
			W		W		W					
			W		W		W					
		W W W										
			W		W		W					
			W		W		W					
			W		W		W					
External Po	wer Suppl	y Efficienc	y Level (Inte	ernational	Efficiency Mai	king Prot	ocol) *: VI					
Print/Scan S	Speed 1	0 ips@20	3 dpi *	: .	24.7 imag	ges per m	inute					
Default time	e to enter e	energy sav	e mode:	minute	es							
P9.2*	Informatio	n about th	e energy sa	ve functio	n is provided v	with the p	roduct.	1				
<u> </u>												

Logo

TJ-4121TN

Model number

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	TJ-4121TN	Logo	
Issue date *	24/July/2024		

Product	duct environmental attributes - Market requirements (continued)								met
Item							Yes	No	n.a.
P10	Emissions								
		 Declared according to 	ISO 9296 (See No	· · · · · · · · · · · · · · · · · · ·					
P10.1	Mode	Mode description		Statistical upper line $L_{WA,c}$ (B)	mit A-weigh	ted sound power	level,		
	Idle	*		*					\boxtimes
	Operation	*		*					X
	Other mode								
	Measured accord	ding to: ISO 7779	ECMA-74 Other	(only if not covered	d by ECMA-	-74)			
		sions from printing proc							
P10.2*	J 3 1								
		(IEC 28360), other sp							
P10.3	Typical emission	rate (operation phase) is	(mg/h):						\boxtimes
	Electrophotograp	phic devices: Ozone	Dust Dust	,	enzene enzene	TVOC TVOC			\boxtimes
	NOTE: compliance with maximum emission rates in eco labels to be declared in P14.								
P11		aterials for printing pro-							
P11.1*		neet (SDS) is available fo							\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.								
P11.3*	2-sided (duplex)	printing/copying is an inte	egrated product fu	inction.					\boxtimes
P11.4*	The product is de	elivered to end-user with	default auto-duple	x enabled.					\boxtimes
P13	Packaging and	documentation							
P13.1*	Product packagir Product packagir Product packagir	ng material type(s): Pap ng material type(s): PE ng material type(s): Tap	weight (F e weight (F	κg):					
P13.2*	Product plastic p	rimary packaging is free	from PVC.					\boxtimes	
P13.3*		ary corrugated fiberboardered fiber content:	l packaging, speci %	ify the contained per	centage of	minimum post-			
P13.4*	Specify media fo	or user and product documents of the product of the	nentation (tick box	() :					
P13.5	(Please only com	nplete this item if paper det t documentation on pape							
	Totally chlorine-f	ree							
	Elemental chlorine-free								
	Processed chlori	ne-free					Ħ		
P14	Voluntary progr	rams:							
P14.1		ets the requirements of th	e following volunta	ary program(s):					
	ENERGY STAR© Eco-label: Eco-label:	8 Criteria vers Criteria vers Criteria vers	sion:	Date: 2021/12/10 Date: Date:	Product	category: Print category: category:	er		

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	TJ-4121TN	Logo	
Issue date *	24/July/2024		

Pro	Product environmental attributes - Market requirements (concluded)					
P15	5 Additional information (See NOTE B11)					

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

I	Directive 2012/19/EU (WEEE directive)	P6.1
	Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
	Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment	
I	(WEEE) generated by weight in each Member State.	