

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	EUBIEEnvironmentalGroup@brother.co.uk	
e-mail address		
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.

Type of product *	Label Printer
Commercial name *	TJ-4121TNR
Model number *	TJ-4121TNR
Issue date *	24/July/2024
Intended market *	🔄 Global 🔀 Europe 📃 Asia, Pacific & Japan 🔛 Americas 📃 Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1 Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

5			
Model number *	TJ-4121TNR	Logo	
Issue date *	24/July/2024		

Product	environmental attributes - Legal requirements	Require	ement	met
Item	<u> </u>	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\square		
P1.2*	Products do not contain Asbestos (see legal reference).			
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\square		
D4 5t	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	э 🖂		
P1.6*	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6"	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm ² /week			
	(see legal reference).			
P1.7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5. REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\square		
P1./	https://www.brother.eu/en/reach			
50				
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal			
F2.2	reference)	\bowtie		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).			
1 0.1	The Declaration of Conformity can be requested at (add link or e-mail address):			
	https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=lptj4121tnreuk			
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products,			\square
-	(see legal reference).			
	Required information is; given in item P15 or added to this document,			\boxtimes
	available at (add URL):			-
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater			\boxtimes
	than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see			\boxtimes
	legal reference)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there			\boxtimes
	are Community workplace exposure limits, the product/packaging is adequately labeled according to			
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
_	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	\bowtie		
	hexavalent chromium by weight of these together.			_
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s used (see legal reference).	s) 🔀		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal			_
F0.0	Protocol (see legal reference).	\bowtie		
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * Issue date *		TJ-4121TNR	Logo			
		24/July/2024				
	Environn	mental attributes - Market requirements (See General Note GN below) nental conscious design		Requi	remei	nt met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No r	n.a.
P7	Design					
P7.1*		nbly, recycling t have to be treated separately are easily separable				
					<u> </u>	<u> </u>
P7.2*		aterials in covers/housing have no surface coating.			<u> </u>	<u> </u>
P7.3*	•	arts > 100 g consist of one material or of easily separable materials.		\square		
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes		
P7.5	•	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.	\square		
P7.6*	Labels ar	e easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes		
	Product					
P7.7*	Upgradin	g can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradin	g can be done using commonly available tools		\boxtimes		
P7.9	Spare pa	rts are available after end of production for: 7 years				
P7.10	Service is	s available after end of production for: 7 years				
	Material	and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: <i>Plastics</i> Material type: Material	type:			
P7.12		materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulatior	n materials of internal electrical cables are PVC free.				
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) cl g more than 25% post-consumer recycled content.	retardants, ar	nd		
P7.15		circuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 as defined in IEC 61249-2-21. (See NOTE B2)	ōg 🗌 are lo	w 🗌	\square	
P7.16	Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			\square	
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without co additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name:	mponents): , CAS #:		\boxtimes	
	according	emical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	, 0		\square	
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances, ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	/preparations	in		
	J. Chemi	σ π σ π σ π σ π σ			\boxtimes	
	<u>Alt. 2: </u> Ch	emical specifications of flame retardants in plastic parts > 25 g according ISO 1043	-4:			
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:				

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

Model nur	mber * TJ-412	ITNR						Logo				
Issue date	e * 24/July	//2024						_				
Product	environmental att	ributes - N	Aarket re	quirements	(contin	ued)			Req	uirer	nent	met
Item									١	/es	No	n.a.
D7 20 *	Material and subst											
P7.20*	Postconsumer recy	cled plastic	material co	ontent is used	in the pro	oduct (See NO	TE B6):		l		\bowtie	Ш
	If YES; at least one a) Of total plastic percentage of or b) The weight of t	parts' weig total plastic recycled ma	ht > 25 g, t by weight) iterial is	the postconsul) is %. g.	mer recyc	cled plastic mat	erial conte	ent (calculate	ed as a			
P7.21*	Biobased plastic ma	aterial conte	nt is used	in the product	(See NO	TE B7):			[\boxtimes	
	If YES; at least one a) Of total plastic total plastic by or b) The weight of t	parts' weig weight) is he biobase	ht > 25 g, %. d plastic m	the biobased	plastic m g.		(calculate	d as a perce	entage of			
P7.22*	Light sources are front If mercury is used s					m mercury con	tont nor la	mp: r		\boxtimes		
P8	Batteries	peony. Null		po. and			tent per la	anp. I	ng			
P8.1*	Battery chemical co	mposition:										
	Componer		M	aterial	0	CAS No.	Content ((%)				
	Positive elect	rode	Mangar	nese dioxide	13	313-13-9	12 - 50)				
	Negative elect	rode	Lithiu	um metal	74	139-93-2	0.5 - 6					
			1,2-dime	thoxyethane	1	10-71-4	1.5 - 3.	5				
	Electrolyt	e		Perchlorate	77	/91-03-9	0.2 - 0.	7				
	,		Organic	electrolyte		-	2.5 - 7					
			_	Steel	7439-89)-6, 7440-47-3	30 - 85					
	Others(Steel or Pla	stic parts)		propylene		03-07-0	0.5 - 10					
P9	Energy consumpti	on (See NC	<i>,</i> .	, op fielde			010 10					
P9.1	For the product the	•		or energy co	nsumptio	ns are reported	<u>:</u>					
Energy mo	ode *	Power	evel at	Power le	vel at	Power lev	elat F	Reference/St	andard for	en	ergy	
0,		100 \	/ AC	115 V .	AC	230 V A		nodes and te			0,	
	de for ENERGY perational Mode	W		W		W						\square
Standby/of ENERGY	ff mode for STAR Operational	W		W		2.705 W		ОМ				
TEC produ	or ENERGY STAR acts (TEC= Typical onsumption)	kW	h/week	ek kWh/week		kWh/week						
Linergy CO	noumpdony	w		W		W						
		W		W		W						
		W		W		W						
		VV				W						<u> </u>
							1					
		W		W		۱۸/						
		W W		W		W						
External P	Nower Supply Efficience	W W W	ernational	W W	rking Prot	W						
	ower Supply Efficience	W W W cy Level (Int		W W Efficiency Ma	-	W tocol) * : V/						
Print/Scan	Speed 10 ips@20	W W W cy Level (Int	:	W W Efficiency Ma 24.7 imag	rking Prot ges per n	W tocol) * : V/						
Print/Scan		W W Sy Level (Int 3 dpi * re mode:	minut	W W Efficiency Ma 24.7 ima es	ges per n	W tocol) * : VI ninute						

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

Model number *	TJ-4121TNR	Logo	
Issue date *	24/July/2024		

Product	t environmental	attributes - Market re	quirements	s (continued)			R	equire	ement	met
Item								Yes	No	n.a.
P10	Emissions									
	Noise emission	 Declared according to 	ISO 9296 (S							
P10.1	Mode	Mode description		Statistical u L _{WA,c} (B)	pper limit A-w	eighted sound	power leve	el,		
	Idle	*		*						\square
	Operation	*		*						
	Other mode	Other mode								
	Measured according to: ISO 7779 ECMA-74									
	Chemical emiss	sions from printing proc	lucts (See N		,	,				
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic								\square	
		/IEC 28360) 📃, other sp								
P10.3	Typical emissior	n rate (operation phase) is	s (mg/h):							\boxtimes
			_	_	_					_
		phic devices: Ozone	Dust	Styrene	Benzene					\bowtie
	Ink devices:		Dust	Styrene	Benzene	TVOC				\bowtie
	NOTE: compliar	nce with maximum emissi	on rates in ec	o labels to be dec	lared in P14.					
P11		aterials for printing pro-								
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).						P4.3).			\boxtimes
P11.2*	EN 12281.	g post-consumer recycled		•	nat it meets th	e requirements	s of			\boxtimes
P11.3*	2-sided (duplex)	printing/copying is an int	egrated produ	uct function.						\boxtimes
P11.4*	The product is d	elivered to end-user with	default auto-	duplex enabled.						\boxtimes
P13	Packaging and	documentation								
P13.1*	Product packaging material type(s): Paper weight (kg): Product packaging material type(s): PE weight (kg): Product packaging material type(s): Tape weight (kg): Product plastic primary packaging is free from PVC. Image: Comparison of the primary packaging is free from PVC.									
P13.3*						.	4		\boxtimes	
	consumer recov	nary corrugated fiberboard ered fiber content:	%		led percentag	e of minimum p	DOST-			
P13.4*		or user and product docur Paper 🔀, Other 🗌	nentation (tic	k box):						
P13.5	(Please only cor	nplete this item if paper d ot documentation on pape								
	Totally chlorine-	free								
	Elemental chlorine-free							Н		
	Processed chlor	ine-free						H		
P14	Voluntary prog	rams:								
P14.1		ets the requirements of th	e following vo	oluntary program(s	;):					
	ENERGY STAR			Date: 2021		duct category:	Printer			
	Eco-label:	Criteria ver		Date:		luct category:				
	Eco-label:	Criteria ver	sion:	Date:	Proc	duct category:				

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	TJ-4121TNR	Logo	
Issue date *	24/July/2024]	

Product environmental attributes - Market requirements (concluded) Requirement					
P15	Additional information (See NOTE B11)				

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	