



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	EUBIEEnvironmentalGroup@brother.co.uk	
e-mail address		
Internet site *	www.brother.com	
Additional information		

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Label Printer
Commercial name *	TJ-4520TN
Model number *	TJ-4520TN
Issue date *	5/July/2024
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	TJ-4520TN	Logo	
Issue date *	5/July/2024		

. roudet	environmental attributes - Legal requirements	Require		met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes	П	
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		ш	
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	· 🔀		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above $0.5~\mu g/cm^2/week$	\boxtimes		
	(see legal reference).			
5.4.5	Comment: Max limit in legal reference when tested according to EN1811:2011-5.		_	
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes	Ш	
	https://www.brother.eu/en/reach			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	\boxtimes		
D0.0*	symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal		_	
P2.2*	reference)		Ш	
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\square	П	
P3	Conformity verification & Eco design (ErP)		<u> </u>	
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).		$\overline{}$	$\overline{}$
1 3.1	The Declaration of Conformity can be requested at (add link or e-mail address):		Ш	
	https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=lptj4520tneuk			
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products.			\boxtimes
	(see legal reference).			
	Required information is; given in item P15 or added to this document,			
	available at (add URL):			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater		П	X
	than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there			X
	are Community workplace exposure limits, the product/packaging is adequately labeled according to			
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and			
D	hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(sused (see legal reference).) 🔀		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\boxtimes		
	Protocol (see legal reference).	_	_	
D.	Comment: Legal reference has no maximum concentration values.			
	Treatment information	<u> </u>	_	
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	TJ-4520TN	Logo	
Issue date *	5/July/2024		

Product environmental attributes - Market requirements (See General Note GN below)								
-	Environmental conscious design	Requir	ement	met				
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No n.a					
P7	Design							
D= 44	Disassembly, recycling							
P7.1*	Parts that have to be treated separately are easily separable		<u> </u>					
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes						
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes						
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes						
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes						
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes						
	Product lifetime							
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes						
P7.8*	Upgrading can be done using commonly available tools	\boxtimes						
P7.9	Spare parts are available after end of production for: 7 years							
P7.10	Service is available after end of production for: 7 years							
	Material and substance requirements							
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: Material type: Material type:							
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes					
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes					
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.							
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all \boxtimes PCBs > 25 g \square are low halogen as defined in IEC 61249-2-21. (See NOTE B2)							
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		\boxtimes					
	Marking:							
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):		\boxtimes					
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			Ш				
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:							
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "							
D7.40	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:							
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model num	nber *	TJ-4520	OTN						Logo				
Issue date		5/July/							9-				
issue date		3/July/	2024										
Product e	environm	ental att	ributes - Ma	arket re	quirements (c	contin	ued)			F	Require	ment	met
Item											Yes	No	n.a.
	Material a	nd subst	ance require	ments (continued)								
P7.20*		•	•			-	oduct (See NOTE	B6):			Ш		Ш
	a) Of to	tal plastic		> 25 g, t			ed; led plastic materia	al conten	t (calculate	ed as a			
			ecycled mate		g.								
P7.21*	Biobased	plastic ma	aterial content	is used	in the product (S	See NO	TE B7):						
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or												
P7.22*			he biobased		aterial is <u> </u>	g. /lamn							
			pecify: Numb				m mercury conten	t per lam	p: r	ng		ш	
P8	Batteries												
P8.1*	Battery ch		•			1		1					
	_	Compone			Material		CAS No.	Content					
	-	sitive elect			anese dioxide		1313-13-9	12 - 5					
	Ne	gative elec	trode		nium metal nethoxyethane		7439-93-2		0.5 - 6 1.5 - 3.5				
		Electrolyt			m Perchlorate	110-71-4 7791-03-9			0.2 - 0.7				
		2.000.01,			anic electrolyte		-	2.5 -					
	Oth and	Ctool or Di			Steel	7439	-89-6, 7440-47-3	30 - 8					
	Others(Steel or Pla	astic parts)	Pol	ypropylene		9003-07-0	0.5 - 2	10				
P9			on (See NOT										
P9.1	For the pro	oduct the	following pow	er levels	or energy consu	umptior	ns are reported:						
Energy mod	de *		Power let 100 V		Power level		Power level a 230 V AC		ference/St des and te			nergy	
Sleep mode			W		W		W						X
STAR® Op (OM) produ		lode											
Standby/off mode for ENERGY STAR Operational Mode (OM) products		W		W		2.436 W		OM					
TEC value		Y STAR	kWh/	week	kWh/we	ek	kWh/wee	k					X
TEC products (TEC= Typical Energy Consumption)												_	
		W		W		W							
		W		W		W							
			W		W		W						
			W		W		W						
			W		W		W						
			W		W		W						
External Po	wer Suppl	y Efficiend	y Level (Inter	national	Efficiency Marki	ng Prot	ocol) *: VI						

images per minute

Print/Scan Speed 14 ips @ 203 DPi*

P9.2*

Default time to enter energy save mode:

34.67

minutes

Information about the energy save function is provided with the product.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	TJ-4520TN	Logo	
Issue date *	5/July/2024		

Product	environmental a	attributes - Market re	equirements (c	continued)			Require	ment	met
Item				,			Yes	No	n.a.
P10	Emissions								
		- Declared according to	ISO 9296 (See	NOTE B9)					
P10.1	Mode	Mode description			per limit A-wei	ghted sound powe	er level,		
	Idle	*		*					
	Operation	*		*					Ħ
	Other mode								
	Measured accord	ding to: SO 7779	ECMA-74 Other	(only if not or	word by ECN	10.74)			
	Chamical amica	iono from printing pro			overed by ECM	IA-74)			
P10.2*	Toot performed of	ions from printing pro according to ECMA-328	Determination of	Chamical Emiss	ion Doton from	a Electronia			_
F 10.2	•	(EC) = (EC)(A-326)		Chemical Emiss	Sion Rates Iron	II Electronic			
P10.3		rate (operation phase) i							$\overline{}$
1 10.0	r ypiodi cirilodiciri	rate (operation phase)	o (mg/m/.						Ш
	Electrophotograp	hic devices: Ozone	Dust Dust	Styrene Styrene	Benzene Benzene	TVOC TVOC			H
	NOTE: complian	aa with mayimum amiaai	ion rotoo in ooo le	abala ta ba daala	arad in D11				ш
P11		ce with maximum emissing terials for printing pro		abels to be decia	ared III P 14.				
P11.1*				renaration even	if not legally r	equired (see D4.3)		$\overline{}$	
P11.2*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).							₩	
	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. 2-sided (duplex) printing/copying is an integrated product function.							<u> </u>	
P11.3*			· .					Щ.	
P11.4*	· · · · · · · · · · · · · · · · · · ·	elivered to end-user with	default auto-dup	olex enabled.				Ш	\boxtimes
P13	Packaging and			<i>a</i> >					
P13.1*	Product packagir	ng material type(s): Pap ng material type(s): PE ng material type(s): Tap	weight	(kg):					
P13.2*		rimary packaging is free						\boxtimes	
P13.3*		ary corrugated fiberboardered fiber content:	d packaging, spe	ecify the containe	ed percentage	of minimum post-			
P13.4*		r user and product docu		ox):					
P13.5	(Please only com	nplete this item if paper of the documentation on paper of the documentation o							
	Totally chlorine-f								
	Elemental chlorin								
	Processed chlori								
P14	Voluntary progr		- fellowing t						
P14.1	The product mee	ets the requirements of the	ne following volur	ntary program(s)	1				
	ENERGY STARGECO-label:	© Criteria ver Criteria ver Criteria ver	rsion:	Date: 2020 / Date: Date:	Produ	ict category: Prin	iter		

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	TJ-4520TN	Logo	
Issue date *	5/July/2024		

Product	Requirement met	
P15	Additional information (See NOTE B11)	

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

I	Directive 2012/19/EU (WEEE directive)	P6.1
	Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
	Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment	
I	(WEEE) generated by weight in each Member State.	