



## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand *                | Brother                               | Logo |
|------------------------|---------------------------------------|------|
| Company name *         | Brother International Europe          |      |
| Contact information *  | EUBIEEnvironmentalGroup@brother.co.uk |      |
| e-mail address         |                                       |      |
| Internet site *        | www.brother.com                       |      |
| Additional information |                                       |      |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. |  |  |  |  |  |
|--|--|--|--|--|--|
| Type of product *  | Label Printer  |  |  |  |  |
| Commercial name *  | TJ-4522TN  |  |  |  |  |
| Model number *   | TJ-4522TN  |  |  |  |  |
| Issue date *   | 5/July/2024  |  |  |  |  |
| Intended market *  | ☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other |  |  |  |  |
| Additional information   |  |  |  |  |  |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

| Model number * | TJ-4522TN   | Logo |
|----------------|-------------|------|
| Issue date *   | 5/July/2024 |      |

| Product | environmental attributes - Legal requirements  | Require     | met               |             |
|---------|--|-------------|-------------------|-------------|
| Item    |  | Yes         | No                | n.a.        |
| P1      | Hazardous substances and preparations  |             |                   |             |
| P1.1*   | Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)   | $\boxtimes$ |                   |             |
| P1.2*   | Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.  |             |                   |             |
| P1.3*   | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),   | $\boxtimes$ | П                 |             |
|         | hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-  |             | ш                 |             |
|         | trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum   |             |                   |             |
|         | concentration values.  |             |                   |             |
| P1.4*   | Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).  |             |                   |             |
| P1.5*   | Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). | ; <u></u>   |                   |             |
| P1.6*   | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week   |             | $\overline{}$     |             |
| 1 1.0   | (see legal reference).   |             | Ш                 | Ш           |
|         | Comment: Max limit in legal reference when tested according to EN1811:2011-5.  |             |                   |             |
| P1.7*   | REACH Article 33 information about substances in articles is available at (add URL or mail contact):   | $\boxtimes$ |                   |             |
|         | https://www.brother.eu/en/reach  |             |                   | _           |
| P2      | Batteries  |             |                   |             |
| P2.1*   | If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal  | $\boxtimes$ |                   |             |
|         | symbol. Information on proper disposal is provided in user manual. (See legal reference)   |             |                   |             |
| P2.2*   | Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal   | $\boxtimes$ |                   |             |
| D0 0*   | reference)  Pattering and accumulators are readily removable. (See legal reference)  |             | _                 |             |
| P2.3*   | Batteries and accumulators are readily removable. (See legal reference)  | $\boxtimes$ | <u>Ц</u>          | Ш           |
| P3      | Conformity verification & Eco design (ErP)   |             |                   |             |
| P3.1*   | The product is CE-marked to show conformance with applicable legal requirements (see legal reference).   | $\boxtimes$ |                   |             |
|         | The Declaration of Conformity can be requested at (add link or e-mail address):  |             |                   |             |
| P3.2*   | https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=lptj4522tneuk  The product complies with the applicable Eco design Requirements for Energy-Related Products.                       |             | $\overline{}$     |             |
| F J. Z  | (see legal reference).   |             | Ш                 |             |
|         | Required information is: qiven in item P15 or added to this document.  |             |                   | $\boxtimes$ |
|         | available at (add URL):  | _           |                   | _           |
| P4      | Consumable materials   |             |                   |             |
| P4.1*   | If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater  |             | $\overline{\Box}$ | $\square$   |
|         | than 0,01% (see legal reference and NOTE B1).  |             |                   |             |
| P4.2*   | If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)  |             |                   |             |
| P4.3*   | If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there  |             |                   | X           |
|         | are Community workplace exposure limits, the product/packaging is adequately labeled according to  |             |                   |             |
|         | applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available  |             |                   |             |
|         | (see legal reference).   |             |                   |             |
| P5      | Product packaging  |             |                   |             |
| P5.1*   | Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and   |             |                   |             |
| D       | hexavalent chromium by weight of these together.   |             | _                 |             |
| P5.2*   | The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s used (see legal reference).  | ) 🔀         | Ш                 | Ш           |
| P5.3*   | The product packaging material is free from ozone depleting substances as specified in the Montreal  | $\boxtimes$ |                   |             |
|         | Protocol (see legal reference).  |             |                   |             |
|         | Comment: Legal reference has no maximum concentration values.  |             |                   |             |
| P6      | Treatment information  |             | _                 |             |
| P6.1*   | Information for recyclers/treatment facilities is available (see legal reference).   |             |                   |             |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model number * | TJ-4522TN   | Logo |  |
|----------------|-------------|------|--|
| Issue date *   | 5/July/2024 |      |  |
|                |             |      |  |

|        | t environmental attributes - Market requirements (See General Note GN below)  Environmental conscious design   | Regui       | irement     | met |
|--------|--|-------------|-------------|-----|
| Item   | *=mandatory to fill in. Additional information regarding each item may be found under P14.   | Yes         | No n.:      |     |
| P7     | Design   |             |             |     |
|        | Disassembly, recycling   |             |             |     |
| P7.1*  | Parts that have to be treated separately are easily separable  | $\boxtimes$ |             |     |
| P7.2*  | Plastic materials in covers/housing have no surface coating.   |             |             |     |
| P7.3*  | Plastic parts > 100 g consist of one material or of easily separable materials.  | $\boxtimes$ |             |     |
| P7.4*  | Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.  | $\boxtimes$ |             |     |
| P7.5   | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.   | $\boxtimes$ |             |     |
| P7.6*  | Labels are easily separable. (This requirement does not apply to safety/regulatory labels).  | $\boxtimes$ |             |     |
|        | Product lifetime   |             |             |     |
| P7.7*  | Upgrading can be done e.g. with processor, memory, cards or drives   | $\boxtimes$ |             |     |
| P7.8*  | Upgrading can be done using commonly available tools   | $\boxtimes$ |             |     |
| P7.9   | Spare parts are available after end of production for: 7 years   |             |             |     |
| P7.10  | Service is available after end of production for: 7 years  |             |             |     |
|        | Material and substance requirements  |             |             |     |
| P7.11* | Product cover/housing material type (e.g. plastics, metal, aluminum):  Material type: Material type: Material type: Material type:   |             |             |     |
| P7.12  | Insulation materials of external electrical cables are PVC free.   |             | $\boxtimes$ |     |
| P7.13  | Insulation materials of internal electrical cables are PVC free.   |             |             |     |
| P7.14  | External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content. |             |             |     |
| P7.15  | Printed circuit boards, PCBs (without components) are low halogen: all Z PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)   |             |             |     |
| P7.16  | Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:   |             |             |     |
| P7.17  | Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:   |             |             |     |
|        | Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:  |             |             |     |
| P7.18  | Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "  3. Chemical name: , CAS #: "  |             |             |     |
|        | Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:  |             |             |     |
| P7.19  | In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:  The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)  |             |             |     |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$ 

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

| Model num  | nber *         | TJ-4522     | ?TN                                   |            |                          |           |                      |                   | Logo   |          |                |                |                      |
|--|----------------|-------------|---------------------------------------|------------|--------------------------|-----------|----------------------|-------------------|--|----------|----------------|----------------|----------------------|
| Issue date   | *              | 5/July/2    | 2024                                  |            |                          |           |                      |                   |  |          |                |                |                      |
|  |                |             |                                       |            |                          |           |                      |                   |  |          |                |                |                      |
| Dun dunat a  |                | 4-1 -44-    | alle set e a . NA                     |            |                          |           |                      |                   |  |          | Di             | 4              | 4                    |
| Item   | nvironme       | ntai atti   | ributes - Ma                          | arket re   | quirements (c            | ontin     | uea)                 |                   |  |          | Require<br>Yes | ment<br>No     | met<br>n.a.          |
|  | Motorial on    | d cubot     | anaa raquira                          | monto /    | nontinued)               |           |                      |                   |  |          | 168            | INO            | II.a.                |
| P7.20*   |                |             | ance require                          |            |                          | the pro   | dust (Cas NOTE       | ne).              |  |          |                |                | $\overline{}$        |
| 1 7.20   | Postconsur     | ner recyc   | ded plastic m                         | ateriai co | ontent is used in        | trie pro  | oduct (See NOTE      | DO).              |  |          |                |                | ш                    |
|  | If YES: at le  | east one    | of the two alt                        | ernatives  | below shall be           | answer    | red:                 |                   |  |          |                |                |                      |
|  | ,              |             |                                       |            |                          |           | eled plastic materia | al content        | t (calculat  | ed as a  |                |                |                      |
|  | percer         | ntage of t  | otal plastic b                        | y weight)  | is %.                    |           |                      |                   |  |          |                |                |                      |
|  | or<br>b) Thow  | oight of r  | anyolod mate                          | rial ia    | <b>a</b>                 |           |                      |                   |  |          |                |                |                      |
| P7.21*   |                |             | ecycled mate                          |            | g.<br>in the product (S  | ON NO     | TE D7\·              |                   |  |          |                |                |                      |
| F1.21  | Dionased h     | iasiic iiia | iteriai conteni                       | is useu    | in the product (S        | ee NO     | 1 L D7 ).            |                   |  |          |                |                |                      |
|  |                |             |                                       |            | below shall be           |           |                      |                   |  |          |                |                |                      |
|  |                |             |                                       |            | the biobased pla         | astic ma  | aterial content (ca  | culated a         | as a perc  | entage o | f              |                |                      |
|  |                | lastic by   | weight) is                            | %.         |                          |           |                      |                   |  |          |                |                |                      |
|  | or<br>b) The w | eight of t  | he biobased                           | nlastic m  | aterial is               | 1         |                      |                   |  |          |                |                |                      |
| P7.22*   |                |             |                                       |            | ess than 0,1 mg/         | lamp.     |                      |                   |  |          |                |                |                      |
|  |                |             | pecify: Numb                          |            |                          |           | m mercury conten     | t per lam         | p:   | mg       |                |                |                      |
| P8   | Batteries      |             |                                       |            |                          |           |                      |                   |  |          |                |                |                      |
| P8.1*  | Battery che    | mical cor   | mposition:                            |            |                          |           |                      |                   | -  |          |                |                |                      |
|  | (              | Compone     | nt                                    |            | Material                 |           | CAS No.              | Content           | : (%)  |          |                |                |                      |
|  | -              | itive elect |                                       |            | anese dioxide            |           | 1313-13-9            | 12 - 5            |  |          |                |                |                      |
|  | Neg            | ative elec  | trode                                 |            | nium metal               |           | 7439-93-2            | 0.5 -             |  |          |                |                |                      |
|  |                |             |                                       | •          | nethoxyethane            |           | 110-71-4             |                   | 1.5 - 3.5  |          |                |                |                      |
|  |                | Electrolyt  | е                                     |            | m Perchlorate            |           | 7791-03-9            | 0.2 - 0<br>2.5 -  |  |          |                |                |                      |
|  |                |             |                                       | Organ      | nic electrolyte<br>Steel | 7/20      |                      |                   |  |          |                |                |                      |
|  | Others(St      | teel or Pla | istic parts)                          | Pol        | ypropylene               | 7433      | 9003-07-0            | 30 - 8<br>0.5 - 2 |  |          |                |                |                      |
| P9   | Energy col     | nsumpti     | on (See NOT                           |            | ургоругене               |           | 3003 07 0            | 0.5               |  |          |                |                |                      |
| P9.1   |                | •           | •                                     |            | or energy consu          | umption   | ns are reported:     |                   |  |          |                |                |                      |
|  |                |             | -                                     |            |                          |           |                      | t Dot             | Forence/C  | tandard  | for            | normi          | _                    |
| Energy mod   | ue "           |             | Power le <sup>2</sup><br><b>100</b> V |            | Power level<br>115 V AC  |           |                      |                   | Reference/Standard for end modes and test method * |          |                | energy         |                      |
| Class made   | e for ENERG    | 27          | W                                     |            | W                        |           | W                    |                   | modes and test metroc                              |          | <u> </u>       |                |                      |
|  | erational Mo   |             | VV                                    |            | VV                       | v v       |                      |                   |  |          |                |                |                      |
| (OM) produ   |                | , uo        |                                       |            |                          |           |                      |                   |  |          |                |                |                      |
| Standby/off  | mode for       |             | W                                     |            | W                        |           | 2.436 W O            |                   | OM   |          |                |                |                      |
|  | STAR Opera     | tional      |                                       |            |                          |           |                      |                   |  |          |                |                |                      |
| Mode (OM)  |                | / QT/D      | k\\/h                                 | week       | kWh/week                 |           | kWh/week             |                   |  |          |                |                |                      |
| TEC value for ENERGY STAR TEC products (TEC= Typical |                |             | KVVII/                                | WEEK       | KVVII/WE                 | CK        | KVVII/WEEI           | `                 |  |          |                |                |                      |
| Energy Consumption)                                  |                |             |                                       |            |                          |           |                      |                   |  |          |                |                |                      |
| . ,  |                | W           |                                       | W          |                          | W         |                      |                   |  |          |                | П              |                      |
|  |                | W           |                                       | W          |                          | W         |                      |                   |  |          |                | $\overline{H}$ |                      |
|  |                | W           |                                       | W          |                          | W         |                      |                   |  |          |                | +              |                      |
|  |                | W           |                                       | W          |                          | W         |                      |                   |  |          |                | ╫              |                      |
|  |                |             | W                                     |            | W                        |           | W                    |                   |  |          |                |                | $\frac{\perp}{\Box}$ |
|  |                |             | W                                     |            | W                        |           | W                    |                   |  |          |                |                | $\overline{+}$       |
| External Da  | war Sunnly     | Efficiono   |                                       | national   | Efficiency Marki         | na Prot   |                      |                   |  |          |                |                | <del>  </del>        |
| LAGINALEU  | we oupply      |             | y Level (IIIIei                       | nauviidi   | LINGICHOY WALKI          | ווש ו־וטנ | .0001) . <b>V</b> I  | I                 |  |          |                |                | 1 1                  |

images per minute

Print/Scan Speed 14 ips @ 203 DPi\*

P9.2\*

Default time to enter energy save mode:

34.67

minutes

Information about the energy save function is provided with the product.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

| Model number * | TJ-4522TN   | Logo |  |
|----------------|-------------|------|--|
| Issue date *   | 5/July/2024 |      |  |

| Product | environmental a  | attributes - Market re   | equirements (c      | continued)                            |                    |                    | Require     | ment          | met           |  |
|---------|--|--|---------------------|---------------------------------------|--------------------|--------------------|-------------|---------------|---------------|--|
| Item    |  |  |                     | ,                                     |                    |                    | Yes         | No            | n.a.          |  |
| P10     | Emissions  |  |                     |                                       |                    |                    |             |               |               |  |
|         |  | - Declared according to  | ISO 9296 (See       | NOTE <b>B9</b> )                      |                    |                    |             |               |               |  |
| P10.1   | Mode   | Mode description   |                     |                                       | per limit A-wei    | ghted sound powe   | er level,   |               |               |  |
|         | Idle   | *  |                     | *                                     |                    |                    |             |               |               |  |
|         | Operation  | *  |                     | *                                     |                    |                    |             |               | Ħ             |  |
|         | Other mode   |  |                     |                                       |                    |                    |             |               |               |  |
|         | Measured accord  | 10.74)   |                     |                                       |                    |                    |             |               |               |  |
|         | Other (only if not covered by ECMA-74)  Chemical emissions from printing products (See NOTE B10)   |  |                     |                                       |                    |                    |             |               |               |  |
| P10.2*  | Toot performed of  | population printing pro  | Determination of    | Chamical Emiss                        | ion Doton from     | a Electronia       |             |               | _             |  |
| F 10.2  | Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360) , other specify:   |  |                     |                                       |                    |                    |             |               |               |  |
| P10.3   |  | rate (operation phase) i   |                     |                                       |                    |                    |             |               | $\overline{}$ |  |
| 1 10.0  | r ypiodi cirilodiciri  | rate (operation phase)   | o (mg/m/.           |                                       |                    |                    |             |               | Ш             |  |
|         | Electrophotograp   | hic devices: Ozone   | Dust<br>Dust        | Styrene<br>Styrene                    | Benzene<br>Benzene | TVOC<br>TVOC       |             |               | H             |  |
|         | NOTE: complian   | aa with mayimum amiaai   | ion rotoo in ooo le | abala ta ba daala                     | arad in D11        |                    |             |               | ш             |  |
| P11     |  | ce with maximum emissing terials for printing pro  |                     | abels to be decia                     | ared III P 14.     |                    |             |               |               |  |
| P11.1*  |  | neet (SDS) is available for  |                     | renaration even                       | if not legally r   | equired (see D4.3) |             | $\overline{}$ |               |  |
| P11.2*  | ,  | \ /  |                     |                                       | 0 ,                | ' '                | ). <u> </u> | ₩             |               |  |
|         | Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.  2-sided (duplex) printing/copying is an integrated product function. |  |                     |                                       |                    |                    |             | <u> </u>      |               |  |
| P11.3*  |  |  | · .                 |                                       |                    |                    |             | Щ.            |               |  |
| P11.4*  |  | elivered to end-user with  | default auto-dup    | olex enabled.                         |                    |                    |             | Ш             | $\boxtimes$   |  |
| P13     | Packaging and  |  |                     | <i>a</i> >                            |                    |                    |             |               |               |  |
| P13.1*  | Product packagir   | ng material type(s): Pap<br>ng material type(s): PE<br>ng material type(s): Tap  | weight              | (kg):                                 |                    |                    |             |               |               |  |
| P13.2*  |  | rimary packaging is free   |                     |                                       |                    |                    |             | $\boxtimes$   |               |  |
| P13.3*  |  | ary corrugated fiberboardered fiber content:   | d packaging, spe    | ecify the containe                    | ed percentage      | of minimum post-   |             |               |               |  |
| P13.4*  |  | r user and product docu  |                     | ox):                                  |                    |                    |             |               |               |  |
| P13.5   | (Please only com   | nplete this item if paper of the documentation on paper of the documentation o |                     |                                       |                    |                    |             |               |               |  |
|         | Totally chlorine-f   |  |                     |                                       |                    |                    |             |               |               |  |
|         | Elemental chlorine-free  |  |                     |                                       |                    |                    |             |               |               |  |
|         | Processed chlori   |  |                     |                                       |                    |                    |             |               |               |  |
| P14     | Voluntary progr  |  | - fellowing t       |                                       |                    |                    |             |               |               |  |
| P14.1   | The product mee  | ets the requirements of the  | ne following volur  | ntary program(s)                      | 1                  |                    |             |               |               |  |
|         | ENERGY STARGECO-label:   | © Criteria ver<br>Criteria ver<br>Criteria ver   | rsion:              | Date: <b>2020</b> /<br>Date:<br>Date: | Produ              | ict category: Prin | iter        |               |               |  |

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$ 

NOTE B10 A Guidance document on Chemical Emissions is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>.

| Model number * | TJ-4522TN   | Logo |  |
|----------------|-------------|------|--|
| Issue date *   | 5/July/2024 |      |  |

| Pro | Product environmental attributes - Market requirements (concluded) |  |  |  |  |  |
|-----|--|--|--|--|--|--|
| P15 | 5 Additional information (See NOTE B11)                            |  |  |  |  |  |
|     |  |  |  |  |  |  |
|     |  |  |  |  |  |  |
|     |  |  |  |  |  |  |

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

| Reference  | Declaration item             |
|--|------------------------------|
| Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.  | P1.1, P3.1, P4.1             |
| Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII  | P1.2, P1.4, P1.6, P1.7, P4.2 |
| Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII   | P1.10                        |
| Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)   | P4.3                         |
| Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)  | P1.3, P5.3                   |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002   | P1.5                         |
| Directive 2006/66/EC (Battery and accumulators Directive), as amended.*  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.             | P2.1, P2.2, P2.3, P8.1       |
| Directive 2014/35/EU (Low Voltage Directive)   | P3.1                         |
| Directive 2014/30/EU (EMC Directive)   | P3.1                         |
| Directive 2014/53/EU (RE Directive)  | P3.1                         |
| Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)                           | P3.1, P3.2, P9.1             |
| Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions |                              |
| Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies  | P3.1, P3.2, P9.1             |
| Commission Regulation (EC) 1272/2008 (CLP Regulation)  | P4.3, P7.19                  |
| Directive 2004/12/EC (Packaging Directive)   | P5.1                         |
| Decision 97/129/EC (Secondary packaging legislation)   | P5.2                         |

| I | Directive 2012/19/EU (WEEE directive)   | P6.1 |
|---|---|------|
|   | Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.   |      |
|   | Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment |      |
| I | (WEEE) generated by weight in each Member State.  |      |