



## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand *                | Brother                               | Logo |
|------------------------|---------------------------------------|------|
| Company name *         | Brother International Europe          |      |
| Contact information *  | EUBIEEnvironmentalGroup@brother.co.uk |      |
| e-mail address         |                                       |      |
| Internet site *        | www.brother.com                       |      |
| Additional information |                                       |      |

| The company declares (                                | based on product specification or test results based obtained from sample testing), that the product |  |  |  |  |
|---|--|--|--|--|--|
| conforms to the statements given in this declaration. |  |  |  |  |  |
| Type of product *                                     | Mobile Printer   |  |  |  |  |
| Commercial name *                                     | PJ-863   |  |  |  |  |
| Model number *  | PJ-863   |  |  |  |  |
| Issue date *  | 3/July/2024  |  |  |  |  |
| Intended market *                                     | ☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other   |  |  |  |  |
| Additional information                                |  |  |  |  |  |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

| Model number * | PJ-863      | Logo |  |
|----------------|-------------|------|--|
| Issue date *   | 3/July/2024 |      |  |

| Product | oduct environmental attributes - Legal requirements   |             |    |             |  |  |
|---------|---|-------------|----|-------------|--|--|
| Item    |   | Yes         | No | n.a.        |  |  |
| P1      | Hazardous substances and preparations   |             |    |             |  |  |
| P1.1*   | Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)  | $\boxtimes$ |    |             |  |  |
| P1.2*   | Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.   |             |    |             |  |  |
| P1.3*   | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-                            |             |    |             |  |  |
|         | trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.  |             |    |             |  |  |
| P1.4*   | Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).   | $\boxtimes$ |    |             |  |  |
| P1.5*   | Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).                |             |    |             |  |  |
| P1.6*   | Parts with direct and prolonged skin contact do not release nickel in concentrations above $0.5 \mu g/cm^2/week$ (see legal reference).   |             |    |             |  |  |
|         | Comment: Max limit in legal reference when tested according to EN1811:2011-5.   |             |    |             |  |  |
| P1.7*   | REACH Article 33 information about substances in articles is available at (add URL or mail contact):<br>https://www.brother.eu/en/reach   |             |    |             |  |  |
| P2      | Batteries   |             |    |             |  |  |
| P2.1*   | If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)            |             |    | $\boxtimes$ |  |  |
| P2.2*   | Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)   |             |    |             |  |  |
| P2.3*   | Batteries and accumulators are readily removable. (See legal reference)   |             | П  | X           |  |  |
| P3      | Conformity verification & Eco design (ErP)  |             |    |             |  |  |
| P3.1*   | The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):                        |             |    |             |  |  |
| D0.01   | https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=pj863euk  |             |    |             |  |  |
| P3.2*   | The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).  |             |    |             |  |  |
|         | Required information is; given in item P15 or added to this document,  available at (add URL):  | Ш           | Ш  | Ш           |  |  |
|         | https://support.brother.com/g/b/manualtop.aspx?c=eu_ot⟨=en∏=pj863euk  |             |    |             |  |  |
| P4      | Consumable materials  |             |    |             |  |  |
| P4.1*   | If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).   |             |    |             |  |  |
| P4.2*   | If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)   |             |    |             |  |  |
| P4.3*   | If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to |             |    |             |  |  |
|         | applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  |             |    |             |  |  |
| P5      | Product packaging   |             |    |             |  |  |
| P5.1*   | Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.   |             |    |             |  |  |
| P5.2*   | The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  |             |    |             |  |  |
| P5.3*   | The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).   | $\boxtimes$ |    |             |  |  |
|         | Comment: Legal reference has no maximum concentration values.   |             |    |             |  |  |
| P6      | Treatment information   |             |    |             |  |  |
| P6.1*   | Information for recyclers/treatment facilities is available (see legal reference).  | $\boxtimes$ |    |             |  |  |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model number * | PJ-863      | Logo |  |
|----------------|-------------|------|--|
| Issue date *   | 3/July/2024 |      |  |
|                |             |      |  |

| Product | t environmental attributes - Market requirements (See General Note GN below)   |             |             |               |
|---------|--|-------------|-------------|---------------|
| -       | Environmental conscious design   | Requir      | rement      | met           |
| Item    | *=mandatory to fill in. Additional information regarding each item may be found under P14.   | Yes         | No n.a      |               |
| P7      | Design   |             |             |               |
|         | Disassembly, recycling   |             |             |               |
| P7.1*   | Parts that have to be treated separately are easily separable  |             |             |               |
| P7.2*   | Plastic materials in covers/housing have no surface coating.   | $\boxtimes$ |             |               |
| P7.3*   | Plastic parts > 100 g consist of one material or of easily separable materials.  |             |             | $\boxtimes$   |
| P7.4*   | Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.  | $\boxtimes$ |             |               |
| P7.5    | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.   |             | $\boxtimes$ |               |
| P7.6*   | Labels are easily separable. (This requirement does not apply to safety/regulatory labels).  | $\boxtimes$ |             |               |
|         | Product lifetime   |             |             |               |
| P7.7*   | Upgrading can be done e.g. with processor, memory, cards or drives   |             | $\boxtimes$ |               |
| P7.8*   | Upgrading can be done using commonly available tools   |             | $\boxtimes$ |               |
| P7.9    | Spare parts are available after end of production for: 7 years   |             |             |               |
| P7.10   | Service is available after end of production for: 7 years  |             |             |               |
|         | Material and substance requirements  |             |             |               |
| P7.11*  | Product cover/housing material type (e.g. plastics, metal, aluminum):  Material type: Material type: Material type:  |             |             |               |
| P7.12   | Insulation materials of external electrical cables are PVC free.   |             | $\boxtimes$ |               |
| P7.13   | Insulation materials of internal electrical cables are PVC free.   |             | $\boxtimes$ |               |
| P7.14   | External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content. |             |             |               |
| P7.15   | Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)   |             |             |               |
| P7.16   | Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:  Marking: FR(40)   |             |             |               |
| P7.17   | Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):   |             |             |               |
|         | TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:  |             |             |               |
|         | Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:  |             |             |               |
| P7.18   | Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "  3. Chemical name: , CAS #: "  |             |             |               |
|         |  | $\boxtimes$ |             |               |
| P7.19   | Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)  In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been   |             |             | $\overline{}$ |
| 7.15    | assigned the following Risk phrases; and Hazard statements:  The source(s) for these classifications is/are found at (add URL(s)):  (See NOTE B5)  |             |             |               |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see <a href="http://www.ecma-internationl.org/publications/standards/Ecma-370.htm">http://www.ecma-internationl.org/publications/standards/Ecma-370.htm</a>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

| Model number * | PJ-863      | Logo |  |
|----------------|-------------|------|--|
| Issue date *   | 3/July/2024 |      |  |

| Product   | environmental att   | ributes - Market red  | quirements (contin                       | ued)   | F                       | Requi   | remen | met         |
|---|---|---|--|--|-------------------------|---|-------|-------------|
| Item  |   |   |  |  |                         | Ye  |       | n.a.        |
|   | Material and subst  | ance requirements (c  | ontinued)                                |  |                         |   |       |             |
| P7.20*  | Postconsumer recyc  | cled plastic material co  | ntent is used in the pro                 | oduct (See NOTE B6)                              |                         |   |       |             |
|   | ,   | of the two alternatives   |  | ,  | intent (calculated as a |   |       |             |
|   | percentage of t   | total plastic by weight)  |  | cled plastic material co                         | intent (calculated as a |   |       |             |
|   |   | ecycled material is   | g.                                       |  |                         |   |       |             |
| P7.21*  | Biobased plastic ma   | ased plastic material content is used in the product (See NOTE B7): |  |  |                         |   |       |             |
| If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. |   |   |  |  | F                       |   |       |             |
|   | or  | he biobased plastic ma  | aterial is a                             |  |                         |   |       |             |
| P7.22*  |   | ee from mercury, i.e. le  |  |  |                         | X   |       |             |
|   | If mercury is used sp   | pecify: Number of lamp  |  | ım mercury content pe                            | r lamp: mg              |   |       |             |
| P8  | Batteries   |   |  |  |                         |   |       |             |
| P8.1*   |   |   |  | sition metal oxidate(L<br>ative electrode's base |                         |   |       |             |
|   |   | c electrolyte principa  |  |  | соррег                  |   |       |             |
|   | case:Aluminum,iro   | n,aluminum laminate   |  |  |                         |   |       |             |
| P9  | Energy consumpti  | <u> </u>  |  |  |                         |   |       |             |
| P9.1  |   | following power levels  | or energy consumptio                     |  |                         |   |       |             |
| Energy mo   | Energy mode * Power level at Power level at 100 V AC Power level at 15 V AC 230 V AC Reference/Standard modes and test metr |   | Reference/Standard modes and test method | for  | energy                  |   |       |             |
| Sleep mode for ENERGY   |   | W   | W  | W  | modes and test metre    | <u>, , , , , , , , , , , , , , , , , , , </u> |       | $\boxtimes$ |
|   | perational Mode   |   |  |  |                         |   |       |             |
| (OM) produ  | ucts<br>ff mode for   | W   | W  | W  |                         |   |       |             |
|   | STAR Operational  | VV  | VV                                       | VV   |                         |   |       |             |
| Mode (OM  | ) products  |   |  |  |                         |   |       |             |
| _   | for ENERGY STAR   | kWh/week  | kWh/week                                 | kWh/week   |                         |   |       |             |
|   | icts (TEC= Typical<br>insumption)   |   |  |  |                         |   |       |             |
| Printing  |   | W   | W  | <b>40</b> W                                      |                         |   |       |             |
| Copying   |   | W   | W  | W  |                         |   |       | $\boxtimes$ |
|   | ode/Copying   | W   | W  | W  |                         |   |       | $\boxtimes$ |
| Quiet Mo  | ode/Printing  | W   | W  | W  |                         |   |       |             |
| Ready   |   | W   | W  | W  |                         |   |       |             |
| Sleep   |   | W   | W  | W  |                         |   |       | $\boxtimes$ |
| Deep Sleep W W W  |   |   |  |  |                         |   |       |             |
| Power O   |   | W   | W  | 0.17 W   |                         |   |       | <u> </u>    |
|   | ed Standby  | W   | W  | 0.98 W   |                         |   |       |             |
|   |   | y Level (International I  | Elliciency Marking Pro                   | iocol) " : VI                                    |                         |   |       | <u> </u>    |
| Print/Scan  | •   | 5 images per minute   |  |  |                         |   |       | <u> </u>    |
|   | e to enter energy sav   |   | utes                                     | -  |                         |   |       | <u> </u>    |
| P9.2*   | Information about th  | e energy save function  | n is provided with the r                 | product.   |                         |   |       |             |

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>.

| Model number * | PJ-863      | Logo |  |
|----------------|-------------|------|--|
| Issue date *   | 3/July/2024 |      |  |

| Product | Product environmental attributes - Market requirements (continued)   |  |                    |   |                      | Require                             | ment        | met               |                        |
|---------|--|--|--------------------|---|----------------------|-------------------------------------|-------------|-------------------|------------------------|
| Item    |  |  |                    |   |                      |                                     | Yes         | No                | n.a.                   |
| P10     | Emissions  |  |                    |   |                      |                                     |             |                   |                        |
|         | Noise emission   | - Declared according to  | ISO 9296 (See N    | NOTE <b>B9</b> )                            |                      |                                     |             |                   |                        |
| P10.1   | Mode   | Mode description   |                    | Statistical up                              | oper limit A-weigl   | nted sound power                    | r level,    |                   |                        |
|         | Idle   | *  |                    | *   |                      |                                     |             |                   |                        |
|         | Operation  | *  |                    | *   |                      |                                     |             |                   | $\blacksquare$         |
|         | Other mode   |  |                    |   |                      |                                     |             |                   |                        |
|         | Measured accord  | ding to: SO 7779   | ECMA-74<br>Other   | (only if not co                             | overed by ECMA       | 74)                                 |             |                   |                        |
|         | Chemical emiss   | sions from printing prod   |                    |   | overed by Eenin      | . , , ,                             |             |                   |                        |
| P10.2*  | Test performed a   | according to ECMA-328 D  | etermination of    | Chemical Emis                               | sion Rates from I    | Electronic                          |             | $\overline{\Box}$ | $\overline{\Box}$      |
|         | •  | (IEC 28360), other spe   |                    |   |                      |                                     |             | ш                 | ш                      |
| P10.3   |  | rate (operation phase) is  |                    |   |                      |                                     |             |                   |                        |
|         | Electrophotograp   | ohic devices: Ozone  | Dust<br>Dust       | Styrene<br>Styrene                          | Benzene<br>Benzene   | TVOC<br>TVOC                        |             |                   |                        |
|         | NOTE: complian   | ce with maximum emission   | on rates in eco la | bels to be decla                            | ared in P14.         |                                     |             |                   |                        |
| P11     |  | aterials for printing prod   |                    |   |                      |                                     |             |                   |                        |
| P11.1*  | A Safety Data Sh   | heet (SDS) is available for  | r the ink/toner pr | eparation, ever                             | n if not legally red | quired (see P4.3).                  |             |                   | $\overline{\boxtimes}$ |
| P11.2*  | Paper containing<br>EN 12281.  | post-consumer recycled   | fibers can be us   | ed, provided th                             | at it meets the re   | equirements of                      |             |                   |                        |
| P11.3*  | 2-sided (duplex) printing/copying is an integrated product function. |  |                    |   |                      |                                     |             |                   | $\square$              |
| P11.4*  | The product is de  | elivered to end-user with  | default auto-dupl  | ex enabled.                                 |                      |                                     |             | Ħ                 |                        |
| P13     | Packaging and  | documentation  |                    |   |                      |                                     |             |                   |                        |
| P13.1*  | Product packagir   | ng material type(s): CRC<br>ng material type(s): LDP<br>ng material type(s): |                    | weight (kg):<br>(kg): <b>0.014</b><br>(kg): | 0.21                 |                                     |             |                   |                        |
| P13.2*  | Product plastic p  | rimary packaging is free f   | rom PVC.           |   |                      |                                     | $\boxtimes$ |                   |                        |
| P13.3*  |  | ary corrugated fiberboard<br>ered fiber content:                             | packaging, spec    | cify the contain                            | ed percentage of     | f minimum post-                     |             |                   |                        |
| P13.4*  | Specify media fo Electronic , P                                      | or user and product docum  | nentation (tick bo | x):   |                      |                                     |             |                   |                        |
| P13.5   | (Please only com   | nplete this item if paper do<br>t documentation on pape                      |                    |   |                      |                                     |             |                   |                        |
|         | Totally chlorine-f   | ree  |                    |   |                      |                                     |             |                   |                        |
|         | Elemental chloring   | ne-free  |                    |   |                      |                                     |             |                   |                        |
|         | Processed chlori   | ine-free   |                    |   |                      |                                     |             |                   |                        |
| P14     | Voluntary progr  |  |                    |   |                      |                                     |             |                   |                        |
| P14.1   | The product mee  | ets the requirements of the  | e following volun  | tary program(s)                             | ):                   |                                     |             |                   |                        |
|         | ENERGY STARGECO-label:   | R Criteria vers<br>Criteria vers<br>Criteria vers                            | ion:               | Date:<br>Date:<br>Date:                     | Product              | category:<br>category:<br>category: |             |                   |                        |

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$ 

NOTE B10 A Guidance document on Chemical Emissions is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>.

| Model number * | PJ-863      | Logo |  |
|----------------|-------------|------|--|
| Issue date *   | 3/July/2024 |      |  |

| Product environmental attributes - Market requirements (concluded) Requirement me |                                       |  |  |
|---|---------------------------------------|--|--|
| P15   | Additional information (See NOTE B11) |  |  |
|   |                                       |  |  |
|   |                                       |  |  |
|   |                                       |  |  |

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

| Reference  | Declaration item             |
|--|------------------------------|
| Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.  | P1.1, P3.1, P4.1             |
| Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII  | P1.2, P1.4, P1.6, P1.7, P4.2 |
| Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII   | P1.10                        |
| Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)   | P4.3                         |
| Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)  | P1.3, P5.3                   |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002   | P1.5                         |
| Directive 2006/66/EC (Battery and accumulators Directive), as amended.*  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.             | P2.1, P2.2, P2.3, P8.1       |
| Directive 2014/35/EU (Low Voltage Directive)   | P3.1                         |
| Directive 2014/30/EU (EMC Directive)   | P3.1                         |
| Directive 2014/53/EU (RE Directive)  | P3.1                         |
| Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)                           | P3.1, P3.2, P9.1             |
| Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions |                              |
| Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies  | P3.1, P3.2, P9.1             |
| Commission Regulation (EC) 1272/2008 (CLP Regulation)  | P4.3, P7.19                  |
| Directive 2004/12/EC (Packaging Directive)   | P5.1                         |
| Decision 97/129/EC (Secondary packaging legislation)   | P5.2                         |

| Directive 2012/19/EU (WEEE directive)  | P6.1 |
|--|------|
| Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.  |      |
| Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State. |      |