



## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

-

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Mobile Printer				
Commercial name *	PJ-883				
Model number *	PJ-883				
Issue date *	3/July/2024				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	PJ-883	Logo	
Issue date *	3/July/2024		

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$		
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above $0.5 \mu g/cm^2/week$ (see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.brother.eu/en/reach		Ш	
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)			$\boxtimes$
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			X
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):			
D0.0*	https://support.brother.com/g/b/producttop.aspx?c=eu_ot⟨=en∏=pj883euk		_	
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).			
	Required information is; given in item P15 or added to this document,  available at (add URL):			
	https://support.brother.com/g/b/producttop.aspx?c=eu_ot⟨=en∏=pj883euk			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to	$\boxtimes$		
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	$\boxtimes$		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	PJ-883	Logo	
Issue date *	3/July/2024		

Product	t environmental attributes - Market requirements (See General Note GN below)			
-	Environmental conscious design	Requir	rement	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No n.a	
P7	Design			
55.44	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.	$\boxtimes$		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			$\boxtimes$
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		$\boxtimes$	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		$\boxtimes$	
P7.8*	Upgrading can be done using commonly available tools		$\boxtimes$	
P7.9	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):  Material type: Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$	
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:  Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "  3. Chemical name: , CAS #: "			
		$\boxtimes$		
P7.19	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)  In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:  The source(s) for these classifications is/are found at (add URL(s)):  , (See NOTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$ 

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	PJ-883	Logo	
Issue date *	3/July/2024		

Product environmental attributes - Market requirements (continued)						Requi	rement	met		
Item						Yes	s No	n.a.		
		ance requirements (c								
P7.20*	Postconsumer recyc	cled plastic material co	ntent is used in the pr	oduct (See NOTE B6):				Ш		
		of the two alternatives								
	<ul> <li>a) Of total plastic percentage of t</li> </ul>	parts' weight > 25 g, tl total plastic by weight)	ne postconsumer recy is %.	cled plastic material co	ntent (calculated as a					
	or									
D7 04*		recycled material is	g.	OTE DZV						
P7.21*	Biobased plastic ma	iterial content is used i	n the product (See NC	) IE B7):		Ш	X	Ш		
		of the two alternatives								
	a) Of total plastic total plastic by		ne biobased plastic m	naterial content (calcula	ated as a percentage o	Γ				
	or	0 ,								
P7.22*		he biobased plastic ma se from mercury, i.e. le								
1 7.22		pecify: Number of lamp		ım mercury content pe	r lamp: mg		ш	ш		
P8	Batteries									
P8.1*				sition metal oxidate(L						
		c electrolyte principa		ative electrode's base rbonate Outer	e.Copper					
	case:Aluminum,iro	n,aluminum laminate								
P9	Energy consumption									
P9.1	,	following power levels								
Energy mo	ode *	Power level at <b>100</b> V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test methods	for	energy			
Sleep mod	le for ENERGY	W	W	W	modes and test meth	<u>Ju</u>		$\square$		
STAR® O	perational Mode									
(OM) produ		W	W	W				$\square$		
ENERGY S	STAR Operational									
Mode (OM	) products for ENERGY STAR	kWh/week	kWh/week	kWh/week				_		
-	icts (TEC= Typical	KVVII/WEEK	KVVII/WEEK	KVVII/Week						
	nsumption)									
Printing		W	W	<b>40</b> W						
Copying		W	W	W						
Quiet Mo	ode/Copying	W	W	W				$\boxtimes$		
Quiet Mo	ode/Printing	W	W	W						
Ready		W	W	W						
Sleep		W	W	W						
Deep Sle	-	W	W	W						
Power O		W	W	0.17 W						
	ed Standby	W	W	0.98 W						
		y Level (International I	Efficiency Marking Pro	otocol) *: VI						
Print/Scan	•	5 images per minute								
	ie to enter energy sav	re mode: 30 min	utes							
P9 2*	Information about th	e energy save function	n is provided with the r	oroduct						

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	PJ-883	Logo	
Issue date *	3/July/2024		

Product	Product environmental attributes - Market requirements (continued)					Require	ment	met	
Item							Yes	No	n.a.
P10	Emissions								
	Noise emission	- Declared according to	ISO 9296 (See	e NOTE <b>B9</b> )					
P10.1	Mode	Mode description		Statistical up	pper limit A-weigl	hted sound power	level,		
	Idle	*		*					
	Operation	*		*					
	Other mode								
	Measured according to: SO 7779 CCMA-74 Other (only if not covered by ECMA-74)								
	Chemical emiss	sions from printing prod		\ /	000100 2, 20	(1-1)			
P10.2*		according to ECMA-328 [			sion Rates from	Electronic		$\overline{\Box}$	
	•	(IEC 28360), other sp						ш	ш,
P10.3		rate (operation phase) is							$\Box$
	,,	, , ,	( ),						
		ohic devices: Ozone	Dust	Styrene	Benzene	TVOC			
	Ink devices:		Dust	Styrene	Benzene	TVOC			$\Box$
	NOTE: complian	ce with maximum emissi	on rates in eco	labels to be decl	lared in P14.				
P11		aterials for printing pro-							
P11.1*		heet (SDS) is available fo		preparation, ever	n if not legally red	quired (see P4.3).			$\square$
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.								
P11.3*	2-sided (duplex) printing/copying is an integrated product function.								$\square$
P11.4*	The product is delivered to end-user with default auto-duplex enabled.								X
P13	Packaging and								
P13.1*	Product packagir Product packagir	ng material type(s): CRO ng material type(s): LDF ng material type(s):	PE weigl weigl	weight (kg): ht (kg): <b>0.014</b> ht (kg):	0.22				
P13.2*		orimary packaging is free					$\boxtimes$		
P13.3*		ary corrugated fiberboard ered fiber content:	d packaging, sp %	pecify the contain	ed percentage of	f minimum post-			
P13.4*	Specify media fo	or user and product docur	nentation (tick	box):					
	Electronic, P								
P13.5		nplete this item if paper d at documentation on pape pecify:							
	Totally chlorine-f	ree							
	Elemental chloring	ne-free							
	Processed chlori	ine-free					Ħ		
P14	Voluntary progr	rams:							
P14.1		ets the requirements of th	e following vol	untary program(s	;):				
	ENERGY STARGECO-label:	® Criteria ver		Date: Date:	Product	t category: t category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$ 

NOTE B10 A Guidance document on Chemical Emissions is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>.

Model number *	PJ-883	Logo	
Issue date *	3/July/2024		

Product environmental attributes - Market requirements (concluded) Requirement me			
P15	Additional information (See NOTE B11)		

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	